



innovative **t**ools Germany

**YOUR PARTNER
IN SMARTER, TAILORED
TOOL SOLUTIONS**

Mit unseren Partnern zu kompetenten und anspruchsvollen Werkzeuglösungen!

KNIPEX

Pica

nWS
made in Germany

Di-LOG
measurably better

WEICON

Starrett



Wera
Br - a Tool First

wiha
Tools that work for you

BAHCO
WERKZEUGE.DE

HEYCO

DEWALT

CONTENT

1	General Equipment Electrical Tools Torches Cable Rods		Page 1 – 19
2	Test Equipment Multimeters etc.		Page 20 – 37
3	Measuring and Marking		Page 38 – 51
4	Screwdrivers and Wrenches		Page 52 – 79
5	Power Tool Equipment Drills Holesaws		Page 80 – 105
6	Saws Insulated Saws		Page 106 – 111
7	Pliers Cable Cutters Scissors and Shears Snips		Page 112 – 151
8	Knives Cable Stripping Tools		Page 152 – 168
9	Crimping Tools		Page 169 – 179
10	Construction Tools		Page 180 – 183
11	Plumbing Tools Pipe Cutters		Page 184 – 193
12	Tool Bags Backpacks Tool Boxes		Page 194 – 204
13	Special Tools		Page 205 – 210



**GENERAL EQUIPMENT
ELECTRICAL TOOLS
TORCHES
CABLE RODS**

Cleaning Wipes, 80x in Dispenser

IT 3360 1970

Allzweck-Reinigungstücher
80er Pack

FEATURES

- For quick cleaning of hands, tools, working surfaces and more..
- Removes dust, dirt, inks, grease, glue and more..
- No water and soap required
- Refreshing aromatic experience
- Simple and quick to use
- Suitable in multi environments
- Extreme effective, user-friendly & time saving
- Easy to store and carry around
- For professional & DIY-workers



Magnetic Paintbrush Clipholder, 2 pcs.

IT 1581 0000

Pinselhalter
2tlg. Set

FEATURES

- Adjustable Positions Neatpaint Clip Magnetic Paint Brush Holder, 2 pcs in set
- Incl. can lids opener
- A magnetic device holds paint brush firmly in position



Punch Down Tool

IT 2377 0000L

Anlegewerkzeug

FEATURES

- Pushing Down and Cutting in One Operation
- Automatic Trimming Through Punch-Down Action
- Suitable for KRONE-Blocks and Others

Display Packed



WEICON Punch Down Tool LSA Sensor No. 40

IT 5200 0040



WEICON Anlegewerkzeug LSA Sensor No. 40

FEATURES

- For the Solderless, Screwless and No-Stripping Inserting and Simultaneously Cutting of Wire Ends Into
- LSA Punch Down Blocks
- With Built-In Retractable Hook and Unlocking Blade
- For Conductor Diameters 0.35 – 0.9 mm
- And Wire Diameters 0.7 – 2.6 mm
- Has a Sensor for Tracing the Wire End Position



With this tool, wires with a conductor diameter of 0.35 – 0.9mm and wire diameter of 0.7 – 2.36 mm can be wired into LSA panels or blocks. With a gentle push on the tool, the wires are inserted and cut off in just one single step. Manual stripping or screwing is not required. The integrated scissors can be switched off if necessary, for example when cutting off the wire ends is not desired. The sensor ensures that the scissors are only activated when the wire is punched into the contact sufficiently deep. For double wiring of contacts, the sensor can be deactivated. Also, this tool has a built in retractable hook for removing wires from the LSA contact as well as a retractable unlocking blade for loosening LSA modules from the mounting bracket. The tool is tested for up to 200,000 wirings.

Punch Down Tool

IT 2376 0000

Anlegewerkzeug

FEATURES

- Pushing Down and Cutting in One Operation
- Automatic Trimming during Punch-Down Action
- Suitable for KRONE-Blocks and Others
- 2 Settings to adjust Impact Pressure

Display packed



Nail and Staple Gun

IT 6220

Handheftpistole, Set inkl. Heftklammern

FEATURES

- Heavy Duty Steel Construction
- Quick "Jamming" –Release Feature
- Adjustable Tension for Variable Firing Depth
- Weight: 582g
- Capacity: Square Staples
- Crown Width: 10.6mm
- Shank Length: 4-14mm
- Nails: Length: 8-14mm
- Supplied with 2 Strips of Each:
- Square Staples: 10.6 x 10mm
- Nails: 10mm

Display packed



STAPLES

ITEM NO.	SIZE
6220 0008	8 mm Flat Crown
6220 0010	10 mm Flat Crown
6220 0012	12 mm Flat Crown

Nails box of 1000 pcs. 10 mm

IT 6221 0010

Nagelbox 10 mm, 1000 Stk.

FEATURES

- Size: 10mm Length



Staple Gun Rapid 28

IT 6328 0000

Handtacker Rapid 28

FEATURES

- For Cable up to 4.5mm Wide
- Rugged, all-steel Professional Tool for Fast and Safe Installation Work
- Suitable for Low-Voltage Cables, max 50V up to 4.5mm Diameter
- Ideal for Telephone, TV Alarm, Loudspeaker System and Signalling Equipment Cables
- Long Service Life – Capable of Over 100,000 Actuations
- Adjustable Impact Force
- Maximum setting for Long Staples or Hard Materials
- Patented Cable Guide Minimises Risk of Damage to Cables
- Capacity: For Cable Staples 9 – 11 m
- For Low-Voltage (Max 50V0) Cables up to 4.5mm Diameter

Display packed in Blister



Rapid Staples box of 1000 half crown 9x11 mm

IT 6223 0000

Heftklammern Rapid halbrund 9x11 mm, 1000 Stk.

FEATURES

- Crown Width: 6.3mm
- Shank Length: 9mm



Staples box of 1000 flat crown 10 mm

IT 6222 0010

Heftklammern flach 10 mm, 1000 Stk.

FEATURES

- Crown Width: 6.3mm
- Shank Length: 10mm



Nail and Staple Gun Rapid 36

IT 6336 0000

Handheftpistole, Nagelpistole, Rapid 36

FEATURES

- Heavy Duty Cable Tacker
- For Cable up to 6mm Wide
- High Durability, All Steel Staple Gun for Cable Installation
- Suitable for Low-Voltage Cables of Max 50V up to 6 mm Diameter
- Eg: Telephone, Speaker Cables etc.
- New Easy to Use 3 Step Force Adjuster
- Lock Function for Easy Storage
- Smooth Functioning Loading System
- Uses No. 7 & 36 Cable Staples, 10-14mm

Display packed



Rapid Staples for R36 box of 1000pcs, 12mm

IT 6224 0000

Heftklammern für Rapid R36, 1000 Stk., 12mm

FEATURES

- 12mm Leg Length
- For Cable Diameter up to 6mm
- Galvanized
- Diverging Points
- 5 x 1000pcs. packed in Box
- For Rapid Staple Gun R36



**Ratchet Strap, 3 metres, 300kg, 25mm
250 daN, EN12195-2, retractable**

IT 4210 0000

*Automatik-Zurrgurt, 3m, 300kg
25mm, Spitzhaken*

FEATURES

- Length: 3m
- Load Capacity: 300 Kg
- Strength Break Capacity: 500 Kg
- Automatic Rewind Function to Secure Loads against Movement
- Galvanized housing
- Material: polyester
- Always Inspect Before Use
- Do Not Use if Frayed
- Replace Regularly
- Do not over-tighten



**Ratchet Strap, 4 metres, 25mm
250 daN, EN12195-2, retractable**

IT 4210 0000H

*Automatik-Zurrgurt, 4m,
25mm, Rundhaken*

FEATURES

- Length: 4m
- Rated Strength: LC2500 daN
- MBS - Minimum Breaking Strength: 500KG
- 25mm Polyester Webbing
- Claw Hook
- Complies with EN 121952-2



**LED Inspection Clip-Light
magnetic, USB rechargeable**

IT 9007 0000

*LED Inspektions-Lampe,
magnetisch, USB aufladbar*

FEATURES

- COB LED Bulbs
- 150 Lumens
- Magnetic Base
- USB Rechargeable
- 2.5 Hours Lighting Time
- 2.5 Hours From Empty to Full Charging Time
- Stand Position, Clip Holder, Hanging Clip



Flashing LED Warning Light

IT 3380 0903

LED Cliplicht, Warnlicht

FEATURES

- Improves the wearer's visibility during any job or transportation
- When caught by light, it will light-up in the dark area's
- Suitable to clip on: (Tool) bags, boxes, back-packs, work wear and more
- Durable, light weight, easy-to-use and weather resistant
- 3 different flashing modes
- Up to ca. 30 hours blinking time after first-time use.
- Suitable for hardware, leisure & home purposes
- For professional and DIY workers



GENERAL EQUIPMENT | ELECTRICAL TOOLS TORCHES | CABLE RODS

USB – rechargeable LED working & inspection light
Magnet & metal hanging hook 190 Lumens

IT 9000 0000

*USB - wiederaufladbare LED Arbeitsleuchte,
Magnethalterung, 190 Lumen*

FEATURES

- Bright White COB LED light
- With 3 Flash Options
- USB Rechargeable
- Magnetic Base
- 190 Lumens
- Battery 3.7 V 1500 mAh Lithium
- Rubberised ABS and Alu Body
- Foldable and Rotatable
- Includes Micro USB Cable
- 27 x 5 x 5 cms (Unfolded)
- 4 Hour Running Time
- IP45 Weatherproof



LED Head Light, USB-rechargeable, Industrial,
172 Lumens

IT 9018 0000

USB - wiederaufladbare LED Stirnlampe 172 Lumen

FEATURES

- Bright White COB LED Light
- 172 Lumens
- Zoom Function and 3 Flash Options
- ABS and ALU Body with Tilttable Head
- Battery 3.7 V 2.400 mAh Lithium
- Body Size 6 x 8 x 8 cm
- 8 Hour Running Time



LED Head Light, USB-rechargeable, 160 Lumens

IT 9017 0000

USB - wiederaufladbare LED Stirnlampe, 160 Lumen

FEATURES

- Bright White COB LED Light
- 160 Lumens
- Motion Sensor and 3 Flash Options
- Compact Tilttable ABS Body
- Wide Elastic Detachable and Adjustable Head Band
- Battery 3.7 V 1.200 mAh Lithium
- Body Size 6 x 4 x 4 cm
- 4.5 Hour Running Time



GENERAL EQUIPMENT | ELECTRICAL TOOLS TORCHES | CABLE RODS

Portable Work Light Cob LED, 500 lumens
USB rechargeable

IT 9001 0000

Arbeitsleuchte Cob LED, 500 Lumen, USB wiederaufladbar

FEATURES

- Pro Series 500 Lumens
- COB LED Lithium Rechargeable (Non-Replaceable)
- USB Charging Facility
- Can be used as a Powerpack for other devices
- Low, Medium and High Charging Indicators
- Product Size: 172 x 128 x 46 mm
- Product Weight: 465 g
- Plastic Body with Rubber On/Off Switch
- Protective Charging Socket Cove
- Water Resistant
- Battery Life : 3.5 Hours on a Full Charge
- 180 degrees Foldable Stand
- Stand or Hang for Hands-Free Operation
- Includes Charging Cable



Industrial Duo-LED working Light,
USB-rechargeable, 1.200 Lumens

IT 3380 5080

*Arbeitsleuchte Duo-CoB LED,
USB wiederaufladbar, 1.200 Lumen*

FEATURES

- Provides optimum ultra-bright light in dark & low light areas
- USB rechargeable, no spare batteries needed
- Choose for each job the most suitable light setting (3x)
- Highly foldable, fits in easily in most tool bags and boxes
- When battery is empty: ca. 5 hours full charging time
- Ca. 6 hours shining time when fully charged
- Up to ca. 40 meters area light
- Easy to use and charge
- Stands straight on most surfaces
- Weather proof & shock resistant
- Highly economical power consumption
- For professional and DIY-workers
- Also suitable for home & outdoor purposes



Cable Rods, Set "Big Boy"
12 pcs rods, 10 pcs. accessories

IT 5490 0000

Kabelzieher Set 22 tlg., "Big Boy"

FEATURES

- Supplied in Sturdy Rigid PVC Carry Tube
- Cap With Hanging Hole

CONTENTS

- 1 X 4mm x 1M PET Rod
- 8 X 6mm x 1M Yellow Fibreglass Rods
- 2 X 7mm x 1M Red Fiberglass Rods
- 1 X 6mm x 1M Fluorescent Rod
- 1 X J Hook
- 1 X Super Magnet
- 1 x Chain
- 1 X LED Light
- 1 X Locking Ring
- 1 X Maile / Female Plug
- 1 X Double Female Plug
- 1 X Flat Plug
- 1 X Domed Bullet
- 1 X Flexible Lead 190mm



Cable Rods, Set, H.D., 14pcs., 10x1m + 3 attachem.

IT 5390 0000

Kabelzieher Set, 14tlg., 10x1m + Verlängerungen

FEATURES

- Supplied in Sturdy Rigid PVC Carry Tube
- Cap with hanging Hole

CONTENTS

- 10 X 1 Metre, 1 X Hook Attachment, 1 X Ring Attachment
- 1 X Flexible Attachment, 1 X Gender Bender



Nylon Fish Tape, 15 meter, Ø 4 mm

IT 5392 0000

Nylon Kabeleinziehband, 15 Meter, Ø 4 mm

FEATURES

- 15 Meter x 4 mm
- Supplied on Hanging Card



Fish - Rod, 4 metres, single wheel

IT 5391 0004

Elektriker Kabeleinzug, flexibel, Nylon 4 Meter

FEATURES

- Strong, 1 cm Wide
- Nylon Tape
- With Roller-Attachment
- Supplied in Brace-Holder



Fish - tape, fibreglass, 50 feet

IT 5390 0050

Elektriker Einziehband aus Fiberglas, 15 Meter

FEATURES

- 15 Metre, 50 Feet
- Robust Housing
- Complete with Repair Kit



Gas Soldering Iron, Professional Quality, 3 in 1

IT 1160 0000

Gas-LötKolben, Butangas 3 in 1

FEATURES

- Display Packed
- Gas Container Capacity: 22ml
- Operating Time: More than 125 Minutes
- For Use as: Soldering Iron -250-500°C
Heat Blower - Up to 550°C
Torch – Up to 1,300°C
- Soldering Iron Tips Shaped from a Copper Bar, then coated with Protective Iron Plating.



Soldering Iron, 40W

IT 1150 2003

LötKolben, 40W, Englischer Stecker

FEATURES

- With 3 Pin Plug (UK)
- Display Packed



Solder, 100 gr. AS 15

IT 1150 2002

LötZinn 100 gr. AS 15

FEATURES

- Solder 100g
- AS 15



Files, set of 3 pcs., 250 mm

IT 3800 0250

Feilen-Set, 3 Stück, 250 mm

FEATURES

- Half-Round, Flat and Round Second Cut Files
- Plastic Handles
- 250mm

In Display Wallet with Euro Slot



Mechanical gloves

IT 3640 0820

Arbeitshandschuh

FEATURES

- Quality work-wear gloves
- Size 9
- Synthetic leather palm with 2 layers stretch spandex and Velcro wrist closure

Display Packed on Hanging-card



Di-LOG 17th Edition Multifunction Tester

IT 9118 0000



*Di-LOG Multifunktionsprüfgerät,
1.000V Phase-Erde RCD*

FEATURES

This multi function tester has been designed to fully comply with the testing requirements of the 17th Edition. It is designed to be worn around the neck with comfortable harness for easy function selecting and testing

The RCD-LOC XLT 'Patent Pending' feature allows Loop Testing without tripping RCD or RCBO

FEATURES INCLUDED:

- Remote Test Probe
- RCD-LOC XLT
- Auto Start Loop & Continuity
- Large Colour Changing LCD Display indicating error
- 1000V Insulation Test



Comes with Toolbox Style Carry Case
Meets Safety and Performance Requirements
of BS EN 61557 2 Year Warranty



**TEST EQUIPMENT
MULTIMETERS ETC.**

Di-LOG Multi Function Tester Set

IT 9083 1011

Incl. CombiVolt2 / Test Card / Calibration Certificate
9083P / DL6790 / DL1203

*Di-LOG KIT1 9083P Multifunktionstester mit Zubehör
Zertifikat & Kalibrierungsmöglichkeit
9083P / DL6790 / DL1203*

FEATURES

The 9083P Multi Function tester has been designed to fully comply with the testing requirements of the 17th Edition allows you to test and measure Insulation, Continuity, RCD testing including tripping times.

Loop Impedance, PSCC (Prospective Short Circuit Current), RCD Auto Test, Socket Polarity test

It is a hand held unit which enables rapid and easy range setting and testing.

The unique RCD-LOC feature allows loop testing without tripping any type of RCBD. The 9083P meets all the safety and performance requirements of BS EN 61557.



FREE
Combi/Volt 2
Harness
QuickCheck test card
Calibration certificate
All worth over 1200

Di-LOG Multi Function Tester, 17th Edition, c/w RCD-LOC

IT 9083 0000

Di-LOG Multifunktionstester, c/w RCD-LOC

FEATURES

- Offering Fast and Efficient Electrical Safety Testing WITH Label
- Printing and Data Storage
- With FREE Datalogger Software
- Versatile Tester, with USB Download
- Fully Compatible with New Test N Tag Pro Serial Printer
- Date Stamped Results for Full Traceability
- Download Software Included
- Store 999 Appliance Records
- DLPTx Series PAT
- Hard Carry Case
- 110V Adaptor



**999
Asset Memory**
with option to add Test'n'Tag
serial label printer

Di-LOG ApplianceTEST
DLPT2+
Advanced Portable Appliance Test Kit

Di-LOG Digital Multimeter, Compact

IT 9206 0000

Di-LOG Hand-Multimeter, Digital CAT III, 600V



FEATURES

- Compact auto ranging digital Multimeter with 6000 count LCD Display
- Full protection on all ranges Safety category to CAT III, 600V
- The high contrast 6000 LCD complete with bar graph provides a high lever clear display of measured values

Dimensions
150 x 70 x 48 mm



Di-LOG Digital Multimeter, True RMS, Auto-ranging

IT 9309 0000

Di-LOG Hand-Multimeter, Digital, Bereichsautomatik, 1000V



FEATURES

- Top of the Range Multimeter with 6000 Count
- High Visibility Back Lit LCD Display
- High Precision Multimeter offering Accuracy Safety
- True RMS Voltage and Current Readings
- Max – Min and Peak-Hold Function
- Ideal for Electrical Engineers
- 61 Segment Analogue Bar Graph
- Full Overload Protection on All Ranges
- Temperature Reading in °C and °F



Di-LOG Mini Multimeter, c.w. Voltage Indication


IT 1140 0000

Di-LOG Multimeter Kompakt, inkl. Spannungsanzeige



FEATURES

- Non Contact Voltage Detector
- AC & DC Voltage Up to 600 V
- AC & DC Current up to 200 mA
- Resistance up to 20 MΩ
- Diode Test
- Continuity Up to 150Ω



Di-LOG Non Contact Voltage Indicator, CAT IV

IT 1070 0000

Di-LOG Di-LOG Berührungsloser Spannungsprüfer, CAT IV



FEATURES

- Contact-free audible and visual indication of AC voltages between 24 and 1000 V AC
- Clear, omni-directional flashing LED with audible alarm
- High and Low voltage mode for general or weak electro magnetic field
- Built in LED Flash light
- Quick and accurate detection of cable breaks
- Phase detection in sockets
- Auto power off with electronic switch
- CAT IV 1000V Safety Rating
- Supplied complete with 2 x 1.5 AAA batteries

Dimensions
160.5 x 21.5 x 25mm



Di-LOG DL108 Industrial 1000V Non Contact Voltage Detector 24
1000V CAT IV IP67 Rated Voltage Indicator with Vibration & LED Torch

IT 1080 0000

Di-LOG DL108 Profi 1000V berührungsloser
Spannungsprüfer 24-1000V CAT IV IP67 Vibration & LED



FEATURES

- Contact-free audible and visual indication of AC voltages between 24 and 1000 V AC
- Clear, omni-directional flashing LED with audible alarm
- Selectable vibration mode when working in industrial environments
- IP67 Rated waterproof to 1 metre
- Drop tested to 2 metres
- High and Low voltage mode for general or weak electromagnetic field
- Built in LED flash light
- Quick and accurate detection of cable breaks
- Phase detection in sockets
- Auto power off with electronic switch to avoid nuisance buzzing and extends battery life
- CAT IV 1000V Safety Rating
- Supplied complete with 1.5 V AAA batteries



Di-LOG PAT Tester 1

IT 9119 0000

Di-LOG Gerätetester, UK Ausführung



FEATURES

- Advanced Manual PAT Testing Kit with Data Logging For 999 Assets
- Comes With FREE Data Logger Software PLUS 1 Year Subscription to PATGuard Asset Management S/W
- Comprehensive range of Tests, Data Storage Label Printing Features and FREE Datalogger Software
- Enabling Simple, Professional and Fast PAT Testing
- USB Download
- Compatible with new Test n Tag Pro Serial Printer
- Plug and Print – easy Label Printing with no Setup
- Date Stamped Results for Full Traceability
- Single Key Save
- Single Key Download
- Industry Standard Download Format
- Comprehensive Range of Electrical Tests
- Test 3 Phase Appliances



Di-LOG 18th Edition Professional Lockout Kit

IT DLLOC3

Di-LOG 18th Edition Lockout-Set für Elektriker zum Absperren von Schutzschaltern



FEATURES

- Designed to give you the ability to safely Lockout any circuit Within an existing or new domestic or light to medium Commercial premises
- The kit comes supplied with an array of lockout devices and Several tags for multiple circuit isolation

Packed into carry pouch

- Kit includes:
- DL8101 – Steel 38mm Safety Padlock
 - DL8103 – Steel Lockout Hasp 1"
 - DL8105 – Universal MCB Lockout Device (Aluminium)
 - DL8106 – MCB Pins-Out (Standard) Lockout Device
 - DL8107 – MCB Thumbscrew Type Lockout Device
 - DL8108 – Circuit Breaker "No-Hole" Lockout Device
 - DL8130 – Lockout Tag X 3
 - DL8131 – Wipeable Marking Pen to Identify your Tags
 - CP1190 – Lockout Carry Pouch



Di-LOG Socket Tester, c.w. RCD & Earth Voltage Tester

IT 9073 1092

Di-LOG Steckdosentester, mit RCD Prüfung, UK Ausführung



FEATURES

- Socket Tester with Buzzer
- Clear Visual and Audible Indication
- RCD Test of 30 mA RCD (Max Time 300ms)
- Touch Voltage to Check for Extraneous Voltage on Earth
- Compact Durable Design in Compliance with BS EN 61010
- Display : 3 LED and Buzzer
- Voltage Range 230V +/- 10%
- CAT II 600 V



Di-LOG Socket Tester, c.w. Buzzer

IT 9073 1090

Di-LOG Steckdosentester, Steckdosen Typ G, UK Ausführung



FEATURES

- Clear Visual and Audible Indication of Wiring Status
- LED Indication of a Wide Range of Wiring Conditions
- Designed to EN 61010 and IP30



Di-LOG Socket Adaptor

IT 1601 0000

Di-LOG Steckdosenadapter, UK Ausführung

FEATURES

- Socket Tester with Buzzer
- Plug into 13A Socket, test safely
- Standard 4mm Connectors to suit most types of Multifunction Testers
- Test R2 and R1+R2 without removing the leads
- Safety Compliance with IEC 1010 (CAT III 300V)



Di-LOG Lamp Tester

IT 7203 0000

Di-LOG Lampentester

FEATURES

- Test Instrument for Swift Fault Finding in all Gas-Filled Low Pressure and High Pressure Discharge Lamps and Fluorescent Tubes
- Tests Fluorescent Lamps without Disassembling the Lamp
- Fluorescent, Low/High Pressure Sodium, Neon, Mercury Vapour and Metal Halide
- Integrated Single-Pole Voltage Tester
- Optical and Acoustic Display for Continuity and Voltage



Di-LOG CombiVolt 5 Voltage, Continuity & Current Tester incl. free PL107N Volt-Stick

IT 6799 0000

Di-LOG CombiVolt 5 Spannungs- und Durchgangstester inkl. berührungslosen Spannungsprüfer PL107N

FEATURES

- 750VRMS AC/1000V DC Voltage Measurement
- 200A True RMS AC/DC Current Measurement
- Non-Contact and Single-Pole Voltage Detection
- Fully Conforms to BS EN 61010-1
- 60MΩ Resistance with Audible Continuity
- Audible Continuity
- Capacitance
- Carry Case
- GS38 Shrouded Probe Tips
- Bright LED Flashlight
- Backlit Display
- 2 YEAR WARRANTY

SUPPLIED WITH FREE PL107N VOLTAGE INDICATOR (Worth 22.99 €)



Specifications

AC Voltage (TrueRMS)	0 - 750V
Typical Accuracy	+/- 1.2% + 3 digits
Frequency	45 - 400Hz
DC Voltage	0 - 1000V
Typical Accuracy	+/- 0.8% + 3 digits
Single Pole Indication	
>100Vrms	
Non-Contact Voltage Detection	
>100Vrms	Distance <10mm
Current	
AC Current	200A
Typical Accuracy	+/- 2.5% + 5 digits
Frequency	50 - 60Hz
DC Current	200A
Typical Accuracy	+/- 2.5% + 5 digits
Continuity	
Measuring range	0 - 600 Ohms Audible <100 Ohms
Resistance	
Measuring range	0.1 - 60MΩ
Typical Accuracy	+/- 1.0% + 2 digits
Capacitance	
Measuring range	60.00nF to 60.00mF
Diode	
Measuring range	6.000V
Other information	
Power supply	2 x 1.5 V 1R06 (AA) batteries
Dimensions	210 x 55 x 35 mm
Weight	154g (battery included)

Di-LOG CombiVolt1, Voltage Continuity Tester

IT 6780 0000

Di-LOG CombiVolt1, Spannungsprüfer



FEATURES

- With Phase Rotation Test
- Three – In – One Tester
- Fully Conforms to BS EN 64213-3:2015
- Testing of AC/DC Voltages from 12 to 690 V AC/DC
- Continuity Testing With Optical and Acoustic Indication
- Automatic Switching between Voltage and Continuity
- Phase Rotation Test System
- Single Pole Phase Indication
- Fully Compliant with GF38
- Fully Operational Voltage Indication even when Batteries are Discharged
- Will Not Trip any RCD when Testing across Live and Earth

Di-LOG CombiVolt 2, Digital Voltage & Continuity Tester

IT 6790 0000

Di-LOG CombiVolt2, Spannungs-, Durchgangsprüfer



FEATURES

- With Phase Rotation Test
- Three-In-One Tester
- Fully Conforms to BS EN 64213-3:2015
- Testing of AC/DC Voltages from 12 to 690 V AC/DC
- Continuity Testing With Optical and Acoustic Indication
- Automatic Switching between Voltage and Continuity
- Phase Rotation Test System
- Single Pole Phase Indication
- Fully Compliant with GF38
- Fully Operational Voltage
- Indication even when Batteries are Discharged
- Will Not Trip any RCD when Testing across Live and Earth

Di-LOG Leakage Current Clamp Meter
AC Leakage Clamp Meter

IT 6518 0000

Di-LOG Leckstromzange, AC, Digital, bis 200mA



FEATURES

- AC Leakage Clamp Meter
- Accurate Measurement of Earth Leakage to Resolution of 100 uA (0.1mA)
- 100 uA(0.1mA) High Resolution Measurement on 200mA range
- AC Measurement up to 200A
- Max and Hold Function
- 30 mm Jaw Opening
- 2000 Count Backlit Display



As stated in BS7671, the combined leakage present during normal operating conditions will not be in excess of 30% of the operating current of the RCD. For example, a 30mA RCD/RCBO would be 9mA.

The Maximum permitted earth currents are laid out in Regulation 531.3.2

Di-LOG Mini 80 Amp AC/DC Clamp Meter

IT 6506 0000

Di-LOG Mini Stromzange, Digital AC/DC, bis 80A



FEATURES

- A Compact Clamp Meter for use where access to cables is a problem
- Fits neatly in the hand with clamp opening of 18mm
- Ideal for those instances where it s hard to reach cables
- Range of 1mA to 80 A AC/DC means the small size does not Compromise on range or accuracy
- The min resolution of 1 mA will enable detection of nuisance Tripping of RCDs.
- Built in Non Contact Voltage Indicator
- Built in Torch
- AC/DC Current 1 mA to 80A
- 18mm Jaw Opening
- Data Hold, Max Current Capture
- Backlit Display
- 2 X 1.5V AAA Batteries
- Auto Power Off



Di-LOG Mini Clamp Meter, 10mA - 200A AC

IT 6505 0000

Di-LOG Mini-Zangenmessgerät, 10mA - 200A AC

FEATURES

- Compact Clamp Meter
- AC 10 mA to 200 A
- Non Contact Voltage Indication
- 18 mm Jaw Opening
- Data Hold, Max Current Capture
- Auto Power Off
- LED Torch Light



Di-LOG Test Lead Extension, 50m

IT 9073 0050

Di-LOG Messleitung, 50m auf Rolle

FEATURES

- Extension Test Lead for Direct R2 Measurements
- For use with all Makes of Insulation / Continuity Testers
- And Multi-Function Testers



Di-LOG Clamp Meter, 1000A, AC/DC

IT 6402 0000

Di-LOG Zangenmessgerät, 1000A, AC/DC

FEATURES

- Audible Continuity
- Temperature Thermocouple and K-Type Adaptor Supplied
- Frequency and Capacitance
- 30 mm Jaw Opening
- 1000 AC/DC Current Reading
- Electronic Overload Protection
- Large Easy to See Back-Lit Display
- AC/DC Voltage up to 600 V



Di-LOG Lead Set, 3 Wire, for Multi Function Testers

IT 9073 0003

Di-LOG Kabelsatz, 3-adrig, für Multifunktionstester

FEATURES

- 3 Wire Lead Set Suitable for Most Multi Function Testers Including the Di-log 9073 ^ 9083P
- Ideal for Testing at Control Panels, Distribution and Lighting Circuits

Also Compatible With:

- Megger 1500 & 1700 Series
- Fluke 1600 Series
- Kewtech Multifunctions
- Seaward
- Beha
- Martindale



Di-LOG Mains Lead for Multi Function Testers

IT 9073 0000

Di-LOG Netzkabel für Multifunktionstester

FEATURES

- Mains Lead for Multi Function Testers



Di-LOG Lead Set, Standard 4mm, Croc Clips

IT 9073 1000

Di-LOG Testkabel Standard 4mm, Krokodilklemmen

FEATURES

- Standard Unfused 4mm Shuttered Connectors to suit all Types of Instruments
- Supplied with Croc Clips
- Safety Compliance with GS38



Di-LOG Lead Set, Standard, Economy

IT 9073 0908

Di-LOG Di-LOG Testkabel Standard

FEATURES

- Safety Test Leads with 2mm Stainless Steel Tip
- 4mm Safety Socket



Di-LOG Test lead set CAT IV Accessories

IT 1150 2001

Di-LOG Messleistungssatz für Multimeter CAT IV Zubehör

FEATURES

- Universal Fit
- Display Packed
- Cat IV
- NEW IMPROVED
- Conforms to the New European Regulations
- Cat IV





MEASURING AND MARKING

Levels, Torpedo, magnetic, 225 mm

IT 3490 0225

Wasserwaage, magnetisch, 225 mm

FEATURES

- Handy Size Torpedo Level with 3 Vials
- Strong Magnet
- Ideal for DIY work
- A Must in Every Tool Box

Display Packed



Levels Aluminium

IT 3492

Wasserwaagen, Aluminium

FEATURES

- Smooth and Accurate Precision Leveling
- 3 Green Coloured Vials
- For Vertical and Horizontal Gauging
- Lightweight
- Hanging Hole
- Milled Surface on Bottom



ITEM NO.	SIZE
3492 0600	Level, 600 mm, 2 ft., Aluminium
3492 0800	Level, 800 mm, Aluminium
3492 1000	Level, 1000 mm 3 ft., Aluminium

MEASURING AND MARKING

Pica Classic 532 Permanent Pen white, 1-2 mm

IT 5320 0000

Pica Classic 532 Permanent Marker weiß, 1-2 mm



FEATURES

- Marks Immediately, without Shaking, without Pumping
- Marks on most Glossy and Porous Surfaces
- Permanent Water-Based Ink
- Water and Weather Resistant
- Versatile Usability
- Very Economic, Compared to White Paint Markers



Pica Classic 522 Permanent Marker white, 1-4 mm

IT 5220 0000

Pica Permanent Marker weiß 522, 1-4 mm



FEATURES

- Marks Immediately, without Shaking, without Pumping
- Marks on most Glossy and Porous Surfaces
- Permanent Water-Based Ink
- Water and Weather Resistant
- Versatile Usability
- Very Economic, Compared to White Paint Markers



Pica Permanent Pen, black, fine

IT 5330 4600

Pica Permanent Marker, schwarz, feine Spitze



FEATURES

- Permanent Pen
- Toluene and Xylene Free
- For Permanent Marking on Almost all Surfaces
- Permanent Alcohol-based Ink
- Instantly Water Resistant and Indelible
- Indelible after Short Drying Phase
- 'Dry Safe' Works up to 14 days Uncapped
- Fine Tip Marking Width 0.7mm (533)



MEASURING AND MARKING

Pica Classic Permanent Marker, bullet tip, Black

IT 5020 4600

Pica Classic Permanent Marker, schwarz, mit Rundspitze



FEATURES

- Permanent Marker
- For Permanent Marking on Almost all Surfaces
- Permanent Alcohol-based Ink
- Waterproof
- Indelible after Short Drying Phase
- 'Dry Safe' Works up to 14 days Uncapped
- Bullet Tip Marking Width 1-4mm



Pica BIG-Ink Display, 20 pcs.

IT 1702 0000

*Pica BIG-Ink Display, 20 Stk. in Thekendisplay
8 x 170/46/SB schwarz, 4 x 170/41/SB blau
4 x 170/40/SB rot, 4 x 170/52/SB weiß*



FEATURES

- Combines Strong and Highly Visible Markings with Pinpoint Accuracy
- Suitable for All Glossy and Dry Surfaces
- Special Soft and Shape-Sturdy Tip
- Water and Smudge Resistant after approx. 20 secs.
- TWIST & REVIVE Writing Tip
- Large Ink Reserve
- Display Contains:
8 Black, 4 Blue, 4 Red, 4 White



Pica Ink-Display, 20 pcs.

IT 150 2000

Pica Ink Thekendisplay, 20 tlg.

FEATURES

- 10 x Pica – Ink Black IT 150 01 S
- 5 x Pica – Ink Red IT 150 01 R
- 5 x Pica – Ink Blue IT 150 01 B
- High Volume Long Lasting Permanent Markers for Deep Holes
- Innovative New Design
- For Hard to Reach Locations
- Marks and Writes on All Dry Material Surfaces
- Permanent Ink, Removable with Alcohol and other Usable Solvents
- Line Width: 1mm
- 3 Colours
- Cap off Time: 1 Day
- Extended Nib Made of Stainless Steel
- Self-Adjusting
- Patented



Pica Ink-Displays

IT 150 200S

Pica Ink Thekendisplays

FEATURES

- Pica Ink Pen Markers, Display Box, BLACK Markers for Deep Holes
- Innovative New Design
- For Hard to Reach Locations
- Marks and Writes on All Dry Material Surfaces
- Permanent Ink, Removable with Alcohol and other Usable Solvents
- Line Width: 1mm
- Cap off Time: 1 Day
- Extended Nib Made of Stainless Steel
- Self-Adjusting
- Patented
- 20 x 150 01-5
- Pica-ink, black



Pica-Ink, Marker for Deep Holes

IT 150 01

Pica-Ink, Tieflochmarker

FEATURES

- High Volume Long Lasting Permanent Markers for Deep Holes
- For Hard to Reach Locations
- Marks and Writes on All Dry Material Surfaces



ITEM NO.

150 01-S	Pica-Ink, Marker for Deep Holes, black
150 01-R	Pica-Ink, Marker for Deep Holes, red
150 01-B	Pica-Ink, Marker for Deep Holes, blue

MEASURING AND MARKING

Pica Display Pica-Gel Marker
 20 markers Pica-Gel
 4 black, 4 red, 4 yellow, 4 blue, 4 white

IT 150 8020



Pica-Gel Signalmarker, 20 Stk. in Thekendisplay
4x schwarz, 4x rot, 4x gelb, 4x blau, 4x weiß

FEATURES

- Replaces Tube Markers
- Marks both on Glossy and rough materials
- Permanent, after few Minutes
- Weather and Light Resistant, Ideal for outdoor use
- Perfect for One-Handed Handling
- High Quality, Most Economic
- Chloride Free, for Marking on Stainless Steel
- Temperature Resistant Markings up to approx. 1000°C



Display Box Containing:
 20 x Pica Gel Signal Markers
 4 x Black, 4 x Red, 4 x Blue,
 4 x Yellow, 4 x White
 10 X Flyers
 Dimensions : 195 x 130 x 267 mm

MEASURING AND MARKING

Pica VISOR Display, 16 VISOR Markers, 7 Refill packs

IT 9900 0000



Pica VISOR Permanent Marker, Thekendisplay
16 VISOR Marker, 7 Nachfüllminen

FEATURES

- Refillable High Tech Marker
- Longlife Industrial Marker
- For All Material Surfaces
- Water Soluble "Multi-use" Marking Crayon
- Long Lasting and Environmently Friendly
- Lead never dries out
- Markers and Refills available in 7 colours
- Lead Diameter = 10 mm, Length = 85 mm



Display Box Containing:
 4 X Pica Black, 4 X Pica Red,
 4 X Pica Blue, 4 X Pica Green
 7 X Refill Packs (4 Piece)
 2 Assorted
 2 Black
 1 Red 9910 4000 Red
 1 Blue 9910 4100 Blue
 1 Yellow 9910 4400 Yellow
 9910 5200 White

MEASURING AND MARKING

Pica Dry Display, 20 Pencils + 10 Refil Sets

IT 3021 0000



*Pica Dry, 20 Tieflochmarker + 10 Ersatzminensets
20 x 3030 0000 10 x 4030 0000 in Thekenaufsteller*

FEATURES

- 20 x Pica Dry Long Life Pencils (3030 0000)
- 10 X Refill Set Graphite, 10 piece (4030 0000)
- Long Life Lead Pencil, with Sharpener
- Easy Refill System

Marks and writes on all materials and surfaces even if dusty, rough, oily, wet, dark etc.
Can Be Wiped off Glossy Surfaces with wet tissue
Wipe-Off Refill Leads in Black, Red and Yellow
Water Resistant Leads in White, Blue and Green



IT 3030 0000
Long Life Graphite Pica Pencils

IT 4020 0000
Refill Set, Colour Mix For
Pica-Dry Pencils

IT 4030 0000
Refill Set Graphite Pica Pencils,
10 Piece

IT 4040 0000
Refill Set, Special Leads,
WATER Resistant
For Pica-Dry Pencils

MEASURING AND MARKING

PICA Master Set, Joiner

IT 5501 0000



PICA Master Set, Schreiner

FEATURES

- Compact Marking Kit for Joiners, Cabinetmakers, Fitters, Interior Decorators....
- With Velcro Fastener

Contents:

- 1 X Pica-Dry Longlife Automatic Pencil
- 1 X Pica-Dry Refill Set Joiner, Graphite H
- 1 X Pica-Dry Refill Set Basic, Graphite 2B, red, yellow
- 1 X Pica Fine Dry Longlife Automatic Pencil 0.9
- 1 x Pica Fine Dry Refill Set, Graphite H
- 1 X Pica Classic INSTANT-WHITE Pen
- 1 X Pica Ink Dep Hole Marker, Black



PICA Master Set, Plumber

IT 5502 0000



PICA Master Set, Installateur

FEATURES

- Compact Marking Kit for Plumbers, Tilers, Electricians, Metal Workers, Locksmiths....
- With Velcro Fastener

Contents:

- 1 X Pica-Dry Longlife Automatic Pencil
- 1 X Pica-Dry Refill Set, Graphite for all 2B
- 1 X Pica Classic INSTANT-WHITE Pen
- 1 X Pica Ink Dep Hole Marker, Black
- 1 X Pica Dry Refill Set Water Jet Resistant, Blue, White, Green
- 1 X Pica Visor Permanent Industrial Marker Multi-Use, Red



PICA Master Set, Carpenter

IT 5503 0000



PICA Master Set, Zimmermann

FEATURES

- Compact Marking Kit for Carpenters, Roofers, Stone Masons, Brick Layers....
- With Velcro Fastener

Contents:

- 1 X Pica BIG Dry Longlife Construction Marker
- 1 X Pica Dry Longlife Automatic Pen
- 1 X Pica Dry Refill Set Graphite for all 2B
- 1 X Pica BIG Dry Refill Set for All, Graphite, 2B, Red, White
- 1 X Pica Visor Permanent Industrial Marker Multi-Use, Red



MEASURING AND MARKING

MARXMAN Mixed Display
Green (20 pcs.) + Black (10 pcs.)

IT 3332 0062



MARXMAN Display, gemischt
Grün (20 Stk.) + Schwarz (10 Stk.)

FEATURES


- Display Box Containing:
20 Pieces Green Standard
10 Pieces Black, Deep Hole
Chalk, Non-Permanent Marking Pens for DIY
- For Marking Drilling Positions through Fixing Holes
 - Up to 45mm Deep, and from 3-13mm Diameter
 - Deep Hole Marks 45-100mm
 - Chalk is Fluorescent, Rubs off Easily after Use

IT 3332 0060

Marxman Marking Tool,
Standard, Green

IT 3332 0061

Marxman Marking Tool,
Deep Hole, Black



MEASURING AND MARKING

Tape Measure, 5M/19FT, self Lock

IT 7250 1900

Maßband 5 m / 16 Ft, metrisch / zöllig selbstsichernd
Doppelhaken, Handschlaufe, Band doppelseitig bedruckt

FEATURES

- NEW: Double Sided Markings on Tape
- NEW: Double Sided Hook
- Self Locking/ Stay-out Tape
- Category Marking
- Top Release-Rewind Button
- Extra-Heavy, Nylon-Coated Blade with 3 Rivets
- Buffer
- Heavy Rubber Body Armour
- Belt Clip and Wrist Strap
- On Display Card



Tape Measure, 7,5M/25FT self Lock

IT 7275 2500

Maßband 7,5 m / 25 Ft, metrisch/zöllig,
selbstsichernd, Doppelhaken, Handschlaufe,
Band doppelseitig bedruckt

FEATURES

- NEW: Double Sided Markings on Tape
- NEW: Double Sided Hook
- Self Locking/ Stay-out Tape
- Category Marking
- Top Release-Rewind Button
- Extra-Heavy, Nylon-Coated Blade with 3 Rivets
- Buffer
- Heavy Rubber Body Armour
- Belt Clip and Wrist Strap
- On Display Card



MEASURING AND MARKING

Long Tape, glassfibre, closed 30 Meter

IT 7940 0030

30 Meter langes, geschlossenes Maßband, Glasfaser

FEATURES

- Fiberglass Reinforced Tapes
- Metric Graduations
- With Rewind-handles
- Supplied Loose



Tape, Glassfibre, 50 Meters long, open frame

IT 7941 0050

Maßband, Glasfaser, 50 Meter lang, offener Rahmen

FEATURES

- Fiberglass Reinforced Tapes
- Metric Graduations
- With Rewind-handles
- Supplied Loose



Long Tape, Steel, open frame, 30 Meter

IT 7931 3013

30 Meter langes Maßband aus Stahl, frei laufendes Band

FEATURES

- Strong Open Frame Steel Tape Measures
- Metric Graduations
- Ring at the End of Tape
- Supplied Loose



MEASURING AND MARKING

Long Tape, Steel, open frame, 50 Meter

IT 7932 5013

50 Meter Maßband aus Stahl, frei laufendes Band

FEATURES

- Strong Open Frame Steel Tape Measures
- Metric Graduations
- Ring at the End of Tape
- Supplied Loose



25 piece 1/2" Drive Socket Wrench Set

IT 4660 0000

1/2" Steckschlüsselgarnitur, 25 tlg.

FEATURES

- 25 Pieces Socket Set made from High Quality Chrome Vanadium Alloy Steel
- Solid 36 Teeth Ratchet with Quick-Release-Button and Ergonomically Shaped Handle

Set Contains:

- Hex-Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- Plug Sockets: 16, 21 mm
- 1 1/2"-Drive Ratchet, 36 Teeth
- Extensions: 125 and 250mm
- 1 Sliding T-Bar
- 1 Universal Joint

Display Packed in Durable Green Plastic Storage- and Carry Case



32 piece 1/4" Drive Socket Wrench Set

IT 4640 0000

1/4" Steckschlüsselgarnitur, 32 tlg.

FEATURES

- 32 Pieces Socket Set made from High Quality Chrome Vanadium Alloy Steel
- Solid 36 Teeth Ratchet with Quick-Release-Button and Ergonomically Shaped Handle


Set Contains:

- Hex-Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 1 1/4"-Drive Ratchet, 36 Teeth
- 1 Extension, 50mm
- 1 Sliding T-Bar
- 1 Spanner Handle
- 3 Pcs 1/4" Hex Keys: 1.5, 2, 2.5mm
- 12 Pcs 1/4"-Drive Bits
- 1 Coupler

Display Packed in Durable Green Plastic Storage- and Carry Case



SCREWDRIVERS AND WRENCHES



21 Piece 3/8" Drive Socket Wrench Set

IT 4650 0000

3/8" Steckschlüsselnset, 21 tlg.

FEATURES

- 21 Pieces Socket Set made from Chrome Vanadium Alloy Steel
- Solid 36 Teeth Ratchet with Quick-Release-Button and Ergonomically Shaped Handle

Set Contains:

- Hex-Sockets: 6,8,10,11, 12,13, 14, 15, 17, 19, 21, 22, 24mm
- Plug-Sockets: 16, 21mm
- 1 3/8"-Drive Ratchet, 36 Teeth
- Extensions: 45, 75, 150mm
- 1 Sliding T-Bar
- 1 Universal Joint

Display Packed in Durable Green Plastic Storage- and Carry Case



Ratchet-Combination Spanners, Set 8 pcs.

IT 4336 0008

Ratschen-Ringmaulschlüssel-Satz 8-tlg.

FEATURES

- Sizes 8 – 19 mm
- Chrome Vanadium Steel
- Special Heat Treatment
- Chrome Plated
- Matt Finish
- 72 Teeth Ring-Ratchet

Supplied in Practical Textile Folding Pouch



Combination Spanners

IT 4330/4335

Ringmaulschlüssel

FEATURES

- Chrome Vanadium, Chromium plated, Profile saver
- Protecting screws and nuts whilst forces are applied on the flanks, and not on the edges, providing a much extended Lifetime.
- DIN 3113 A / ISO 7738

Packaging: in 10's. From size 24mm, in 5's



SIZE	ITEM NO.	TOTAL LENGTH	WEIGHT
6 mm	4330 0006	100mm	12g
7 mm	4330 0007	110mm	18g
8 mm	4330 0008	120mm	23g
9mm	4330 0009	130mm	33g
10mm	4330 0010	140mm	40g
11mm	4330 0011	150mm	48g
12mm	4330 0012	160mm	58g
13mm	4330 0013	170mm	63g
14mm	4330 0014	180mm	88g
15mm	4330 0015	190mm	97g
16mm	4330 0016	200mm	105g
17mm	4330 0017	210mm	130g
18mm	4330 0018	220mm	145g
19mm	4330 0019	230mm	145g
20mm	4330 0020	240mm	165g
21mm	4330 0021	250mm	190g
22mm	4330 0022	260mm	225g
24mm	4330 0024	280mm	265g
27mm	4330 0027	310mm	330g
30mm	4330 0030	340mm	430g
32mm	4330 0032	360mm	515g

SIZE	ITEM NO.	
8-22mm	4335 0012	12 Piece Combination Spanner set
8-22mm	4335 0012H	12 Piece Combination Spanner set
6-22 mm	4335 0012	17 Piece Combination Spanner set



Gear Wrench, 4-1 / 10-13 17-19 mm

IT 4670 1019

Ratschen-Schraubenschlüssel 10-13, 17-19 mm, 4 in 1

FEATURES

- 4 Sizes in 1 Spanner
- 10 & 13 mm One Side
- 17 & 19 mm Other Side
- Covering most Electrical Applications



Adjustable Wrenches

IT 4366

Rollgabelschlüssel

FEATURES

- Chrome-Vanadium Steel Body
- Drop Forged and Hardened
- Polished Head, Chromium Plated.
- Specially Hardened and Milled Jaws
- Smoothly Operating Adjustment of Jaws, showing Accurate
- Metric and Inch scale Graduations
- Soft Grip Plastic Handle
- Loose Packed

SIZE	ITEM NO.
250mm / 10"	4366 0250
300mm / 12"	4366 0300



Adjustable Wrenches Safe Drive 150 mm, 6"

IT 4477 0150

Einstellbarer Schraubenschlüssel "Safe Drive" 150 mm, 6"

FEATURES

- Chrome-Vanadium Steel Body
- Drop Forged and Hardened
- Polished Head, Chromium Plated.
- Specially Hardened and Milled Jaws
- Smoothly Operating Adjustment of Jaws, showing Accurate
- Metric and Inch scale Graduations
- Soft Grip Plastic Handle
- Loose Packed



Adjustable Wrenches, 200 mm, 8"

IT 4366 0200

Einmaulschlüssel, verstellbar, 200 mm, 8"



Sockets

IT 4680

Steckschlüsseleinsätze

FEATURES

- Chrome-Vanadium
- CPP = Chromium Plated
- Fully Polished
- With Ball Retaining Groove
- N 3124 / ISO 2725



SIZE	ITEM NO.	DRIVE
10 mm	4680 0010	1/2"
12 mm	4680 0012	1/2"
13 mm	4680 0013	1/2"
14 mm	4680 0014	1/2"
15 mm	4680 0015	1/2"
17 mm	4680 0017	1/2"
19 mm	4680 0019	1/2"
21 mm	4680 0021	1/2"
23 mm	4680 0023	1/2"
24 mm	4680 0024	1/2"
30 mm	4680 0030	1/2"

Ratchet Handle 1/4" Drive

IT 4688 0025

Ratchet Handle 1/4" Drive



FEATURES

- Chrome-Vanadium
- Chromium Plated
- With Quick Release Ejector Button
- 48 Teeth
- With Ergonomic 2 Component Handle
- DIN 3122 D . ISO 3315

Ratchet Handle 3/8" Drive

IT 4689 0040

Ratchet Handle 3/8" Drive



FEATURES

- Chrome-Vanadium
- Chromium Plated
- With Quick Release Ejector Button
- 48 Teeth
- With Ergonomic 2 Component Handle
- DIN 3122 D . ISO 3315

Ratchet Handle 1/2" Drive

IT 4690 0050

Ratchet Handle 1/2" Drive



FEATURES

- Chrome-Vanadium
- Chromium Plated
- With Quick Release Ejector Button
- 48 Teeth
- With Ergonomic 2 Component Handle
- DIN 3122 D . ISO 3315

Hex-Keys, Set 9 pcs., Colour-Grip 1.5 - 10mm

IT 4499 0000

Winkelschlüsselsatz, farbig, 9 tlg. Set 1.5 - 10mm

FEATURES

- 9 Piece L Hexagon Key Set
- Sizes: 1.5 x 90 mm
- 2.0 x 101mm
- 2.5 x 112mm
- 3.0 x 123mm
- 4.0 x 147mm
- 5.0 x 154mm
- 6.0 x 172mm
- 8.0 x 195mm
- 10.0 x 224 mm
- For Hexagonal Socket Screws
- Ball Ended



Hex-Plus, Allen-key set, Multicolour, 9 pcs, 1.5 to 10 mm, Wera

IT 4447 0000

Hex-Plus farbiger Winkelschlüsselsatz Wera, 9tlg., 1,5-10mm

FEATURES

- 9 Piece L Hexagon Key Set
- Sizes: .5 x 90 mm 2.0 x 101mm
- 2.5 x 112mm 3.0 x 123mm
- 4.0 x 147mm 5.0 x 154mm
- 6.0 x 172mm 8.0 x 195mm
- 10.0 x 224 mm
- For Hexagonal Socket Screws
- Hex Plus, hence Larger Contact Surface, reducing Notching Effect
- Ball Ended, enabling Swivelling in the Axis
- Wear Resistant Size Markings
- Wear Resistant Clip Material
- Clip Material offers Secure Storage
- Keys with Thermoplastic Sleeve,
- Easy to Grip
- Multi-Coloured Colour Coded



Ball Ended Hexagon Key-Sets, 9 pcs., 1.5 to 10mm

IT 4443 0000

Winkelschlüsselsatz Kugelkopf 9tlg., 1.5-10mm

FEATURES

- 9 Piece Hexagon Key Set
- Long Arms
- Ball-Ended on One Side
- Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- Made of Chrome Molybdenum Steel
- Made in Germany

Display Packed



Hex Key Set, 6pcs.

IT 4442 0000 O

Inbus Winkelschlüsselset, faltbar, 6 tlg.

FEATURES

- 6 Piece Set Metric Hexagon Keys in a Handy Clip-Folder
- Keys Chromium-Plated with Precision Machined Black Tips
- With Lever for Easy Access to Keys
- Sizes: 2.5, 3, 4, 5, 6, 8 mm



Torx -Keys Set, Torx 10 - 40

IT 4441 0000

Torx-Winkelschraubendrehersatz 10-40 mm

FEATURES

- 7 Piece Set Torx Key Set
- Made of Chrome Vanadium Steel
- T10, T15, T20, T25, T27, T30, T40
- Display Packed



Hex-Keys, VDE, Set 4 pcs. 4, 5, 6 & 8 mm

IT 4446 0000

Wiha Innensechskant-Schlüssel VDE, 4tlg., 4, 5, 6 und 8mm



FEATURES

- Set of 4 pcs, 4/5/6 and 8mm
- More Power when fastening thanks to the leverage from T-Handle Design
- Individually Testet at 10.000V AC and approved for 1.000V AC



Screwdriver Set "Kraft Grip" 7 pcs. 1000V

IT 1250 0900

Schraubendr. Set "Kraft Grip" 7 tlg. 1000V

FEATURES

- 7 Piece Set 1000 Volt Insulated Screwdrivers
- Fully Insulated, Fully Tested
- With 6 Screwdrivers
- + 1 Mainstester
- Ergonomic 2-Compound Soft-Touch Handle
- Highly Durable Long-Life Precision Blades
- Large Clear Size Markings on Top of Handle

CONTENTS

- Screwdrivers: 1274 1100 Philips 1 x 80 mm
 1274 2100 Philips 2 x 100mm
 1275 3010 Slotted 3.0 x 100mm
 1275 3510 Slotted 3.5 x 100mm
 1275 4010 Slotted 4.0 x 100mm
 1275 5512 Slotted 5.5 x 125mm
 1 X Mainstester 3.0 x 65 mm



Screwdriver "Kraft Grip"

IT 1275/1274/1273

Schraubendreher "Kraft Grip"



SLOTTED SCREWDRIVERS VDE, 1000V

- | | |
|--------------|--------------|
| IT 1275 2575 | 2.5 x 75 mm |
| IT 1275 3010 | 3.0 x 100 mm |
| IT 1275 3510 | 3.5 x 100 mm |
| IT 1275 4010 | 4.0 x 100 mm |
| IT 1275 4510 | 4.5 x 125 mm |
| IT 1275 5512 | 5.5 x 125 mm |
| IT 1275 6515 | 6.5 x 150 mm |
| IT 1275 8175 | 8.0 x 175 mm |

POZIDRIV SCREWDRIVER, 1000V

- | | |
|--------------|---------------|
| IT 1273 1100 | PZ 1 x 80 mm |
| IT 1273 2100 | PZ 2 x 100 mm |
| IT 1273 3150 | PZ 3 x 150 mm |

SLOTTED SCREWDRIVERS SLIM, VDE, 1000V

- | | |
|---------------|--------------|
| IT 1275 4010S | 4.0 x 100 mm |
| IT 1275 4510S | 4.5 x 125 mm |

PHILIPS SCREWDRIVERS, 1000V

- | | |
|--------------|---------------|
| IT 1274 1100 | PH 1 x 80 mm |
| IT 1274 2100 | PH 2 x 100 mm |
| IT 1274 3150 | PH 3 x 150 mm |

Screwdriver Set H.D. 5 pcs. VDE Slim



IT 1250 0800

Schraubendreher Set 5 tlg. VDE InnoTools -Made in Germany- SLIM

FEATURES

- 5 Piece VDE SLIM Screwdriver Set
- Assortment of 5 most popular VDE Screwdrivers,
- Slotted Tips: 3.5 x 100 mm
4 x 100 mm
5.5 x 125 mm
- Philips Tips: 1 x 100 mm
2 x 125 mm
- Dual-compound, fully insulated handles to meet VDE and all Other relevant standards.
- Non slip, soft grip, ergonomically designed handles for comfort and best torque application
- Chrome-Vanadium Steel blades, magnetic and corrosion free, Tough and wear resistant.
- High precision machined black tip for exact screw fit without peel
- Meet all criteria for EN 60900 and VDE 0682/20 DIN EN ISO 9001
- Individually tested to 10,000 volt AC for use around live line
- Equipment up to 1000 volt AC.
- VDE Certification, tested and monitored.

Made in Germany



Ratchet Screwdriver, InnoTools/ Kraftgrip
1/4" magn. Bitholder, incl. 12 Bits

IT 2810 0000

Knarren-Schraubendreher SilentGear
1/4" Magn. Bithalter inkl. 12 Wechselbits

FEATURES

- Ergonomic Design, Soft-touch User-friendly Materials
- Compact Designed Handle,
- Press Button for Easy Opening to Access 2 Standard Bits 1/4"
- Ph1, Ph2, Ph3,
- PZ1,PZ2,
- TX10, TX15, TX20, TX25
- Slotted Bits: 0.8x4.5, 1.0x5.5, 1.2x6.5
- 1/4" Drive – 6.3mm
- Bits Made of Professional Quality Grade Molybdenum Vanadium Steel
- Anti Slip-Off and Roll-Off Protection
- Operational Selector for Easy Switching Between Left and Right Ratcheting
- Function and Central Lock Position



IT 2810 0000 D

Display

FEATURES

- 8 pieces on Counter Display
- Excellent Display Counter for Showing Our New Ratchet Screwdriver
- Optimal Advantages to Give Customers Chance to See and Touch

Screwdriver "Mr.Bond" 6 in 1, VDE

IT 2831 0800



Schraubendreher Wiha "Mr.Bond" 6 in 1 - VDE

FEATURES

- 6 in 1
- VDE
- All Bits are Slim-line - for ease of access
- Swiveling end-cap - for comfortable handling
- Compact Set of Bits particularly suitable for mobile services

CONTENTS

- Slotted 3mm, 4mm, 5.5mm
- Philips Ph 1, Ph2
- MCB Size 2

Blister Packed



Spare Blades For IT 2831 0800

IT 2831 0175	PH1 X 75 mm VDE	IT 2831 2575	SL 2.5 X 75 mm VDE
IT 2831 0275	PH2 X 75 mm VDE	IT 2831 3075	SL 3.5 X 75 mm VDE
IT 2831 1420	PZ2 X 75 mm VDE	IT 2831 4075	SL 4.0 X 75 mm VDE

SCREWDRIVERS AND WRENCHES

Wiha PocketMax screwdriver with bit magazine electric incl. 4 slimBits"

IT 2831 0400

Wiha PocketMax Schraubendreher mit Bitmagazin electric mit 4 slimBits

FEATURES

- 4 in 1
- Compact Screwdriver Pocket Max 1,000 V Insulated for Electricians

CONTENTS

Slotted 3.5 X 75mm
 Philips Ph 1, Ph2 X 75MM
 PlusMinus / PZD PZD Size 2 x 75mm

- All Bits are Slim-line - for ease of access
- Swiveling end-cap - for comfortable handling
- SLIM Bits stowed securely in handle
- Bit Depot easily opened thanks to Magnetic system
- POCKET MAX® Electric ensures Maximum Safety
- Magazine Bit Holder & Slim Bits Certified to International IEC 60900 Standard
- Tested according to IEC 60900
- Suitable for Controlled Fastening for Live Parts up to 1,000 V AC



SCREWDRIVERS AND WRENCHES

Wiha Screwdriver Set 3201K, VDE SoftFinish, slimFix, 6 pcs.

IT 1250 0950

Wiha, Schraubendr. Set 3201K, VDE SoftFinish, slimFix, 6tlg.

FEATURES

- 6 Piece VDE Screwdriver Set WIHA "SLIM"
- The Slim Blade enables the User to Reach into Confined Spaces

CONTENTS

SLOTTED
 3.5 x 100mm
 4.0 x 100mm
 5.5 x 125mm
 6.5 x 150mm

PHILIPS

Ph 1 x 80mm
 Ph 2 x 100mm



13 Piece VDE Torque Screwdriver Set, 0.8 to 5.0 Nm

IT 4067 4000

Wiha TorqueVarioS electric 0,8-5,0 Nm, 13-tgl.



FEATURES

- 13 Piece VDE Torque Screwdriver Set WIHA "SLIM"
- Each Tool Individually Tested 16 10,000 V AC and For use up to 1000 V
- The Slim Blade enables the user to reach into confined Spaces
- With Torque Screwdriver TorqueVario -S Electric, Tolerance : 6%
- Variable Torque Limit Setting from 0.8 – 5.0 Nm
- The Right Torque for any Application
- With Slim Torque VDE Bit Holder for 6mm Slim Bit
- Bit Holder with Soft Finish Handle, Screwdriver Length: 160mm
- Adjusting Tool, Screwdriver Length : 146mm
- SlimBit Bit holder Electric, Mechanically Lockable, for SlimBits 6mm

BITS SIZES

Slotted	Philips	PZD
2.5 x 75mm	Ph 1 x 75mm	PZD 1 x 75mm
3.5 x 75mm	Ph 2 x 75mm	PZD 2 x 75mm
5.5 x 75mm		

MCB Bits PlusMinus SL/PZ1 x 75mm, PlusMinus SL/PZ2 x 75mm

Standards: Manufactured according to IEC 60900
 DIN EN ISO 6789
 Presented in High Quality Durable Pouch



SCREWDRIVERS AND WRENCHES

Screwdr. Set , SoftGrip, 6 pcs. 1000V, Wiha

IT 1250 0900W

Schraubendr. Set , SoftGrip, 6 tlg.. VDE, Wiha


FEATURES

- 6 Piece VDE Screwdriver Set WIHA Soft Finish

CONTAINING

Slotted
2.5 x 75mm
3.0 x 100mm
4.0 x 125mm
5.5 x 125mm

Philips
Ph 1 x 80mm
Ph 2 x 100mm



Single Screwdriver, Wiha

ITEM NO.	SIZE AND TYPE MM
IT 1275 2575W	SOFT FINISH 2.5 x 75 Terminal Screwdrivers VDE
IT 1275 3010W	SOFT FINISH 3 x 100 Terminal Screwdrivers VDE
IT 1275 3510W	SOFT FINISH 3.5 x 100 Terminal Screwdrivers VDE
IT 1275 4010W	SOFT FINISH 4 x 100 Terminal Screwdrivers VDE
IT 1275 4010SW	SOFT FINISH SLIM 4 x 100 Terminal Screwdrivers SLIM VDE
IT 1275 4510W	SOFT FINISH 4.5 x 125 Terminal Screwdrivers VDE
IT 1275 4510SW	SOFT FINISH SLIM 4.5 X 125 Terminal Screwdrivers SLIM VDE
IT 1275 5512W	SOFT FINISH 5.5 x 125 Terminal Screwdrivers VDE
IT 1275 6515W	SOFT FINISH 6.5 x 150 Terminal Screwdrivers VDE
IT 1273 1100W	SOFT FINISH Pozi-driv 1 x 80 Screwdrivers VDE
IT 1273 2100W	SOFT FINISH Pozi-driv 2 x 100 Screwdrivers VDE
IT 1273 3150W	SOFT FINISH Pozi-Driv 3 x 150mm Screwdrivers VDE
IT 1275 8175W	SOFT FINISH Electric Slotted 8.0 x 1.6 x 175 mm VDE
IT 1274 1100W	SOFT FINISH Philips 1 x 80 Screwdrivers VDE

SCREWDRIVERS AND WRENCHES

Stubby Screwdriver, 6 Bits, Magnetic

IT 2801 0000

Stubby-Schraubendreher Wiha mit Bit Magazin, magnetisch, inkl. 6 Wechselbis

FEATURES

- 6 Blades
Slotted: 4.5mm
6.5 mm
8.0 mm
Ph 1, 2, 3



Stubby SD Electric, 3 Blades, VDE

IT 4123 0000

Stubby-Schraubendreher Wiha, 3 Klingen, VDE

FEATURES

- 3 Blades
Slotted : 0.6 x 3.5 mm
PZ2
PH2



Wiha, Slim Vario Starter Set, 10 pcs., VDE

IT 1250 0960

Wiha, Slim Vario Starter Set, 10 tlg, VDE

FEATURES

- Manufactured acc.to IEC 60900
- For Use up to 1000 V AC
- 6mm SlimBits to be used in the slimVario® bit holder

CONTENTS

- 1 Electric Screwdriver Handle
- 1 Screwdriver with Bit Holder
- Slotted Blades: 2.5mm, 3.5mm, 5.5mm, PSD 1, PZD 2
- Philips: PH1, PH2



Slim Vario Starter Set, 17 pcs.

IT 2831 0016

Slim Vario Starter Set Wiha, 17 tgl.

FEATURES

- Manufactured acc.to IEC 60900
- For Use up to 1000 V AC
- 6mm SlimBits to be used in the slimVario® bit holder

CONTENTS

- Bit Holder Handle
- Mainstester
- Slotted Blades: 3mm, 4mm, 5.5mm
- PSD 1, PZD 2
- Philips: PH1, PH2
- MCB: SL/PZ1, SL/Pz2
- Torx: Tx10, Tx15, Tx20, Tx25



Screwdriver Set Kraftform Plus Serie 100 VDE + Mainstester + Rack Wera, 7 pcs.

IT 1250 2000

Schraubendrehersatz Kraftform Plus Serie 1000 VDE + Spannungsprüfer + Rack Wera, 7 tgl.

FEATURES

- Set containing
- 3 Philips, 3 Slotted,
- 1 Mainstester, KRAFTFORM
- 1000 VDE
- With Rack



Wera Kraftform Big Pack 100 VDE, 14 pcs.

IT 1250 4000

Wera Kraftform Big Pack 100 VDE, 14 tgl.

FEATURES

- Display Rack X 2

CONTENTS

- PoziDrive
PZ 1 x 80mm / PZ 2 x 100mm
- PoziDrive S
PZ/S 1 x 80mm / PZ/S 2 x 100mm
- Torx
T10 x 80mm / T15 x 80mm / T20 x 80mm
- Philips
PH 1 x 80mm / PH 2 x 100mm PZ/S 1 x 80mm / PZ/S 2 x 100mm
- Slotted
2,5 x 80mm / 3,5 x 100mm / 4,0 x 100mm / 5,5 x 125mm
- Mainstester
3 x 70mm



Wera Kraftform Kompakt VDE 16 Universal 1

IT 3474 0000

Wera Kraftform Kompakt VDE 16pcs, Universal 1

FEATURES

- Multi-Component VDE Insulated Kraftform Handle
- 14 VDE interchangeable Blades
- Mainstester
- In Robust Belt Pouch
- Individually Tested Tools as per IEC 60900

CONTENTS

- | | | | |
|---|---|---|---|
| Slotted
1 x 0.4 x 2.5 x 154 mm
1 x 0.6 x 3.5 x 154 mm
1 x 0.8 x 4 x 154 mm
1 x 1 x 5.5 x 154 mm | Philips
1 x PH 1x154mm
1 x PH 2x154mm | PoziDrive
1 x PZ 1x154mm
1 x PZ 2x154mm | Torx
1 x TX 10x154mm
1 x TX15x154mm
1 x TX20x154mm
1 x TX25x154mm |
| Mainstester
1 x 0.5 x 3 x 70 | PoziDrive S
1 x PZ/S 1 x154mm
1 x PZ/S 2 x145mm | | |



SCREWDRIVERS AND WRENCHES

Wera VDE- Screwdriver Kit, in Belt-Pouch with 6 Blades + Mainstester

IT 1250 0300



Wera Kraftform Kompakt VDE 7 Universal 1 Rolltasche inkl. Spannungsprüfer

FEATURES

- Quick Change Blades in Belt Pouch with Velcro Fastener
- With 6 Blades + 1 Mainstester

CONTENTS

- 1 X VDE 2 Component Soft Grip Handle
- Blades: Philips 1 x 154mm
Philips 2 x 154mm
Slotted 2.5 x 154mm
Slotted 3.5 x 154mm
Slotted 4.0 x 154mm
Slotted 5.5 x 154mm
- 1 X Mainstester



Wera Kraftform Kompakt VDE 16 Torque 1.2 - 3.0 Nm, extra slim 1, 16 pcs.

IT 4068 1600



Wera Kraftform Kompakt VDE Torque 1.2 - 3.0 Nm, Set 16-tlg.

FEATURES

- 16 Piece Torque VDE Interchangeable Blade Set
- Includes 14 Blades, 11 of which with Reduced Diameter
- Torque VDE holder with Adjustable Torque from 1.2 – 3.0 Nm
- VDE Interchangeable Blades 154mm Long
- Kraftform Adjustable Torque Handle for Electricians
- Simple Setting of Required Torque by hand
- Easy To Read Scale.
- Measurement Accuracy is + 6% in accordance with Standard EN ISO 6789
- In Robust Pouch Load Signal when Pre-Set Torque is Reached
- Each Set Tested to 10,000 Volt in Accordance with IEC 60900



SCREWDRIVERS AND WRENCHES

Wera Kraftform Kompakt, Maintenance W1 Set 35 - pcs.

IT 5104 0035



Wera Kraftform Kompakt W1 Wartung, Set 35-tlg.

FEATURES

- 1 Zyklop Ratchet ¼" Drive, 5 Predefined Locking Positions
- Ingenious Design, can be used as Fine-Tooth Ratchet, Flex-Head Ratchet, Angle Ratchet, Quick-Release Ratchet and Power Ratchet
- Kraftform Kompakt VDE Interchangeable Blades, Insulated, Individually
- Tested as per IEC 60900
- VDE Kraftform Blade Holding Handle

CONTENTS

- 1 Ratchet ¼" Drive
- 817 VDE Kraftform Blade Holding Handle
- Screw Gripper
- Single Pole Phase Tester
- Joker Double open-Ended Wrenches
- Zyklop Bit Adaptor
- Zyklop Extension
- Universal Bit Holder
- Manual and Power Tool Sockets
- Hook and Loop Fastener Strip

- Blades:
- Kraftform Kompakt VDE
 - 1 X Slotted 0.4 x 2.5 x 154 mm
 - 1 X Slotted SLIM 0.6 x 3.5 x 154mm
 - 1 X Slotted SLIM 0.8 x 4 x 154mm
 - 1 X Slotted SLIM 1 x 5.5 x 154 mm
 - 1 X Philips SLIM PH1 x 154 mm
 - 1 X Philips SLIM PH2 X 154 mm
 - 1 X PZD SLIM PZ1 x 154mm
 - 1 X PZD SLIM PZ2 x 154mm
 - 1 X Torx TX10 x 154mm
 - 1 X Torx SLIM TX15 x 154mm
 - 1 X Torx SLIM TX20 x 154 mm
 - 1 X Torx SLIM TX25 x 154mm

- Bits:
- 1 X Hex 3x25 mm
 - 1 X Hex 4x25mm
 - 1 X Hex 5x25 mm
 - 1 X Hex 6x25mm
 - 1 X PZ 1 x 25mm
 - 1 X PZ 2 x 25mm
 - 1 x TX 25 x 25mm
 - 1 X Socket 5.5x23mm
 - 1 x Socket 6x23mm
 - 1 X Socket 7x23mm
 - 1 X Socket 8x23mm
 - 1 X Socket 10x23mm
 - 1 X Socket 11x23mm
 - 1 X Socket 12x23mm
 - 1 X Socket 13x23mm




Tool-Check, Wera Bits-Sortiment mit Ratsche und Nüssen, 36 tlg.



FEATURES

- Ratchet, Drop Forged, Full Steel Design, 60 Teeth
- Easy Left/Right Switchover
- 1/4" Drive
- Ingenious Design, can be used as Fine-Tooth Ratchet, Flex-Head Ratchet, Angle Ratchet, Quick-Release Ratchet and Power Ratchet
- Colour Coded Sockets for Easy Identification
- Sockets with Ball Stop Groove, for Hex Head Bolt and Nuts
- Chrome Vanadium Steel, Mat Chromed Plated



CONTENTS

- 1 Ratchet 1/4" Drive
- Socket Adaptor
- Universal Bit Holder

BITS

- | | |
|----------------------|-----------------------|
| 1 X PH1 x 25mm | 1 X Slotted 1x.5x25mm |
| 2 X PH2 x 25mm | 1 X Hex 3x25 mm |
| 2 X PH3 x 25mm | 1 X Hex 4x25mm |
| 1 X PZ 1 x 25mm | 1 X Hex 5x25 mm |
| 3 X PZ 2 x 25mm | 1 X Hex 6x25mm |
| 1 x PZ 3 x 25mm | 1 X Hex 8x25mm |
| 1 x TX 10 x 25mm | 1 X Socket 5.5x23mm |
| 1 X TX 15 x 25mm | 1 x Socket 6x23mm |
| 1 X TX 20 x 25mm | 1 X Socket 7x23mm |
| 1 X TX 25 x 25mm | 1 X Socket 8x23mm |
| 1 X TX 30 x 25 mm | 1 X Socket 10x23mm |
| 1 X TX 40 X 25mm | 1 X Socket 12x23mm |
| 1 x TX BO 10 x 25mm | 1 X Socket 13x23mm |
| 1 X TX BO 15 x 25mm | |
| 1 X TX BO 20 x 25mm | |
| 1 X TX BO 25 x 25mm | |
| 1 X TX BO 30 x 25 mm | |

Kraftform Kompakt Zyklop Speed Zyklop-Knarrensatz 26tlg, Wera



FEATURES

- 1 Zyklop Ratchet 1/4" Drive
- Ingenious Design, can be used as Fine-Tooth Ratchet, Flex-Head Ratchet, Angle Ratchet, Quick-Release Ratchet and Power Ratchet



CONTENTS

- 1 Ratchet 1/4" Drive
- Socket Adaptor
- Zyklop Extension

BITS

- | | |
|-----------------------|---------------------|
| 1 X Slotted 1x.5x50mm | |
| 1 x PH1 x 50mm | 1 X Hex 3x50 mm |
| 1 X PH2 x 50mm | 1 X Hex 4x50mm |
| 1 X PH3 x 50mm | 1 X Hex 5x50 mm |
| 1 X PZ 1 x 50mm | 1 X Hex 6x50mm |
| 1 X PZ 2 x 50mm | 1 X Socket 5.5x23mm |
| 1 x TX 10 x 50mm | 1 x Socket 6x23mm |
| 1 X TX 15 x 50mm | 1 X Socket 7x23mm |
| 1 X TX 20 x 50mm | 1 X Socket 8x23mm |
| 1 X TX 25 x 50mm | 1 X Socket 10x23mm |
| 1 X TX 27 x 50 mm | 1 X Socket 12x23mm |
| 1 X TX 30 X 50mm | 1 X Socket 13x23mm |

SCREWDRIVERS AND WRENCHES

Insertion Tools, Wera, Set of 2 pcs.

IT 1261 0102

Wera Reihenklemmen-Betätigungswerkzeug Set, 2-teilig



FEATURES

- Special Tools for Unlocking Contact Springs in Electrotechnical Line Terminals
- Curved Blade Enables Terminal Blocks to be Reached
- Tool 1 Suitable for Spring Terminals with a Conductor Cross-Section Of up to 1.5mm²
- Tool 2 Suitable for Spring Terminals with a Conductor Cross-Section Of 2.5 – 4 mm²
- Multi-Component Kraftform Handle for Fast and Smooth Work

Terminal blocks hold the wire ends mechanically. The force required for this is applied by a spring in the case of tension spring terminals. The spring must be opened by a tool in order to be able to insert the wire ends. This special actuation/insertion tool enables operating the tension spring terminals. The curved blade also allows spring terminals to be reached where straight-blade tools cannot

HEYTEC VDE Electrician's Set, 18 pcs.

IT 1250 0550

HEYTEC VDE-Elektrikersatz, 18-tlg.
In Rolltasche mit Gürtelschlaufe

FEATURES

- 18 Piece Set
- In Wallet with Belt Loop

CONTENTS

- 1 VDE Screwdriver (IEC6+0900:2004 270)
- Slotted Bits Sizes
 - 0.4 x 2.5 x 100
 - 0.6 x 3.5 x 100
 - 0.8 x 4.0 x 100
 - 1.0 x 5.5 x 100
- PoziDrive Bits Sizes
 - 1 x 100
 - 2 x 100
- Philips Bits Sizes
 - 1 x 100
 - 2 x 100
- Torx Bits Sizes
 - TX 10 x 100
 - TX 15 x 100
 - TX 20 x 100
- Control Cabinet Key
 - 5mm
 - 7-8mm
 - 9mm
 - 3 – 5 MM
- Voltage Tester, 220 – 250 V
- Screw Cap
- Handle



SCREWDRIVERS AND WRENCHES

BAHCO Screwdriver Set, 7 pcs. VDE, SLA PH

IT 1250 0500

BAHCO Schraubendreher Satz, 7-teilig, VDE Schlitz/PH



FEATURES

- 7 Piece VDE Professional Screwdriver Set
- Assortment of 7 most popular VDE Screwdrivers

Slotted Tips:	Philips Tips:
0.5 x 3.0 x 100mm	0 x 75 mm
0.8 x 4.0 x 100 mm	1 x 80 mm
1.0 x 5.5 x 125 mm	2 x 100 mm

Mainstester:
0.5 x 3.0 x 65mm

- Large dual-compound, fully insulated handles to meet VDE and all Other relevant standards.
- Non slip, soft grip, ergonomically designed handles for comfort and best torque application.
- Chrome-Vanadium Steel blades, magnetic and corrosion free, tough and wear resistant.
- High precision machined black tips for exact screw fit without peel
- Meet all criteria for EN 60900 and VDE 0682/201, Individually tested to 10,000 volt AC for use around live line Equipment up to 1000 volt AC.
- VDE Certification, tested and monitored.
- Hanging hole for ease of display and storage.



BAHCO Screwdriver Set, 7pcs., VDE, SL & PZ, ERGO

IT 1250 0600

BAHCO Schraubendreher Satz, 7teilig, VDE, ERGO



FEATURES

- 7 Piece VDE Screwdriver Set

Slotted Tips:	0.4 X 2.5 X 75MM
	0.5 x 3.0 x 100mm
	0.8 x 4.0 x 100 mm
	1.0 x 5.5 x 125 mm

PoziDrive Tips:	0 x 75 mm
	1 x 100 mm
	2 x 150 mm



Screwdrivers Robertson

IT 1251

Schraubendreher, Robertson, Innenvierkant

FEATURES

- With Tape red Square Heads for Electrician's Screws
- Colour-coded, Ergonomically Shaped Large Handles
- Extra Long Blade for Easy Reach
- With Hanging Hole for Display Purposes

MADE IN GERMANY



IT 1251 0001

S1 GREEN 2.5 X 2.5 MM SCREWS NO. 5 & 6

IT 1251 0002

S2 RED 3.0 X 3.0 MM SCREWS NO. 7 & 8

Screwdriver, VDE, MCB

IT 1260

Schraubendreher VDE, MCB



FEATURES

- Special Driver Head Combining Pozidriv and Slotted Traits
- Designed for use with Screw Heads Found in MCB Switches
- With Hanging Hole for Display Purposes
- Large 2 Component Soft Grip Handle
- 1000 Volt Insulated

MADE IN GERMANY

IT 1260 0001

MCB DRIVER SIZE 1
TERMINAL SCREWDRIVER PZ/FL

IT 1260 0002

MCB DRIVER SIZE 2 PZ/FL

IT 1260 0102

SCREWDRIVER SET MCB 1 + 2

Mainstester 1000V / 140 mm

IT 1250 0010

Spannungsprüfer 1000V / 140 mm

FEATURES

- Mainstester, 65 x 3 mm Blade, Overall Length 140mm
- VDE Approved
- One Piece Moulded Blade and Handle Insulation
- Pocket Clip
- Supplied on Hanging-Clip



Mainstester, 100-250V AC/215mm

IT 1250 0000

Spannungsprüfer, 100-250V, AC/215 mm

FEATURES

- Mains Tester, 120 x 4 mm Blade, Overall Length 215mm
- Heavy Duty Pattern, Chunky Handle
- Finest Quality Blade
- 100-250V AC
- Supplied on Hanging-Clip





POWER TOOL EQUIPMENT DRILLS HOLESAWS

Chisel-Set SDS Plus- 3 pcs.

IT 1881 0000

Meißel-Set SDS Plus 3 tlg.

FEATURES

- 3 Piece Set
- Sizes: Point x 250mm
Flat 20mm x 250mm
Spade 40mm x 250mm
- Supplied in a PVC tub




Electrician's Kit Blade Set, 4 pcs., Multitool

IT 2000 0004

Multitool Set Elektriker, 4 tlg.

FEATURES

- Quick Release Shank
- Fits Most Main Brands of Multi-Tool
- Suitable for: Wood, Wood with Nails, Fibreglass, Non-Ferrous Metals Plasterboard
- Includes: 32mm and 63mm Fast Cutting Tooth Blades 32mm and 44mm Bi-Metals for Cutting Timber and Nail
- Blade Width: 2x32mm, 44mm and 64mm
- Depth of Cut: 42-55mm
- The Tradesman's Choice



Bi-Metal Sawblades 44mm, 3 pcs.

IT 2000 0003

Stichsägeblätter für Holz und Nägel, 3 tlg., 44mm

FEATURES

- Ideal for General Purpose Cutting in Timber, Nails And Non-Ferrous Metals
 - 0.8mm Thick for Fast Cutting Up to 51mm Deep
 - New Deeper Cut for Full Depth Timber Cutting
 - Fits Most Main Brands of Multi Tool
- Pack Contains 3 Blades



TIN-Bits

IT 4557

Bit TIN-Qualität

IT 4557 0010	Torx TX 10	x1/4"	10 Pieces
IT 4557 0015	Torx TX 15	x1/4"	10 Pieces
IT 4557 0020	Torx TX 20	x1/4"	10 Pieces
IT 4557 0025	Torx TX 25	x1/4"	10 Pieces
IT 4557 0030	Torx TX 30	x1/4"	10 Pieces
IT 4557 0040	Torx TX 40	x1/4"	10 Pieces



FEATURES

- Hardness Surface approx. 3000 HV
- DIN 3128, DIN 3126 C 6, 3
- Packed in Display Box of 10

Torx Size 10, 15, 20, 25, 30, 40 Screwdriver Bits, 25mm length, 1/4" drive

TIN-Bits

IT 4552

Bit TIN Qualität

IT 4552 0010	Pozi 1 x25mm x1/4"	10 Pieces
IT 4552 0020	Pozi 2 x25mm x1/4"	10 Pieces



FEATURES

- Hardness Surface approx. 3000 HV
- DIN 3128, DIN 3126 C 6, 3
- Packed in Display Box of 10

Pozi Size 1, 2 Screwdriver Bits, 25mm length, 1/4" drive
TIN = Titanium Nitride Coated

TIN-Bits

IT 4551

Bit TIN-Qualität

IT 4551 0010	Philips 1 x25mm x1/4"	10 Pieces
IT 4551 0020	Philips 2 x25mm x1/4"	10 Pieces
IT 4551 0030	Philips 3 x25mm x1/4"	10 Pieces



FEATURES

- Hardness Surface approx. 3000 HV
- DIN 3128, DIN 3126 C 6, 3
- Packed in Display Box of 10

Philips Size 1, 2 or 3 Screwdriver Bits, 25mm length, 1/4" drive
TIN = Titanium Nitride Coated

Bits Pozi

IT 4523

Bits PZ

IT 4523 0010	Pozi Size 1
IT 4523 0020	Pozi Size 2
IT 4523 0030	Pozi Size 3



FEATURES

- Length: 25mm
- Screwdriver Bits = High Grade Alloy Steel

Display Packed, 5 Pcs. in Set

Bits Box special electric, 11pcs.

IT 4560 0000

Bit Box Elektriker "Spezial", 11 tlg.

Pozi Size 1	1 Piece
Pozi Size 3	1 Piece
Slotted 3.0 x 0.5	2 Pieces
4.0 x 0.8	2 Pieces
ROB 1	1 Piece
ROB 2	1 Piece



FEATURES

- Philips Bits Titanium Coated
- Made in Germany

Dewalt Impact Screw Adapter 1/4" Hex to 1/2"

IT 4591 0000

Dewalt Impact Schlagschrauber-Adapter
1/4" auf 1/2"



FEATURES

- 1/4" to 1/2" Impact Driver Adapter
- For all Screwdriving Applications

Uni Lock Magnetic Bit Holder "Quick Lock"
for Display 4581 0000

IT 4580 0000C

Magnetischer Bithalter, Quick Release für Display 4581 0000

FEATURES

- 60 mm Length
- 1/4" Drive E6.3
- DIN 3126



Uni Lock Magnetic Bit Holder, 60mm 1/4"

IT 4580 0000

Magnetischer Bithalter, "Quick Release", 60mm 1/4"

FEATURES

- Quick Release
- Strong Magnetic Bit Holder for Easy Handling
- Size: 60mm, 1/4" Drive
- Display packed



Magnetic Bit Holder 60 mm 1/4"

IT 4559 0000

Magnetischer Bithalter 60 mm 1/4"

FEATURES

- Strong Magnetic Bit Holder for Easy Handling
- Size: 60mm, 1/4" Drive
- Display packed



Bits Robertson, Set of 2 pcs.

IT 4525 0001

IT 4525 0002

Bits für Robertson Schrauben Vierkantschrauben 2 Stk. im Set

FEATURES

- Square Head Bits
- Packs of 2
- Robertson Bits

IT 4525 0001 No.1 x 50mm
IT 4525 0002 No.2 x 50mm



SD-Bits-Box, 56 pcs., Allrounder

IT 4550 0000

Bit-Sortiment 56-teilig, Allrounder mit Farbring

FEATURES

48 Bits – 1/4" C 6.3-25mm – With Colour Ring (for easy identification) S2 Sandblasted – Oiled

- | | | |
|-----------------|----------|---|
| CR Orange | (SL): | 2 X 0.6X4.5, 2 x 1.0x5.5 |
| CR Blue | (PZ): | 3 X PZ1, 3 X PZ2, 3 X PZ3 |
| CR Red | (PH): | 3 X PH1, 3 X PH2, 3 X PH3 |
| CR Light Orange | (HEX): | HEX 3, HEX 4, HEX 5 |
| CR Yellow | (TX): | 2 X TX10, 2 X TX15, 2 X TX 20, 2 X TX25, 2 X TX27, 2 X TX30, 2 X TX 40 |
| CR Dark Blue | (TX BO): | 1 X TX BO 10, 1 X TX BO 15, 1 X TX BO 20, 1 X TX BO 25, 1 X TX BO 27, 1 X TX BO 30 1 X TX BO 40 |

7 Blades – 1/4" E 6.3-75mm, With Colour Ring, S2 Sandblasted, Oiled

- | | | |
|-----------|-------|--------------------|
| CR Red | (PH): | 1 X PH2, 1 X PH3 |
| CR Blue | (PZ): | 1 X PZ1, 1 X PZ2 |
| CR Yellow | (TX): | 1 X TX20, 1 x TX25 |
| CR Orange | (SL): | 1 X 1.0 X 6.0 |

1 Bitholder – 1/4" E 6.3-60mm EasyLink-EasyLock, Magnetic Blister Packed

Supplied in Sets of 6 in Counter Display



Bit Box and Ratchet Set 1/4"-Drive, 26 pcs.

IT4563 0000

Bit-Sortiment 1/4"-Antrieb, 26-tlg. inkl. Umschaltknarre

FEATURES

- 1/4" Drive Ratchet
- Adaptor for Bits
- Short Extension
- Sockets: 6, 7, 8, 10 and 13 mm
- Bits: PH 1, 2, 3
PZD 1,2,3
Slotted 3,4,5 mm
Hex 3,4,5,6 mm
Torx 10, 15, 20, 25 and 30

Supplied in Sets of 6 in Counter Display



POWER TOOL EQUIPMENT/DRILLS/HOLESAWS

Bits-Set, Micro, 31 pcs.

IT 4562 0000

Bit Box "Micro" Feinmechaniker, 31 tlg.

FEATURES

- Micro-Bits, 31 Piece
- Suitable for Mobile Phones, Laptops, any type of Electronic Device
- High Quality Chrome-Vanadium Steel
- Chrome Plated



Power Insert Bit Set

IT 4595 0000

Bit Box 35 tlg., Spezial-Sicherheitsschrauben

FEATURES

- Magnetischer Bithalter 60 mm 1/4"
- For Use with Most Security Screws



Screwdriver-Bits Box 31 pcs.

IT 4561 0000

Bit Box 31 tlg.

FEATURES

- Set of 31 pieces
- Containing Philips, Pozidriv, Slotted
- Hexagon, Torx and Tamperproof Bits



POWER TOOL EQUIPMENT/DRILLS/HOLESAWS

Diamant Tile Drill Kit, 6 pcs., 6, 8 & 10mm

IT 2020 2000

Diamantstaub-Bohrer-Satz für Fliesen, 6 tlg., 6, 8 & 10mm

FEATURES

- Drills for hard tiles like Stoneware, Porcelain, Marble, Granite, Ceramic
- Cooling with water is essential in order to guarantee a long life time of tool



Keyless Chuck

IT 1885 0001

Schnellspannbohrfutter Adapter

FEATURES

- For use with Rotary and Hammer Drills.
- Thread: 1/2" x 20 UNF
- Capacity: 1.5 - 13 mm

Display packed



SDS-Adaptor

IT 1884 0065

SDS-Adapter

FEATURES

- Converts SDS-Drills to Drive Standard Chucks, as well as Keyless Chucks
- Thread: 1/2" x 20 UNF

Display Packed



Machine Flat Bits

IT 1820

Flachfräsbohrer

FEATURES

- Chrome Vanadium Steel
- Triple Point, Right Hand Cutting
- Titanium Coated

Packaging: Individually in Wallets



SIZE	ITEM NO.	TOTAL LENGTH	WORKING LENGTH
6 mm	1820 0060	160mm	120mm
8 mm	1820 0080	160mm	120mm
10 mm	1820 0100	160mm	120mm
11 mm	1820 0110	160mm	120mm
12 mm	1820 0120	160mm	120mm
13 mm	1820 0130	160mm	120mm
14 mm	1820 0140	160mm	120mm
16 mm	1820 0160	160mm	120mm
20 mm	1820 0200	160mm	120mm
22 mm	1820 0220	160mm	120mm
24 mm	1820 0240	160mm	120mm
25 mm	1820 0250	160mm	120mm
28 mm	1820 0280	165mm	120mm
30 mm	1820 0300	165mm	125mm
32 mm	1820 0320	165mm	125mm
38 mm	1820 0380	170mm	130mm

Extension for Flat Bits 300 mm

IT 1820 1000

Verlängerung für Flachfräsbohrer 300 mm



Glass Drill Bit TCT


IT 1865

Glasbohrer HM

FEATURES

- Applications:
 - Ceramic Tiles
 - Natural Stone Tiles
 - Glass
 - Porcelain
- With Specially Shaped Tungsten-Carbide Tip

Display Packed in Wallets



IT 1865 0040	4MM
IT 1865 0050	5MM
IT 1865 0060	6MM
IT 1865 0080	8MM

Diamond Tile Drill with hex-shank (SW 9,5)

IT 1866

Diamant Fliesenbohrer mit 6-kant Schaft (SW 9,5)

FEATURES

- Applications:
 - Ceramic Tiles
 - Natural Stone Tiles
- Diamond Tip
- Hollow Shaft
- Hex Shank (SW 9.5)

8 per Box

IT 1866 0050	5MM	WORKING LENGTH 67MM
IT 1866 0060	6MM	WORKING LENGTH 67MM
IT 1866 0080	8MM	WORKING LENGTH 80MM



POWER TOOL EQUIPMENT/DRILLS/HOLESAWS

Starrett Deluxe Electricians Kit 13 pcs. Set, Fast-Cut

IT 2020 0013

Starrett Deluxe Elektriker-Lochsägensatz 13 tlg. Fast-Cut

FEATURES

- 13 Piece Electricians Fast Cut Bi-Metal Hole SawSet
- Sizes: 16, 20, 22, 25, 29, 35, 44, 51, 64, 68, 76mm A1 & A2 Arbors
- In Convenient Carrying Case
- Specifically suited to Cutting Stainless and Mild Steel Sheet
- Also Cuts Through Tubes Wall Thickness of up to 3mm (1/8")
- New Tooth Material, Enhanced Heat and Wear Resistance



Starrett

Starrett Electricians Hole Saw Kit, Akku, 3 pcs., CSC

IT 2020 3001

Starrett Elektriker-Lochsägen-Akku-Satz, 3 tlg., CSC

FEATURES

- 3 Piece AKKU Cordless Smooth Cutting Hole Saw Set
- Sizes: 20, 25, 32mm CSC
- Electricians Kit
- Complete Hole Saw Assembly Including Arbor, Pilot Drill and Ejector
- Spring, Specifically designed for Cordless Power Tools



Starrett

Electricians 6 pcs. Hole Saw Kit, Starrett

IT 2020 6022

Elektriker-Lochsägen-Satz, 6 tlg., Starrett

FEATURES

- 8 Piece Electricians Fast Cut Bi-Metal Hole SawSet
- Sizes: 16, 20, 25, 29, 44, 51mm. A1 & A10 Arbors
- In Convenient Carrying Case
- Specifically suited to Cutting Stainless and Mild Steel Sheet
- Also Cuts Through Tubes Wall Thickness of up to 3mm (1/8")
- New Tooth Material, Enhanced Heat and Wear Resistance



Starrett

POWER TOOL EQUIPMENT/DRILLS/HOLESAWS

Hole Saws Starrett

IT 2020

Bi-Metall Lochsägen - fast cut-, Starrett

FEATURES

- Complete Hole Saw Assembly Including Arbor, Pilot Drill and Ejector Spring
- Specifically designed for Cordless Power Tools
- Ideal for Cutting Stainless, Tool and Mild Steel Sheet, plus Plasterboard, Wood and Thin Plastics
- Recommended Cutting Depth: 2mm



Starrett

ITEM NO.	SIZE	ITEM NO.	SIZE
2020 1016	16 mm Fast Cut	2020 1064	64 mm
2020 1020	20 mm	2020 1067	67mm
2020 1022	22mm	2020 1070	70mm
2020 1025	25 mm	2020 1073	73 mm
2020 1032	32mm	2020 1076	76 mm
2020 1035	35 mm	2020 1083	83 mm
2020 1038	38mm	2020 1089	89 mm
2020 1040	40 mm	2020 1095	95 mm
2020 1044	44 mm	2020 1102	102 mm
2020 1051	51 mm	2020 1105	105 mm
2020 1054	54mm	2020 1111	111 mm
2020 1060	60mm	2020 1127	127 mm

CSC Holesaws, Starrett

IT 2020 CSC

CSC Lochsägen, inkl. Zentrierbohrer + Auswurffeder Starrett



Starrett

ITEM NO.	SIZE
2020 1016 CSC	16 MM AKKU
2020 1020 CSC	20 MM AKKU
2020 1022 CSC	22 MM AKKU
2020 1025 CSC	25 MM AKKU
2020 1032 CSC	32 MM AKKU

POWER TOOL EQUIPMENT/DRILLS/HOLESAWS

Arbor A1, 14-30 mm, Starrett

IT 2020 1000

Aufnahmeschaft A1, 14-30 mm, Starrett

FEATURES

- Arbor Suitable for Use with FCH (Fast Cut) and CT (Carbide Tipped) Hole Saws
- Size: 14-30mm A1



Starrett

Arbor A2, 32-210 mm, Starrett

IT 2020 1002

Aufnahmeschaft A2, 32-210 mm, Starrett

FEATURES

- Arbor Suitable for Use with FCH (Fast Cut) and CT (Carbide Tipped) Hole Saws
- Size: 32-210mm, Quick Hitch

DATEI WAR NICHT ZU ÖFFNEN

Starrett

Debris Collector, Starrett

IT DB2

Auffangbehälter für Bohrstaub, Starrett

FEATURES

- Debris Collector for Hole Saw
- Designed to Prevent Debris Clean-Up and to Protect Drill itself and be Used with Hole Saws
- Up to 121 mm



Starrett

Hole Saws Set, Bi-Metal HSS, 16 pcs., Alu-Case

IT 2010 1300A

Lochsägen Satz, 16 tlg., Bi-Metall HSS, Alukoffer

FEATURES

- A Very Comprehensive Electricians Kit
- Specifically designed For Electricians
- All Popular Sizes
- Great Value, Professional Quality



POWER TOOL EQUIPMENT/DRILLS/HOLESAWS

HSS Drill Bits, Sets

HSS Bohrer, Sets

FEATURES

- Applications: Heavy Duty Industrial Work
- For Steel and Alloyed Steel up to 9-00 N/mm² strength,
- Grey Cast, Iron Sinter, Die-Cast Metal
- Malleable Cast Iron, Graphite Cast Iron
- Short-Chipping Aluminum Alloys
- Brass and Bronze

IT 1842 0000

HSS DRILL BITS SETS
25 PIECES 1-13mm
TIN COATED



IT 1841 0000

HSS DRILL BITS SETS
19 PIECES 1-10mm
BRIGHT



IT 1846 0000

COBALT SET
25 PIECES 1-13mm



IT 1845 0000

COBALT SET
19 PIECES 1-10mm



Tap-Drills

IT 2013

Kombi-Gewindebohrer

IT 2013 0040	TAP DRILLS	4MM
IT 2013 0050	TAP DRILLS	5MM
IT 2013 0060	TAP DRILLS	6MM
IT 2013 0080	TAP DRILLS	8MM
IT 2013 0100	TAP DRILLS	10MM



Twist Drills DIN 338, Titanium Coated, Split Point, HSS

IT 1840

Spiralbohrer-HSS Hex DIN 338, TIN, Kreuzanschiff

FEATURES

- HSS Twist Drills, DIN 338 Fully Ground
- Titanium Coated
- Point Angle: 135°
- 135° Helical Point,
- with Split Point DIN 1412 C

Titanium Coating:

Allows for Increased Cutting Speed of up to 100%
and Forward Feed of up to 50%
Increases Life of Bit up to 400%
Display Packed in Individual Wallets

SIZE	ITEM NO.	TOTAL LENGTH	FLUTE LENGTH	A/F EQUIVALENT
1.0mm	1840 0010	34mm	12mm	
1.5mm	1840 0015	40mm	18mm	1/16"
2.0mm	1840 0020	49mm	24mm	5/64"
2.4mm	1840 0024	57mm	30mm	
2.5mm	1840 0025	57mm	30mm	3/32"
3.0mm	1840 0030	61mm	33mm	1/8, 7/16 + 1/5"
3.2mm	1840 0032	61mm	33mm	
3.3mm	1840 0033	61mm	33mm	
3.5mm	1840 0035	70mm	39mm	9/64"
4.0mm	1840 0040	75mm	43mm	5/32"
4.5mm	1840 0045	80mm	47mm	11/64"
5.0mm	1840 0050	86mm	52mm	13/64" + 3/16"
5.5mm	1840 0055	93mm	57mm	7/32"
6.0mm	1840 0060	93mm	57mm	15/64 + 1/4"
6.5mm	1840 0065	101mm	63mm	17/64"
7.0mm	1840 0070	109mm	69mm	9/32"
7.5mm	1840 0075	109mm	69mm	19/64"
8.0mm	1840 0080	117mm	75mm	21/64 + 5/16"
8.5mm	1840 0085	117mm	75mm	21/64 + 11/32"
9.0mm	1840 0090	125mm	81mm	23/64"
9.5mm	1840 0095	125mm	81mm	3/8"
10.0mm	1840 0100	133mm	87mm	25/64 + 13/32"
10.5mm	1840 0105	133mm	87mm	27/64"
11.0mm	1840 0110	142mm	94mm	7/16"
11.5mm	1840 0115	142mm	94mm	29/64"
12.0mm	1840 0120	151mm	101mm	15/32"
12.5mm	1840 0125	151mm	101mm	31/64"
13.0mm	1840 0130	151mm	101mm	1/2"



Twist-Drill-HSS Hex Shank Bit-Set, 6 pcs.

IT 1843 0000

Spiralbohrer-HSS Hex Schaft Set, 6 tlg.

SIZES

3 / 4 / 5 / 6 / 8 / 10mm



Tap-Drills, Set, 7 pcs. + Magnet-Holder
M3 | M4 | M5 | M6 | M8 | M10

IT 2013 0410

*Kombi-Gewindebohrer, M3 - M10 + Magnethalter, 7 tlg.
Bohrer / Gewindeschneider / Senker
M3 | M4 | M5 | M6 | M8 | M10*

FEATURES

Combi-Bits:
Drill/Re-Threading/Countersink

SIZES

M3 x 0.5 / HSS
M4 x 0.7 / HSS
M5 x 0.8 / HSS
M6 x 1.0 / HSS
M8 x 1.25 / HSS
M10 x 1.5 / HSS
+ magn. Bitholder

Display Packed



HSS Titan Bits Counter Top Dispenser Complete, Empty IT 10000 0002

Display für HSS Bohrer, leer

FEATURES

- Contents: 10 each size 1 – 13 mm, in 0.5 increments (10 of each)
- Width: 33 cm
- Depth: 33 cm
- Height: 59 cm



Diamond Drill Bits, Set, 4 pcs, Wax-filled IT 1867 0000

Diamant Fliesenbohrer mit M14 Gewinde für Winkelschleifer - Rundbox 4-tlg.

FEATURES

- 2 X D6, 1 X D8, 1 X D10 mm
- M14 Thread Connection for Angle Grinders
- Useable Length 30mm
- Total Length 64mm
- With Cooling Wax



Woodworking Drills

IT 1825

Holzbohrer

SIZE	ITEM NO.
4.0 x 70mm	1825 0040
5.0 x 80mm	1825 0050
6.0 x 90mm	1825 0060
8.0 x 100mm	1825 0080
9.0 x 110mm	1825 0090
10 x 120mm	1825 0100
12 x 140mm	1825 0120
13 x 150mm	1825 0130



Auger Bits, Combi-Shaft, Stubby IT 1812

Schlangenbohrer, Form LEWIS, Kurze Ausführung

FEATURES

- Quick-Change Combination Shaft
- Stubby Size
- 120mm Long
- Self-feeding Tip
- High Quality
- Fast Bore Wood Bit / Auger Bit
- Fast Cutting Action
- Supplied on Display Card



SIZE	ITEM NO.	TOTAL LENGTH
20mm	1812 0200	120 mm
25mm	1812 0250	120 mm
32mm	1812 0320	120 mm

Auger Bits, Stubby, Sets 5 pcs., 16 - 32 mm IT 1809 0001

Schlangenbohrer Set, 5 teilig, kurze Ausführung, 16 - 32 mm

FEATURES

- Chrome Vanadium Steel, Precision Machined
- Self-Drawing Crest of Thread with Taper Tap
- Hardened Head and Cutting Edges
- Combination Shank

Display Packed

SIZES

10 | 20 | 22 | 25 | 32MM



Auger Bits, Hex Shaft, Long

IT 1814

Schlangenbohrer, 6-kant Schaft, lange Ausführung

SIZE	ITEM NO.
20 x 460mm	1814 0200
22 x 460mm	1814 0220
29 x 460mm	1814 0290



Auger Bits, SDS, Long

IT 1815

Schlangenbohrer, SDS, lange Ausführung

SIZE	ITEM NO.
10 x 150	1815 0100
20 x 460	1815 0200
22 x 460	1815 0220



Professional Auger Bits with SDS-Shank

IT 1811

Schlangenbohrer, SDS

SIZE	ITEM NO.	TOTAL LENGTH	WORKING LENGTH
19MM	1811 0190	205MM	160MM
25MM	1811 0250	205MM	160MM
32MM	1811 0320	205MM	160MM



Hammer drill for SDS-plus 5,5 x 100 x 160 mm

IT 1880 055160

Hammerbohrer für SDS-plus Aufnahme 5,5 x 100 x 160 mm

FEATURES

- 4 X Cutting Edge
- For Faster and Easier, More Efficient Drilling
- Supplied on Clip-Display Hanger
- Cross Head, for SDS Plus 5.5mm

10 Pieces per Box



Masonry Drills, Multi Purpose

IT 1830

Mehrzweckbohrer für Mauerwerk

FEATURES

- For Rotary and Percussion Drilling
- Industrial Quality
- For Professional Use in Brick, Brickwork, Concrete, Tiles
- Finish: Bright / Black

Packaging: Individually in Wallets

SIZE	ITEM NO.
4.0 x 75mm	1830 0040
5.0 x 85mm	1830 0050
5.5 x 150mm	1830 0055
6.0 x 100mm	1830 0060
6.5 x 100mm	1830 0065
7.0 x 100mm	1830 0070
8.0 x 100mm	1830 0080
9.0 x 120mm	1830 0090
10 x 120mm	1830 0100
12 x 150mm	1830 0120
13 x 150mm	1830 0130
14 x 150mm	1830 0140
16 x 160mm	1830 0160
8 x 200mm	1832 0080

200 mm long



SDS Hammer Drills

IT 1880

SDS Hammerbohrer

FEATURES

- SDS Drill Bits for Professional, Heavy Duty use. Made from Chrome-Nickel-Molybdenum Steel. Precision-Honed Tungsten-Carbide Tips for Strength and Durability for Use in Bricks, Concrete, Granite etc.

ITEM NO.	DESCRIPTION AND SIZE
1880 050110	SDS+Hammer Drills 5.0 x 50 x 110mm
1880 050160	SDS+Hammer Drills 5.0 x 100 x 160mm
1880 055110	SDS+Hammer Drills 5.5 x 50 x 110mm
1880 055160	SDS+Hammer Drills 5.5 x 100 x 160mm (Cross Head)
1880 060110	SDS+Hammer Drills 6.0 x 50 x 110mm
1880 060160	SDS+Hammer Drills 6.0 x 100 x 160mm
1880 060210	SDS+Hammer Drills 6.0 x 150 x 210mm
1880 065160	SDS+Hammer Drills 6.5 x 100 x 160mm
1880 070160	SDS+Hammer Drills 7.0 x 100 x 160mm
1880 080160	SDS+Hammer Drills 8.0 X 100 x 160mm
1880 080210	SDS+Hammer Drills 8.0 x 150 x 210mm
1880 080260	SDS+Hammer Drills 8.0 x 200 x 260mm
1880 100160	SDS+Hammer Drills 10.0 x 100 x 160mm
1880 100200	SDS+Hammer Drills 10.0 x 150 x 210mm
1880 100260	SDS+Hammer Drills 10.0 x 200 x 260mm
1880 100460	SDS+Hammer Drills 10.0 x 400 x 460mm
1880 100600	SDS+Hammer Drills 10.0 x 550 x 600mm
1880 101000	SDS+Hammer Drills 10.0 x 950 x 1000mm
1880 120160	SDS+Hammer Drills 12.0 x 100 x 160mm
1880 120210	SDS+Hammer Drills 12.0 x 150 x 210mm
1880 120260	SDS+Hammer Drills 12.0 x 200 x 260mm
1880 120460	SDS+Hammer Drills 12.0 x 410 x 460mm
1880 120600	SDS+Hammer Drills 12.0 x 550 x 600mm
1880 121000	SDS+Hammer Drills 12.0 x 950 x 1000mm
1880 130160	SDS+Hammer Drills 13.0 x 100 x 160mm
1880 140160	SDS+ Hammer Drills 14.0 x 100 x 160mm
1880 140260	SDS+Hammer Drills 14.0 x 200 x 260mm
1880 140310	SDS+ Hammer Drills 14.0 x 250 x 310mm
1880 140460	SDS+Hammer Drills 14.0 x 410 x 460mm
1880 140600	SDS+Hammer Drills 14.0 x 550 x 600mm
1880 141000	SDS+Hammer Drills 14.0 x 950 x 1000mm
1880 160310	SDS+Hammer Drills 16.0 x 250 x 310mm
1880 160460	SDS+Hammer Drills 16.0 x 400 x 460mm
1880 160600	SDS+Hammer Drills 16.0 x 550 x 600mm
1880 161000	SDS+Hammer Drills 16.0 x 950 x 1000mm
1880 180250	SDS+Hammer Drills 18.0 x 200 x 250mm
1880 180460	SDS+Hammer Drills 18.0 x 410 x 460mm
1880 200260	SDS+ Hammer Drills 20.0 x 200 x 260mm
1880 200460	SDS+ Hammer Drills 20.0 x 400 x 460mm
1880 200600	SDS+Hammer Drills 20.0 x 550 x 600mm
1880 220310	SDS+ Hammer Drills 22.0 x 250 x 310mm
1880 220460	SDS+Hammer Drills 22.0 x 410 x 460mm
1880 240260	SDS+Hammer Drills 24.0 x 200 x 260mm
1880 240460	SDS+ Hammer Drills 24.0 x 200 x 460mm
1880 250460	SDS+ Hammer Drills 25.0 x 400 x 460mm
1880 250600	SDS+ Hammer Drills 25.0 x 550 x 600mm
1880 251000	SDS+ Hammer Drills 25.0 x 550 x 1000mm

Display Packed,
on Euro Slot Display
Hangers



Auger Bits, LEWIS-Pattern

IT 1810

Schlangenbohrer, Form LEWIS

FEATURES

- Chrome Vanadium Steel, Precision Machined
- Self-Drawing Crest of Thread with Taper Tap
- Hardened Head and Cutting Edges
- Combination Shank

Display Packed



SIZE	ITEM NO.	TOTAL LENGTH	WORKING LENGTH
6MM	1810 0060	230MM	160MM
8MM	1810 0080	230MM	160MM
10MM	1810 0100	230MM	160MM
13MM	1810 0130	230MM	160MM
16MM	1810 0160	230MM	160MM
19MM	1810 0190	230MM	160MM
20MM	1810 0200	230MM	160MM
22MM	1810 0220	235MM	160MM
25MM	1810 0250	235MM	160MM
32MM	1810 0320	230MM	160MM
25MM	1810 2546	460MM	445MM
25MM	1810 2560	600MM	585MM

Fast Bore Wood Bits

IT 1851

Forstnerbohrer

FEATURES

- Quick-Change Combination Shaft
- Self-feeding Tip
- High Qual
- Fast Bore Wood Bit
- Fast Cutting Action
- Comes With 1 Spare Pilot Tip
- PLUS Free Hexagon Key

Supplied on Display Card



SIZE	ITEM NO.	TOTAL LENGTH
25MM	1851 0025	115MM
29MM	1851 0029	115MM
32MM	1851 0032	130MM
35MM	1851 0035	130MM
44MM	1851 0044	130MM
51MM	1851 0051	130MM

DEWALT Fast Bore Wood Bits

IT 1851D

Forstnerbohrer, DEWALT

FEATURES

- New Design
- Super fast, Self-feeding
- Extra-strong Shaft
- Excellent Chip-Clearance
- Replaceable Pilot Tip

Supplied in Display Box
Complete With 1 Extra Spare
Pilot Tip and Hex-Key



SIZE	ITEM NO.	TOTAL LENGTH
25MM	1851 0025 D	130MM
28MM	1851 0028 D	130MM
32MM	1851 0032 D	130MM
35MM	1851 0035 D	130MM

Spare Tips for Fast Bore Wood Bits

IT 1853

Ersatzspitze für Rapid-Holzbohrer

IT 1853 0019
IT 1853 0044

19-25MM
44-51MM



Bi-Metal Hole Saws

IT 2010

Bi-Metall Lochsägen

FEATURES

- Tested and approved by VPA Germany, Vacuum-Welded and Hardened
- Materials: Made in Austria, UK, and USA
- Anthracite-finish stamped with: Diameter (Metric and Inch)

Packed in Grey Carton Boxes Marked BOC, and/or White Cardboard Boxes
Marked Innovative Tools



SIZE	ITEM NO.
16mm 5/8"	2010 1016
20mm 25/32, 8% COBALT	2010 1020
20mm COBALT	2010 1020C
22mm 7/8"	2010 1022
22mm COBALT	2010 1022C
25mm 1" 8% COBALT	2010 1025
25mm COBALT	2010 1025C
27mm	2010 1027
29mm 1.1/8"	2010 1029
30mm	2010 1030
32mm 1.1/4"	2010 1032
35mm	2010 1035
38mm 1.1/2"	2010 1038
40mm 1.9/16"	2010 1040
40mm COBALT	2010 1040C
41mm	2010 1041
44mm 1.3/4"	2010 1044
48mm	2010 1048
50mm	2010 1050
51mm 2"	2010 1051
51mm COBALT	2010 1051C
52mm 2"	010 1052
54mm	2010 1054
57mm	2010 1057

SIZE	ITEM NO.
60mm 2.3/8"	2010 1060
64mm 2.1/2"	2010 1064
64mm COBALT	2010 1064C
65mm	2010 1065
67mm 2.5/8"	2010 1067
70mm	2010 1070
73mm	2010 1073
76mm 3"	2010 1076
79mm	2010 1079
83mm 3.9/32"	2010 1083
86mm	2010 1086
89mm 3.1/2"	2010 1089
92mm	2010 1092
95mm	2010 1095
98mm	2010 1098
102mm	2010 1102
105mm 4.9/64"	2010 1105
108mm	2010 1108
114mm	2010 1114
115mm	2010 1115
121mm	2010 1121
127mm	2010 1127
133mm	2010 1133
152mm	2010 1152

Arbors incl. pilot Drill

IT 2010 11

Aufnahmeschaft mit Zentnerbohrer

DESCRIPTION

Arbor SW 11 for 14-30mm incl. pilot drill 100mm	A1
Arbor SW 11 for 32-152mm incl. pilot drill 71mm	A2
Arbor SDS-Plus for 14-30mm incl. pilot drill 71mm	

ITEM NO.

2010 1170
2010 1180
2010 1190



2010 1170



2010 1180



2010 1190

Pilo-Drills, HSS

IT 2010 12

Zentrierbohrer, HSS

DESCRIPTION

Pilot Drill 6.35 x 104 mm	LONG
Pilot Drill 6.35 x 78 mm	SHORT

ITEM NO.

2010 1210
2010 1220



Extensions for Arbors, SW 11MM, length 320MM

IT 2010 1250

Verlängerung für Aufnahmeschaft, SW 11 mm, Länge 320 mm



3 pcs Step drill Set

IT 2012 0000

Stufenbohrersatz, 3 tlg. HSS

FEATURES

- TIN Coated
- Contents:
Size 1: 4 – 12 mm
Size 2: 4 – 20 mm
Size 3: 4 – 32 mm



Step Drills 6-32,5 mm, 7 Steps

IT 2012 6305

Stufenbohrer 6-32,5 mm, 7 Stufen

FEATURES

- For Drilling and Deburring Sheet Metals in One Working Process
- HSS Steel
- Self-starting Tip
- Dual Flute for Less Drilling Pressure, Faster Working and Longer Life
- Contoured Shaft with 3 Flat Surfaces Preventing Slipping in Drill Chucks
- Suitable for: Steel Sheets 2mm
Stainless Steel 1mm
Non-Ferrous Metals 5mm

Display Packed



IT 2012 0620
CONE-CUT
6-20MM

IT 2012 1630
CONE-CUT
16-30.5MM

IT 2012 2640
CONE-CUT
25-40MM



SAWS INSULATED SAWS

Junior Hacksaw insulated

IT 98 90

PUK®-Säge, 1000V

FEATURES

- Saw Blade for Metal and Wood with 25 Teeth per Inch, exchangeable
- Saw Blade Length: 150mm



Junior Hacksaw, 150mm / 6"

IT 2000 1005

Mini-Bügelsäge, 150mm / 6"

FEATURES

- Strong Steel Frame
- Chromium Plated
- Concealed Blade-Ancho to Prevent Injury
- High Quality 150mm / 6" HSS Blade with 32 tip.



Display Packed

Mini Hacksaw 150 mm / 6"

IT 2000 1001

Mini-Bügelsäge 150 mm / 6"

FEATURES

- Strong Aluminum Alloy Frame
- HSS Blade
- Blade Adjustable for Cutting in 3 Directions
- 6 Cutting Positions
- Suitable for Cutting Wood and Metal
- Tension Screw



Display Packed

Junior Hacksaw Blades, pack of 10

IT 2000 1064

Ersatzblätter für Mini-Bügelsäge 10 Stk.

FEATURES

- 150mm / 32 t.p.i.



Plasterboard / Dry Wall Saw

IT 2000 1020

Trockenbau- Gipssäge

FEATURES

- Large, 2 Component Soft touch Handle for a Comfortable and Safe Grip
- Properly Secured, Heavy Duty Blade with Hard-Point Teeth for Long Life
- New Super Sharp Teeth, Induction Hardened
- Pointed Tip, to Start Cut
- For Plasterboard / Dry wall

Display Packed, Box of 12



IT 2000 1022S SHORT

SET OF 2 SPARE BLADES FOR DRY WALL SAWS 115MM

Set Ersatzklingen für Trockenbau-Gipssäge (2 tlg.) 115 mm



BAHCO Handsaw universal cut 475mm

IT 2000 1550

BAHCO Fuchsschwanzsäge 475 mm

FEATURES

- Hard point, Diamond Ground Teeth
- Medium Cut
- Precision Set Teeth for Smooth, Clean Cut
- Multipurpose Saw Suitable for a Variety of Materials
- Comfortable, Ergonomically Designed Handle
- 7/8 t.p.i. hardened



Hacksaw, 300 mm / 12"

IT 2000 1010

Eisensäge 300 mm / 12"

FEATURES

- Heavy Duty Pattern
- Robust Steel Beam with Solid Aluminum Handle and Front Section with Thumb-Rest
- Tension Lever Integrated into Handle
- 45° Blade Adjustable
- Top Quality "Joliflex" Blades – made in Sweden

5 per Box



Hacksaw, 300 mm / 12"


IT 2000 1011

Eisensäge 300 mm / 12"

FEATURES

- Heavy Duty Pattern
- Robust Steel Frame with Solid Aluminum Handle and Front Section with Thumb-Rest
- Fitted with High Quality HSS Blade

8 per Box



Hacksaw Blades Bi-Metal 300mm 24 t.p.i.

IT 2000 0324

Sägeblätter Bi-Metall 300 mm 24 t.p.i., 8% Cobalt (in rot)



Hacksaw Blades Bi-Metal 300mm 32 t.p.i.

IT 2000 0332

Sägeblätter Bi-Metall 300 mm 32 t.p.i., 8% Cobalt (in rot)



SAWS | INSULATED SAWS

Jigsaw Blades for Wood and Plastics - 3,0 x 75 mm
5 Set- CV

IT 2000 0010

Stichsägeblätter für Holz und Kunststoff 3,0 x 75 mm 5 Set- CV,
Made in Germany



Jigsaw Blades for Metal - 2,0 x 55 mm 5 Set- HSS

IT 2000 0020

Stichsägeblätter für Metall 2,0 x 55 mm 5 Set- HSS,
Made in Germany



SAWS | INSULATED SAWS

Cutting-Disc Toro Professional,
115 x 1,0 x 22,23mm, INOX

IT 2001 0000

Trennscheibe 115 x 1,0 x 22,23, INOX TORO PRO

FEATURES

- Ultra Thin, 1mm
- 115 x 1.0 x 22.23mm
- INOX Stainless Steel
- Trade Standard Quality

Packed in 25 pieces per carton



Marcris Cutting Disc INOX/METAL 115 x 1,0 x 22,23
850 Professional

IT 2002 0000

Marcris Trennscheibe INOX/METAL 115 x 1,0 x 22,23
850 Professional



FEATURES

- Ultra Thin, 1mm
- 115 x 1.0 x 22.23 mm
- For Stainless Steel
- Top Of The Range Quality
- Highly Shatter Resistant
- Reduced Fumes
- Cutting Faster- Lasting Longer
- "MACRIST" Germany

Packed in 25 pieces per carton



850 Inox Special Ultra-Thin

Why buy me:

- Ultra-fast cutting • Precise • FE/S/CI ≤ 0.1% • Burn-free • Extreme long life

Technology:

Part number	Dimensions	U/min max.	Contents
5007.0115.22	115 x 1.0 x 22.23 mm	13300	25 pieces



PLIERS CABLE CUTTERS SCISSORS AND SHEARS SNIPES

Side Cutters, NWS

IT 134-69

Seitenschneider, NWS

FEATURES

- Cutting Edges Inductively Hardened
- For Cutting Hard and Soft Wires
- Precision Cutting Edges for the Finest Wires
- Soft Grip Multi-Component Sleeves
- Made of Tool Steel, Forged, Oil Hardened



nws
MADE IN GERMANY

SIZE

NWS Side Cutters 145mm
NWS Side Cutters 160mm
NWS Side Cutters 180mm

ITEM NO.

134-69-145SB
134-69-160SB
134-69-180SB

Snipe Nose Pliers, 200 mm, NWS

IT 140-69-205SB

Flachrundzange (Radiozange), 200 mm, NWS

FEATURES

- Cutting Edges Inductively Hardened
- For Cutting Hard and Soft Wires
- For Holding, Bending, Gripping and Cutting
- With Cutting Edge and Burner Hole
- Soft Grip Multi-Component Sleeves
- Serrated Inside Jaws
- Integrated Ring Spanner
- Made of Tool Steel, Forged, Oil Hardened



nws
MADE IN GERMANY

Snipe Nose Pliers, bent, 200 mm, NWS

IT 141-69-205SB

Flachrundzange (Radiozange), 45° abgewinkelt, 200 mm, NWS

FEATURES

- Cutting Edges Inductively Hardened
- For Cutting Hard and Soft Wires
- For Holding, Bending, Gripping and Cutting
- With Cutting Edge and Burner Hole
- Serrated Inside Jaws
- With Long 45° Angled, Flat Round Jaws
- Integrated Ring Spanner
- Soft Grip Multi-Component Sleeves
- Made of Tool Steel, Forged, Oil Hardened



nws
MADE IN GERMANY

Snipe Nose Pliers, Straight, VDE, NWS, 205mm IT 140-49-2055BVDE

Flachrundzange (Radiozange) VDE, NWS, 205mm

FEATURES

- Cutting Edges Inductively Hardened
- For Cutting Hard and Soft Wires
- For Holding, Bending, Gripping and Cutting
- With Cutting Edge and Burner Hole
- Serrated Inside Jaws
- With Long Flat Round Jaws
- Integrated Ring Spanner
- Soft Grip Multi-Component Safety Sleeves
- Made of Tool Steel, Forged, Oil Hardened



Wire Stripping Pliers, VDE, NWS, 160 mm IT 145-49-VDE-160SB VDE

Abisolierzange VDE, NWS, 160mm

FEATURES

- For Stripping Solid, Stranded or Finely Stranded Conductors with Standard Insulation
- V-Shaped Cutting Edge for Wires and Strands
- Up to Ø 5mm or 10mm² Cross Section
- With Adjustment Screw
- With Opening Spring
- Soft Grip Multi-Component Safety Sleeves
- Made of Tool Steel, Forged, Oil Hardened



Cable Cutter, 160 mm, NWS

IT 043-69-160SB

Kabelschneider, 160 mm, NWS

FEATURES

- For Stripping and Cutting Copper and Aluminium Cable
- Precision Cutting Edge
- Soft Grip Multi Component Sleeves



Combination Pliers, NWS

IT 111-69

Kraft-Kombinationszange, NWS

FEATURES

- For Cutting Hard and Soft Wires
- For Holding, Gripping, Bending and Cutting
- Inductively Hardened Cutting Edges
- Soft Grip Multi-Component Sleeves
- Made of Tool Steel, Forged, Oil Hardened



SIZE	ITEM
NWS High Leverage Combination Pliers 165mm	111-69-165SB
NWS High Leverage Combination Pliers 180mm	111-69-180SB
NWS High Leverage Combination Pliers 205mm	111-69-205SB

Combination Pliers, NWS

IT 137-69

Kraft-Kombinationszange, NWS

FEATURES

- Cutting Edges Inductively Hardened
- Precision Cutting Edges for Piano Wire
- Soft Grip Multi-Component Sleeves
- Made of Tool Steel, Forged, Oil Hardened



SIZE	ITEM
NWS Heavy Duty Side Cutters 150mm	137-69-150SB
NWS Heavy Duty Side Cutters 200mm	137-69-200SB

Wire Stripping Pliers, 160 mm, NWS

IT 145-69-160SB

Abisolierzange, 160 mm, NWS

FEATURES

- For Stripping Solid, Stranded or Finely Stranded Conductors with Standard Insulation
- V-Shaped Cutting Edge for Wires and Strands up to Ø 5mm or 10mm² Cross Section
- With Adjustment Screw
- With Opening Spring
- Soft Grip Multi-Component Safety Sleeves
- Made of Tool Steel, Forged, Oil Hardened



Side Cutters Electricians, 160 mm VDE, NWS

IT 1343-49-VDE-160SB

Seitenschneider+ VDE, 160 mm, NWS

FEATURES

- Cutting Edges Inductively Hardened
- For Cutting Hard and Soft Wires
- For Shortening Screws M 3.5
- Soft Grip Multi Component Safety Sleeve
- Handles
- DIN EN/IEC 60900



Snipe Nose Pliers, bent 200 mm VDE, NWS

IT 141-49-VDE-205SB VDE

Flachrundzange (Radiozange), 45° abgewinkelt VDE, NWS

FEATURES

- Cutting Edges Inductively Hardened
- For Cutting Hard and Soft Wires
- For Holding, Bending, Gripping and Cutting
- With Cutting Edge and Burner Hole
- Serrated Inside Jaws
- With Long 45° Angled, Flat Round Jaws
- Integrated Ring Spanner
- Soft Grip Multi-Component Safety Sleeves
- Made of Tool Steel, Forged, Oil Hardened



Side Cutters, NWS, VDE

IT 134-49

Seitenschneider, NWS, VDE

FEATURES

- Cutting Edge Hardness Approx. 62 HRC
- Cutting Edges Inductively Hardened
- For Cutting Hard and Soft Wires
- Soft Grip Multi-Component Safety Sleeves
- Made of Tool Steel, Forged, Oil Hardened



SIZE

Side Cutters 160 mm VDE, NWS

Side Cutters 180 mm VDE, NWS

ITEM NO.

134-49-VDE-160SB VDE

134-49-VDE-180SB VDE

Side Cutters Electricians, 190mm VDE, NWS

IT 1351-49-VDE-190SB

Elektriker-Seitenschneider+ VDE, 190mm, NWS

FEATURES

- 4 Functions: Cutting, Stripping, Crimping, Bending
- With Stripping Function for Single + Multi strands
- Cutting Edges Inductively Hardened
- For Cutting Hard and Soft Wires
- For Shortening Screws M 3.5
- Soft Grip Multi Component Safety Sleeve Handles
- DIN EN/IEC 60900



Cable Cutters, VDE, NWS

IT 043-49

Kabelschneider, VDE, NWS

FEATURES

- For Stripping and Cutting Copper and Aluminium Cable, not suitable for Steel wire
- Soft Grip Multi-Component Safety Sleeves
- Made of Tool Steel, Forged, Oil Hardened



SIZE

Snipe Nose Pliers, straight, 170 mm VDE, NWS

Snipe Nose Pliers, straight, 200 mm, VDE, NWS

ITEM NO.

043-49-VDE-160SB VDE

043-49-VDE-210SB VDE

Pincers 210 mm 8", NWS

IT 118-12-210SB

Kneifzange 210 mm, NWS

FEATURES

- For Gripping and Removing Screws, Nails and Fixings etc.
- For Cutting Metal Rods and Wires
- Cutting Edges Inductively Hardened
- Plastic Coated Handles
- Made of Tool Steel, Forged, Oil Hardened



Front Cutting Nippers, 200 mm, NWS

IT 131-12-200SB

Vornschneider, 200 mm, NWS

FEATURES

- For Cutting Hard and Soft Wires
- Iso for Tying Steel Mesh
- Cutting Edges Inductively Hardened
- Plastic Coated Handles
- Made of Tool Steel, Forged, Oil Hardened



Assortment of End-Sleeves+Pliers, NWS

IT 143-BIS

Presszange und Aderendhülsen-Sortiment, NWS

FEATURES

- Containing Approx. 110 Insulated End-Sleeves from 0.5 to 16 mm²



Fittings Pliers "Power Max" 250 mm, NWS

IT 166K-42-250SB

Armaturenzange PowerMax 250 mm, NWS

FEATURES

- All-Purpose Water pump Pliers for Gripping nuts and Refined Fittings
- Tile and Breaking Tool
- Box Joint
- Finger Trap Protection
- Plastic Coated Handles
- Chrome Vanadium Steel, Forged, Oil Hardened



Waterpump Pliers, Quattro Grip, NWS

IT 1661-12

Wasserpumpenzange, Quattro Grip, NWS

FEATURES

- Compact, Narrow Shape for Working in Smaller Spaces
- Precise Adjustment Screw
- Double-Toothed Jaws
- With Nail and Wire Holder
- Box Joint, Finger Trap Protection
- Plastic Coated Handles
- Chrome Vanadium Steel, Forged, Oil Hardened



SIZE

ITEM NO.

- Waterpump Pliers QuattroGrip, 250 mm, NWS
- Waterpump Pliers QuattroGrip, 320 mm, NWS
- Waterpump Pliers QuattroGrip, 400 mm, NWS

- 1661-12-250SB
- 1661-12-320SB
- 1661-12-400SB

Combination Pliers CombiMax VDE, NWS

IT 109-49

Kraft-Kombinationszange CombiMax VDE, NWS

FEATURES

- Cutting Edges Inductively Hardened
- For Cutting Hard and Soft Wires
- For Holding, Bending, Gripping and Cutting
- Soft Grip Multi-Component Safety Sleeves
- Made of Tool Steel, Forged, Oil Hardened



SIZE

Combination Pliers 165 MM CombiMax VDE, NWS
Combination Pliers 180 MM CombiMax VDE, NWS
Combination Pliers 205 MM CombiMax VDE, NWS

ITEM NO.

109-49-VDE-165SB
109-49-VDE-180SB
109-49-VDE-205SB

Heavy Duty Side Cutters, VDE, NWS

IT 137-49

Kraft-Seitenschneider, VDE, NWS

FEATURES

- Precision Cutting Edge for Piano Wire



SIZE

Heavy Duty Side Cutters, 180 mm, VDE, NWS
Heavy Duty Side Cutters, 200 mm, VDE, NWS

ITEM NO.

137-49-VDE-180SB
137-49-VDE-200SB

Cable Cutter, 160 mm, cap. 10 mm

IT 3676 000L

Kabelschneider 160 mm, max. 10 mm

FEATURES

- Capacity:
Up to 10mm Ø
 - Length: 160mm
 - Suitable for Copper and Aluminium Cables
- Display Packed



BILD?

Cable Cutter, cap. 23mm diam., 300 mm long

IT 3680 0080

Kabelschneider, 300 mm lang, cap. max. 23 mm

FEATURES

- Capacity:
Up to 80 mm², 14 mm Ø
 - Length: 300 mm
 - Weight: 730 g
- In Carton Box



Rod & Wire Cutter, cap. 12/9mm diam., 600 mm long

IT 3682 0150

Kabel- & Drahtschneider, max. 12 / 9mm Durchmesser, 600 mm

FEATURES

- Capacity: Copper and Alu: Up to 150 mm², 14 mm Ø
 - ACSR-Cable and Wire Rope: 12 mm Ø
 - Steel Rod: 9 mm Ø
 - Length: 600 mm
 - Weight: 1,750 g
- Packaging: Loose



Cable Cutter, 27mm diam., 600 mm long


IT 3681 0250

Kabelschneider, max. 27 mm, 600 mm

FEATURES

- Capacity: Up to 250 mm², 27 mm Ø
- Length: 600 mm
- Weight: 1,540 g

In Carton Box



Combined tool set VDE, 3 pcs., NWS

IT 782-00000-VDE

Kombinierter Werkzeugsatz VDE, 3-tlgl, NWS

FEATURES

- CONTENTS:
109-49-VDE-180 VDE Combination Pliers
134-49-VDE-160 VDE Side Cutters
140-49-VDE-205 VDE Long Nose Plier
- Made of Tool Steel, Forged,
Oil Hardened



Side Cutters, NWS, 120 mm

IT 126F – 72-120 SB

Seitenschneider, NWS, 120mm

FEATURES

- Lap-Joint
- Double Leaf Springs for Smooth Action
- Finely Polished Surface for Rust Protection
- Induction Hardened Cutting Edges –
- Suitable for Cutting Soft Wires
Copper / Aluminium)
up to 0.8 mm Ø



Side Cutters, 160 MM Safety, NWS

IT 1343-49VDE-160 SB

Seitenschneider 160 MM Safety, NWS

FEATURES

- 1000 Volt Insulated
- 160mm Snips with Screw-Cutter for 3.5mm Socket Screws
- Heavy Insulated Handles

Display packed



Cable Cutters, 160 mm, VDE, NWS

IT 043-49VDE-160SB

Kabelschneider, VDE, 160 mm, NWS

FEATURES

- Long Handle AND Shorter Cutting Edges = Easier Cut
- 1000 Volt Insulated for Safety
- Better than any other Cable Cutter on the Market!

Try it and be Amazed!



Cable Cutters, 210 mm, VDE, NWS

IT 043-49VDE-210SB

Kabelschneider, VDE, 210 mm, NWS

FEATURES

- Long Handle AND Shorter Cutting Edges = Easier Cut
- 1000 Volt Insulated for Safety
- Better than any other Cable Cutter on the Market!

Try it and be Amazed!



Combination Pliers 180 mm

IT 3667 0180

Kombizange 180 mm



Side Cutters 160 mm

IT 3650 0160

Seitenschneider 160 mm



Snipenose Pliers straight, 160 mm

IT 3609 0140

Telefonzange 160 mm



Waterpump Pliers 250 mm

IT 3653 0250

Wasserpumpenzange 250 mm

FEATURES

- 10" Water pump Pliers with Box Joint for a Secure Grip
- Made of Chrome Vanadium Steel with Hardened Teeth
- Safeguard Feature to Prevent Finger-Squeezing
- Comfortable Soft-Grip Handles

Display Packed



Self Locking Grip Pliers, 250 mm

IT 3610 0250

Gripzange 250 mm

FEATURES

- 10" / 250mm Self Locking Soft-Grip Pliers
- Straight Serrated Jaws
- Chrome Vanadium
- Hardened
- Screw and Quick Release Lever
- Comfortable Soft-Grip Handles, made of Plastic and Rubber

Display Packed



Tin Snips, compound action

IT 4530 0000

Blechscherer, gerade Profi

FEATURES

- Straight Cut
- Chrome Molybdenum Steel Jaws, Drop Forged and Hardened.
- Ergonomically Shaped, with Slip Guard
- Two Component: Soft Grip Handles
- Capacity: 1.2 mm Mild Steel
- 1.5 mm Aluminium
- Size: 10 inch

Display packed



Side Cutters H.D.

IT 7412

Kraft-Seitenschneider, H.D.

SIZE	ITEM NO.
160mm	74 12 160
180mm	74 12 180



Diagonal Insulation Stripper, 160 mm

IT 14 22 160

Abisolier-Seitenschneider, 160 mm



Combination Pliers

IT 0302

Kombizange

SIZE	ITEM NO.
160mm	03 02 160
180mm	03 02 180
200mm	03 02 200



Combination Pliers H.D.

IT 0202

Kraft-Kombizange

SIZE	ITEM NO.
180mm	02 02 180
200mm	02 02 200
225mm 9"	02 02 225



Side Cutters

IT 7002

Seitenschneider

FEATURES

- Head, Polished Handle, Heavy Two Component Sleeves, Red and Blue

Loose, in Boxes of 6's

SIZE	ITEM NO.
125mm	70 02 125
140mm	70 02 140
160mm	70 02 160
180mm	70 02 180



KNIPEX

Side Cutters

IT 7402

Seitenschneider

SIZE	ITEM NO.
140mm	74 02 140
160mm	74 02 160
180mm	74 02 180
200mm	74 02 200
250mm	74 02 250



KNIPEX

Diagonal Cutters, Hi-Leverage, 200 mm

IT 74 22 200

Kraft-Seitenschneider, 200 mm



KNIPEX

Electrician's Pliers, 160mm

IT 13 02 160

Verdrahtungszange, 160mm



KNIPEX

Long Nose Pliers, 200 mm

IT 26 12 200

Flachrundzange mit Schneide, 200 mm



KNIPEX

Snipe Nose Pliers

IT 25 02

Flachrundzangen mit Schneide

SIZE	ITEM NO.
140mm	25 02 140
160mm	25 02 160



KNIPEX

Snipe Nose Pliers, 140 mm

IT 25 05 140

Flachrundzange mit Schneide, 140 mm



KNIPEX

Long Nose Pliers, bent, 200 mm

IT 26 22 200

Flachrundzange mit Schneide, 200 mm



KNIPEX

Needle-Nose Combination Plier, VDE, 145mm

IT 08 26 145

Spitz-Kombizange, VDE, 145mm



Needle-Nose Combination Plier, VDE, 185 mm

IT 08 26 185

Spitz-Kombizange, VDE, 185 mm



Side Cutters VDE

IT 7006

Seitenschneider, VDE



SIZE	ITEM NO.
160mm	70 06 160
180mm	70 06 180

Side Cutters H.D., VDE, 200 mm

IT 74 06 200

Kraft-Seitenschneider, VDE, 200 mm



Combination Pliers, VDE

IT 0206

Kraft-Kombizange, VDE



SIZE	ITEM NO.
180mm	02 06 180
200mm	02 06 200
225mm	02 06 225

Wire Stripping Plier, VDE, 160mm

IT 11 06 160

Kraft-Kombizange, VDE, 160mm



Combination Pliers, VDE

IT 0306

Kraft-Kombizange, VDE



SIZE	ITEM NO.
180mm	03 06 180
200mm	03 06 200

Long Nose Pliers, VDE, 200mm

IT 26 16 200

Flachrundzange mit Schneide
(Storchschnabelzangen), VDE, 200mm



KNIPEX

Long Nose Plier, VDE, bent, 200mm

IT 26 26 200

Flachrundzange mit Schneide
(Storchschnabelzangen), VDE, 200mm



KNIPEX

Long Nose Pliers, 160 mm, VDE

IT 25 06 160

Flachrundzange mit Schneide 160 mm, VDE (Radiozange)



KNIPEX

Pliers for Electrical Installation, VDE, 200mm

IT 13 96 200

Elektro-Installationszange, VDE, 200mm



KNIPEX

FEATURES

- Cable Cutter with Induction Hardened, Precision Cutting Edge
- For Copper and Aluminium Cables up to 5 x 2.5mm²/dia 15mm
- Smooth Surface near Tips for Gripping Single Cores:
- Serrated Gripping Surfaces and Pipe Grip for Gripping Flat and Round Material
- Clear Cut Outside Edge on Jaw for Working on Flush-Mounted
- Junction Boxes and Deburring Feed-Through Holes
- Stripping Holes for Conductors of 0.75 - 1.5mm² and 2.5mm²
- Gripping, without Opening the Pliers Completely
- Crimp Die for Wire End Sleeves: 0.5 - 2.5mm²
- IEC 60900 DIN EN 60900
- Pliers Chrome Plated, Insulated Handles
- 1000 Volt
- VDE Tested

X-Cut, Diagonal Cutters, compact, VDE, 160 mm

IT 73 06 160

Kompakt-Seitenschneider, VDE, 160 mm



KNIPEX

FEATURES

- High Lever Transmission
- Chrome Plated Head
- Powerful and Precise Cutting
- DIN ISO 5749
- VDE Tested

Crimping Plier, for wire ferules, 0,25 -16 mm²

IT 97 78 180

Crimpzange für Aderendhülsen, 0,25 -16 mm²

FEATURES

- Head Polished
- Cap: 0.25 - 16mm
- Handles with Multi-Component Grips
- VDE Tested



KNIPEX

X-Cut, Diagonal Cutters, compact, 160 mm

IT 73 02 160

Kompakt-Seitenschneider, 160 mm



FEATURES

- High Lever Transmission
- Black, polished Head
- Powerful and Precise Cutting
- DIN ISO 5749

Hight Leverage Diagonal Cutters, 1000V

IT 74 07

Kraft-Seitenschneider, 1000V



FEATURES

- Suitable for all types of wire, including Piano Wire
- Chrome Vanadium Heavy-duty Steel, Forged, Oil Hardened
- 250 Length Model
- Suitable for Copper Conductors up to 16mm²
- Suitable for Aluminium Conductors up to 35mm²
- VDE Tested

SIZE	ITEM NO.
200mm	74 07 200
250mm	74 07 250

Crimping Plier, for wire ferrules, 180mm

IT 97 71 180

Crimpzange für Aderendhülsen, 180mm



FEATURES

- Head Polished
- Handles Plastic Coated
- For crimping wire ferrules according to DIN 46228
- Parts 1 + 4 from 0,25 to 16mm²

Bolt End Cutting Nippers

IT 61 01 200

Bolzen-Vornschneider, hochübersetzt



FEATURES

- End Cutting Nippers
- Powerful, Compact, Comfortable
- For All Wires, Including Piano Wire
- Vanadium Electric Steel, Forged, Oil Hardened
- Handles Plastic Coated

End-Cutting, Nippers

IT 68 01 ...

Vornschneider

FEATURES

- End Cutting Nippers
- Handles Plastic Coated
- Head Shape Provides Optimized Movement when Tightening
- Steel Mesh Knots During Reinforced Concrete Work
- With Cutting Edges for Hard and Soft Wire
- Cutting Edge Hardness Approx. 61 HRC



SIZE	ITEM NO.
180mm	68 01 180
200mm	68 01 200
280mm	68 01 280

Waterpump Pliers "Cobra", VDE, 250mm

IT 87 26 250

Hightech-Wasserpumpenzange, "Cobra", VDE, 250 mm

FEATURES

- Adjustment by Sliding one Jaw directly on the workpiece: fast, reliable and comfortable handling



Waterpump Pliers "Alligator"

IT 88 01 ...

Wasserpumpenzange "Alligator"

FEATURES

- With Non-Slip Plastic Coating Handles

SIZE	ITEM NO.
180mm	88 01 180
250mm	88 01 250
300mm	88 01 300



Waterpump Pliers "Alligator", 250 mm

IT 88 02 250

Wasserpumpenzange "Alligator", 250 mm

FEATURES

- With Multi-Component Grips



Waterpump Pliers "Alligator", VDE, 250 mm

IT 88 06 250

Wasserpumpenzangen "Alligator", VDE, 250 mm

FEATURES

- Good Access to the Dockpiece Due to the slim size of Head and Joint
- With VDE-tested Multi-Component Grips



Lineman's Pliers

IT 0902 240

Kraft-Kombizange, Amerikanisches Modell

FEATURES

- American Style
- Pliers Black Polished Head
- Handles with Multi-Component Grips
- Cutting Edges Additionally Induction Hardened
- Cutting Edge Hardness Approx. 64 HRC
- DIN ISO 5746
- ASME B107.20



Insulation Stripper, VDE, 160 mm

IT 11 07 160

Abisolierzange, VDE, 160 mm

FEATURES

- Pliers Chrome Plated
- Handles with Dipped Insulation
- VDE Tested
- For single and Fine Stranded Conductors with Plastic Or Rubbe insulation, max 5.0 mm diameter



StepCut - Cable Shears, 160 mm

IT 95 11 160

StepCut - Kabelschere, 160 mm

FEATURES

- Tool Burnished
- Handles Plastic Coated



Wire Rope Cutter, 190mm

IT 95 61 190

Drahtseilschere geschmiedet, 190mm

FEATURES

- Head Polished
- Handles Plastic Coated



Cable Cutter, VDE

IT 9516

Kabelschere, VDE

FEATURES

- Twin Cutting Edges
- Handles Insulated with Multi Component Grips
- VDE Tested

SIZE	ITEM NO.
165mm	95 16 165
200mm	95 16 200



Cable Cutter

IT 9511

Kabelschere

FEATURES

- Burnished Tool
- Plastic Coated Handles

SIZE	ITEM NO.
165mm	95 11 165
200mm	95 11 200



Cable Shears, with stripping function, 165mm

IT 95 41 165

Kabelschere, Mehrfunktionswerkzeug, 165mm

FEATURES

- Pliers Burnished
- Handles Plastic Coated
- Multifunctional Tools for Working on NYM Cable from 3 x 1.5mm² (cutting and Stripping)



Cable Shears, VDE

IT 95 17 200

Kabelschere mit Doppelschneide, VDE

FEATURES

- Twin Cutting Edges
- Handles With Dipped Insulation
- VDE Tested



Cable Shears

IT 95 12 ...

Kabelschneider

FEATURES

- Burnished Tool
- Handles with Multi Component Grips

SIZE	ITEM NO.
165mm	95 12 165
200mm	95 12 200



Knipex Bestseller Set, 3 pcs

IT 0020 09 V01

Knipex Werkzeug-Set, Bestseller-Paket, 3-teilig

FEATURES

- Contents:
03 02 180 Combination Pliers, 180mm
70 02 160 Side Cutters, 160mm
87 01 250 Waterpump Pliers, 250mm



Knipex Pliers-set, VDE, 3 pcs.

IT 00 20 12

KnipexWerkzeug-Set, Elektro-Paket-VDE, 3-teilig

FEATURES

- Contents:
03 06 180 Combination Pliers, 180mm
26 16 200 Snipe Nose Pliers, 200mm
70 06 160 Side Cutters, 160mm
- VDE tested



Knipex Cobra Set, 3pcs.

IT 0020 09 V02

Knipex Cobra-Paket, 3-teilig

FEATURES

- Contents:
87 01 150 Waterpump Pliers 150mm
87 01 250 Waterpump Pliers 250mm
87 01 300 Waterpump Pliers 300mm



Mini pliers set in belt tool pouch

IT 00 20 72 V 06

Mini-Zangenset in Werkzeuggürteltasche

FEATURES

- Contents:
Knipex Needle Nose Combination Pliers
Knipex Mini Cobra
- 1 x 87 01 150
1 x 08 22 145



Cable Cutters (ratchet action)
SWA Knipex 45mm / 380mm²

IT 95 32 315A

Kabelschneider (Ratschenprinzip) für stahlarmierte Kabel (SWA-Kabel)

FEATURES

- Black Lacquered, Handles with Multi-Component Grips
- Low Weight (800g) and Compact Design
- For Cable Diameters up to 45mm Diameter, 380mm²
- 3 Stage Ratchet Drive
- Precision Ground Blades, Induction Hardened Cutting Edges
- Cuts Smoothly and Neatly Without Crushing



Cable Cutter, ratchet action, VDE

IT 95 36 ...

Kabelschneider, Ratschenprinzip, VDE

FEATURES

- Black Lacquered
- Handles Insulated with Multi-Component Grips
- VDE Tested

SIZE	ITEM NO.
250mm	95 36 250
280mm	95 36 280
320mm	95 36 320



Cable Cutter, SWA, VDE

IT 95 36 315A

Kabelschneider, SWA, VDE, Cap. 45mm Durchmesser

FEATURES

- Handles Insulated with Multi-Component Grips
- Cuts Through Steel Wire Armoured Cables up to Ø45 mm / 380 mm² (eg. 4 x 95 mm²)
- VDE Tested



Cable Shears telescopic, 570 mm

IT 95 32 038

Kabelschere, Teleskopschenkel, 570 mm

FEATURES

- Head Burnished
- Handles with Multi-Component Grips
- For Cable Diameters up to 38mm
- Handles of Oval Aluminium Tubing
- Extendable up to 770 mm, Retractable down to 570mm



StepCut - Cable Shears, Multi Component Grips, 160mm

IT 95 12 160

StepCut - Kabelschere, Mehrkomponentengriff, 160mm

FEATURES

- Tool Burnished
- Handles with Multi Component Grips



StepCut - Cable Shears, VDE, 160mm

IT 95 16 160

StepCut - Kabelschere, VDE, 160mm

FEATURES

- Tool Chrome Plated
- handles Insulated
- with Multi Component Grips
- VDE Tested



Cable Cutter, ratched action

IT 95 31 ...

Kabelschneider, Ratschenprinzip

FEATURES

- Tool Black Lacquered
- Handles with Multi-Component Grips



SIZE	ITEM NO.
250mm Cap 32mm-240mm ²	95 31 250
280mm Cap 52mm-380mm ²	95 31 280

Vinyl shears, Cable Ducts

IT 95 02 21

Schere für Kunststoffe und für Kabelkanäle

FEATURES

- Tool Burnished
- Handles with Multi-Component Grips
- For Cutting and Shortening Cable Ducts
- Plastic Material up to 4.0 mm Thickness



Electrician's Shears

IT 95 05 155 SB

Elektrikerschere

FEATURES

- Precisely Ground Blades with Fine Serration for Clean, Non-Slip Cut
- Cutting Edge with Integrated Cable Cutter
- With Plastic Belt Pouch
- Handles with Multi-Component Grps, Fibreglass Reinforced
- Cutting Edge made from Stainless Steel
- Hardness of Cutting Edges 56 HRC

Blister packed



Scissors, Electrician's 7"

IT 3003 0000

Elektrikerschere

FEATURES

- Saw Type Serrated Blade
- Prevents Objects Sliding when Cutting
- 2.1/3" / 60 mm Blade Length
- Suitable for Cutting Cable, Wire Net, Aluminium and Leather
- Locking Latch



Angled Electricians' Shears

IT 95 05 20 SB

Gewinkelte Elektrikerschere

FEATURES

- Precision-Ground Blades with Fine Serrations for a Clean, non-slip Cut
- Two Crimping Areas for Wire Ferrules of 0.5 – 6mm² and 10 – 25 mm²
- Includes Opening Spring and Lock for Easy Storage
- Tether Attachment Point can be used with KNIPEX Tethered Tools System
- Cutting Edges made from Stainless Steel, Hardness of Cutting edges 56 HRC

Blister Packed



Electronic Super Knips XL, 140 mm

IT 78 03 140 XL

Elektronik Super Knips XL, 140 mm

FEATURES

- 15mm Longer \version
- Higher Stability, Higher Cutting Performance
- Medium Hard Wire: Ø 1.2mm
- Soft Wire: Ø 0.2 – 2.1mm
- Jaw Length: 12.3mm



Electronic Super Knips®, 125mm

IT 78 61 125

Electronic Super Knips®, 125mm

FEATURES

- Electronic Burnished Pliers
- Handles with Multi-Component Grips
- Special Tool Steel, Oil Hardened
- Also Suitable for cutting Fibre Optic Cables
- Cutting Edge Hardness Approx 64 HRC
- DIN ISO 9654
- Medium Hard Wire: Ø 1.0mm
- Soft Wire: Ø 0.2 – 1.6mm
- Jaw Length : 9mm



Electronic Super Knips®, 125 mm, with holding spring

IT 78 71 125

Electronic Super Knips®, 125 mm

FEATURES

- Electronic Burnished Pliers
- Handles with Multi-Component Grips
- With Integrated Wire Clamp, Catching Cut Wire
- Cutting Edges Additionally Induction Hardened
- Special Tool Steel, Blued
- Cutting Edge Hardness Approx. 64 HRC
- DIN ISO 9654
- Medium Hard Wire: Ø 1.2mm
- Soft Wire: Ø 0.2 – 1.6mm
- Jaw Length: 9mm
- With Opening Spring and Opening Limiter



Electro Installation Set, Knipex

IT 00 31 30 BK V01

Elektro Installations Set, Knipex

FEATURES

- This set equips the Electrical Trade for practically every day-to-day work. The KNIPEX ErgoStrip Universal Stripping Tool, the extremely versatile pliers for electrical installation with cable shears and the powerful diagonal cutter make it the perfect set
- 3 Piece Set Consisting of:



SIZE

- KNIPEX ErgoStrip® Universal Stripping Tool
- KNIPEX Electrical Installation Pliers VDE
- KNIPEX Diagonal Cutter VDE

ITEM NO.

- 16 95 01 SB
- 13 86 200
- 70 06 160

CoBolt® Bolt Cutter

IT 71 01

CoBolt® Kompakt-Bolzenschneider

FEATURES

- Precision Cutting Edges for Soft + Hard Wire
- As well as Piano Wire.
- Cuts Bolts, Nails, and Rivets etc. up to 5.2mm Diameter.
- Cutting Edges Additionally Induction Hardened.
- Cutting Edge Hardness Approx. 64 HRC.
- Chrome Vanadium Heavy Duty Steel.
- With Gripping Surface below the Joint for Gripping and Pulling Wires.

SIZE	ITEM NO.
200mm	71 01 200
250mm	71 01 250



CoBolt® Compact Bolt Cutters 200 mm

IT 71 02 200

CoBolt® Kompakt-Bolzenschneider, 200 mm



Electronic Super Knips®, 125 mm

IT 78 03 125

Electronic Super Knips®, 125 mm

FEATURES

- Inox Steel, Polished Head
- Multi-Component Handles
- Extremely Sharp Blades made of Stainless Air-Hardened Inox Steel
- Precision Pliers for Ultra Fine Cutting Work
- Very Sharp, Induction Hardened Cutting Edges
- Flush Cutting
- Cutting Edge Hardness Approx. 54 HRC
- DIN ISO 9654
- Medium Hard Wire: Ø 1.0mm, Soft Wire: Ø 0.2 – 1.6mm, Jaw Length: 9mm
- With Opening Spring and Opening Limiter



TwinGrip Slip Joint Pliers 200mm Blister packed

IT 82 01 200 SB

TwinGrip 200mm Blister verpackt



KNIPEX TwinGrip Slip Joint Pliers

IT 82 02 200

KNIPEX TwinGrip Slip Joint Pliers



Waterpump Pliers "Automatic"

IT 85 01 250

SmartGrip® Wasserpumpenzange
mit automatischer Einstellung



Pliers Wrench

IT 8603

Zangenschlüssel

FEATURES

- Pliers and a Wrench in a single Tool



SIZE	ITEM NO.
150mm	86 03 150
180mm	86 03 180
250mm	86 03 250
300mm	86 03 300
400mm	86 03 400

Pliers Wrench

IT 86 05 180

Zangenschlüssel

FEATURES

- Pliers and a Wrench in a single Tool



Waterpump Pliers "Alligator", VDE

IT 88 07 ...

Wasserpumpenzange "Alligator", VDE

SIZE	ITEM NO.
250mm	88 07 250
300mm	88 07 300



KNIPEX Cobra® XS, 100 mm

IT 87 00 100 BK

KNIPEX Cobra® XS, 100 mm



Adj. Spanner, VDE, 250 mm

IT 98 07 250

Rollgabelschlüssel, 250 mm, 1000V





KNIVES CABLE STRIPPING TOOLS

Cable Stripper WEICON- No. 4-16 mm

IT 5005 0116



Kabelmesser WEICON- S4-16 mm

FEATURES

- For all Common Round Cables, 4-16mm Diameter
- For Fine-Wired and Solid Conductors with PVC Insulation
- Adjustable and Replaceable Inner Blade

Display Packed



Cable Stripper WEICON No. 8 - 27

IT 5005 0227



Kabelmesser WEICON No. 8 - 27

FEATURES

- For all Common Round Cables, 8-28mm Diameter
- For Fine-Wired and Solid Conductors with PVC Insulation
- Adjustable and Replaceable Inner Blade

Display Packed



Cable Stripper WEICON No. 4 - 28H

IT 5005 4328



Kabelmesser WEICON No. 4 - 28H

FEATURES

- For all Common Round Cables, 4-28mm Diameter
- For Fine-wired and Solid Conductors
- Adjustable and Replaceable Inner Blade with PVC Insulation

Display Packed



Coax Stripper WEICON No.2

IT 5200 0002



Coax-Stripper WEICON No. 2

FEATURES

- 2 Level Stripping of all Common Coax Cable
- Capable for Flexible Cables such as 3 x 0.75 mm², 10 mm², 16 mm²
- Capacity : 4.8 - 7.5 mm Ø
- Blade Fixed in, Not replaceable

Display Packed



Round Cable Stripper WEICON No. 13

IT 5200 0013



Rundkabel-Stripper WEICON No. 13

FEATURES

- For all Common Round Cables, 8-28mm Diameter
- For Fine-Wired and Solid Conductors with PVC Insulation
- Adjustable and Replaceable Inner Blade

Display Packed



Multi Stripper WEICON No. 400

IT 5100 0400



Multi-Stripper WEICON No. 400

FEATURES

- Universal Wire-Stripping Tool suitable for following: Circular Cutting, Longitudinal Cutting, Wire Stripping Cable Stripping, Cutting all Common Flexible and Solid Conductors
- Flush Stripping
- The Integrated Contoured Blade Allows Conductor Cross-Sections of 0.5 mm², 0.75 mm², 1.5 mm², 2.5 mm², 4 mm² and 6mm² to be stripped
- Integrated Side Cutter – cable diameter 6 mm
- For Fine-Wired and Solid Conductors with PVC Insulation
- Fixed in, Non replaceable Inner Blade
- Capacity: 20 – 10 AWG (0.5 – 6 mm²) 8 -13 mm Ø

Display packed



Wire Stripper WEICON No.5

IT 5100 0005



Abisolierzange WEICON No. 5

FEATURES

- Fully Insulated Wire Stripper
- Automatically adjusts to the Wire Diameter
- For Stranded and Solid Conductors of 0.2-6mm²
- Includes Adjustable Length Stop of 5-12mm
- Built-in Side Cutter (max. 2mm²)
- For Fine-Wired and Solid Conductors with PVC Insulation
- Replaceable Inner Blades
- Capacity: 24 – 10 AWG (0.2 – 6 mm²)

Display packed



Cable Stripper WEICON- S 4-28 mm

IT 5005 5328



Kabelmesser WEICON No. S 4 - 28

FEATURES

- Body made of High-Strength Synthetic Glass Fibre
- Adjustable Cutting Depth of Cutting Blade
- Self-Turning Cutting Blade permits Automatic Swiveling for Circular and Longitudinal cuts
- Hooked Blade, fixable in Both Positions, reducing Injury Risk
- For Fine-Wired and Solid Conductors with PVC Insulation Adjustable and Replaceable Inner Blade
- Capacity: 4 – 28 mm Ø

Display packed



Cable Stripper WEICON No. S 4 - 28 Multi

IT 5005 7328



Kabelmesser WEICON No. S 4 - 28 Multi

FEATURES

- As the 5005 5328 Cable Stripper S 4 – 28
- With Additional Wire-Stripping Function, Allowing Stripping of Common Flexible and Solid Conductors with Cross diameter Between 0.5 and 6.0 mm²
- For Fine-Wired and Solid Conductors with PVC Insulation
- Adjustable and Replaceable Inner Blade
- Capacity: 4 – 28 mm Ø / AWG 20 – 10 (0.5 – 6mm²)

Display packed



Starter Set WEICON PRO

IT 5288 0001



Profi-Starter Set WEICON PRO

FEATURES

CONTENTS:

- 1 x Coax Stripper No. 2
- 1 x Round Cable Stripper No. 13
- 1 x Wire Stripper No. 5
- 1 x Cable Stripper S 4 - 28

STANDARD EQUIPMENT FOR CRAFTSMEN



WEICON Wire Stripper No. 7, Magic R, Round Cable

IT 5100 0007R



WEICON Abisolierzange Nr. 7, Magic Rundkabel

FEATURES

- For Dismantling and Stripping
- Designed for Common Round Cables from 0.5 – 16 mm² (20 – 6 AWG)
- For Common Stranded and Solid Conductors 0.5 – 10 mm²
- PVC-Insulated 2-Core Flat Cables from 0.75 – 1.5 mm²
- Built-in Side Cutter up to 3 mm Ø
- Replaceable Inner Blades



WEICON Wire Stripper No.7, Flat Cable

IT 5100 1007F



WEICON Abisolierzange Nr. 7, Flachkabel

FEATURES

- For Dismantling and Stripping Common 2 or 3-Core Flat Cables from 1.5 – 6 mm² (16 – 8 AWG)
- Precise Work with Adjustable Length Stop up to 26mm
- Built-in Side Cutter up to 3 mm Ø
- Automatic Wire Stripper
- Replaceable Inner Blades



KNIVES | CABLE STRIPPING TOOLS

Precision Wire Stripper S 0.16 - 0.8 mm

IT 5100 0002

WEICON

Prezisionsabisolierer S 0.16 - 0.8 mm

FEATURES

- 0.16 – 0.8 mm
- Fast, Easy Precise Stripping of Thin Wires and Conductors
- Stripping range from 0.16 mm – 0.8 mm (34 - 20 AWG)
- Scanning System Adjusts Automatically to the Required Diam
- Precise Working thanks to Adjustable Length Stop 5 – 45 mm



reddot winner 2020



KNIVES | CABLE STRIPPING TOOLS

WEICON Cable Stripper, Duo-Crimp

IT 5100 0300

WEICON

WEICON Kabelmesser, Duo-Crimp

FEATURES

- Insulation Removal from 0.5mm² to 6.0mm²
- Two Crimping Ranges : 0.5 – 2.5 mm² and 4.0 – 6.0 mm²
- According to DIN 46228-2
- Integrated easily accessible Side Cutter up to 6 mm²
- Stripping and Crimping with Just ONE Tool



Data Strip WEICON No. 30

IT 5200 0030

WEICON

Data-Strip WEICON No. 30

FEATURES

- For Stripping Data Cables Ø 4 - 10 mm
- And Strands and Conductors Ø 0.2 – 0.8 mm
- Adjustable Inner Blade – for Scoring Shielding
- Insulation Thickness 0.2 – 1.4 mm
- Side Cutter up to Ø 8mm / Solid Conductors Ø 2mm
- For Data Cable, Telephone Lines, Control Lines
- INNER BLADE CAN BE SET TO THE INSULATION THICKNESS
- Adjustable and Replaceable Inner Blade



Cable Stripper -KABIFIX- FK28

IT 2000 2001

Kabelabisolierer KABIFIX FK28

FEATURES

- Cable Sheath Removal Tool
- Works on Cable Diameters between 6mm and 28mm
- For Optical Fibre, Coax and Damp-Proofing Cables
- Not Suitable for Live Copper Conducting Cables

Spare Blades for KABIFIX FK 28:

IT 2000 2002



PreciStrip16 Automatic Stripper 0.08 to 16 mm²

IT 12 52 195SB

PreciStrip16 Automatische Abisolierzange 0,08 - 16 mm²

FEATURES

- Automatic Stripper
- 0.08 – 16 mm²
- Simple, Precise Stripping of fine stranded and solid round cables
- Deft Precision
- Strips Everything from Very Fine To Thick Cables with Stranded or Solid Conductors



T- Strippers, H.D. Cap.: 0,6-2,6 mm²

IT 3673 0000

Abisolierzange T- Stripper 0,6-2,6 mm²

FEATURES

- 6" 4 Way Wire Stripper
- Capacity: 0.6 – 2.6mm²



End-Sleeves Pressing Pliers, NWS

IT 143-62-190SB

Presszange für Aderendhülsen, NWS

FEATURES

- For Establishing Solderless, Electrical Connections
- For Processing End Sleeves with/without Insulation
- According to DIN 46228
- Trapezoidal Profile Pressing for Securely Connecting Sleeves and Conductors
- Made of Tool Steel, Forged



Insulation Stripper with adapted Blades

IT 12 21 180

Abisolierzange mit Formmessern

FEATURES

- Insulation Strippers with Adapted Blades
- With Replaceable Blades for 4 or 6 Conductor cross-sections
- Leaves Wire Undamaged
- During Stripping, the Wire is Held Firmly by Clamping Jaws Spring



WireStripper Multifunction Electrician Pliers American style

IT 13 72 8

WireStripper Multifunktions-Elektrikerzange Amerikanisches Modell



FEATURES

- Strips Insulation Faster, Positioning Ridges
- Particularly Strong Cutting Edges: 50% Higher Cutting Capac
- Easy Cutting of Multi-Core Copper and Aluminium Cables
- High Quality Special Tool Steel, Forged, Oil-Hardened
- Cutting Value Copper Cable, Stranded: 15mm Diameter
- Stripping Profiles for Conductors: 18 – 10 AWG Solid
20 – 12 AWG Fine Strand

Folding Knife for Electricians Knipex

IT 16 20 50 SB

Elektriker-Klappmesser Knipex

FEATURES

- Universal Folding Knife for Everyday Use
- Blade Length 80mm
- Durable and Robust
- Robust, Shock-resistant Plastic
- Stable Blade
- Tether Attachment at Handle End for Attaching Fastener
- Suitable for KNIPEX Tethered Tools
- Extremely Sharp Stainless Steel Blade
- Made in Solingen



KNIPEX CutiX utility knife

IT 90 10 165BK

KNIPEX CutiX Universalmesser

FEATURES

- Versatile, Precise, and Faster Cutting
- Robust, Durable Magnesium Housing
- As Light as Plastic, as Strong as Die-Cast Aluminium
- Fixed Blade – Secure fit
- 165mm long x 40 x 19 mm
- 2 Extra Spare Blades supplied in Handle



Cable Knife 1000 V

IT 98 56

Kabelmesser mit auswechselbarer Klinge



Spare Blade for Cable Knife 9856

IT 98 56 09

Ersatzklingen für Kabelmesser 9856



Cable Knife 1000V, VDE

IT 98 52 SB

Kabelmesser 1000V, VDE

FEATURES

- Ergonomically designed Handle shape with Comfortable Slip Guard

Blister packed



Stripping Knife, VDE

IT 98 53 13

Abmantelungsmesser, VDE

FEATURES

- Ergonomically designed Handle shape with Comfortable Slip Guard
- Narrow, fixed hook Blade, Circle Shaped



Cable Knife, VDE

IT 98 54

Kabelmesser, VDE

FEATURES

- Ergonomically designed Handle shape with Comfortable Slip Guard
- Solid, fixed straight Blade



Dismantling Knife with guide shoe, VDE

IT 98 55

Abmantelungsmesser mit Gleitschuh, VDE

FEATURES

- Ergonomically designed Handle shape with Comfortable Slip Guard
- Solid, fixed Hook Blade, sicle shaped



Spare Blades f. Knives 10 pcs. pack

IT 3005 0000

Ersatzklingen 10 Stk. in Spender, Trapezklingen

FEATURES

- Heavy Duty, Reversible Steel Blades
- Accurately Ground Cutting Edges for Long Lasting Sharpness
- Practical Dispenser for Safe Storage
- Display packed



Stanley Safety Knife with Straight Blade, Retractable

IT 3005 0100

Ersatzklingen 100 Stk. in Spender, Trapezklingen

FEATURES

- Heavy Duty, Reversible Steel Blades
- Accurately Ground Cutting Edges for Long Lasting Sharpness
- Practical Dispenser for Safe Storage
- Value Pack for Professionals
- Display packed



Hultafors "ELK" Electrician's Knife, c.w. holster

IT 3008 0000

Hultafors ELK Elektrikermesser

FEATURES

- Comes With Holster, can be attached to belt or button
- 33 mm Blade
- 1.5mm Blade Thickness
- Total Length – 158 mm
- Both Blade Edges have been sharpened to be Particularly
- Effective when Stripping Cables
- Sold in Counter Display Box of 10 Pieces



Automatic Wire Stripper

IT 3942 0000

Automatische Abisolierzange

FEATURES

- 3 Functions: Stripping, Cutting and Crimping
- Strips Automatically in a Single Motion, Without Adjustment
- Capacity:
 - Stripping: 0.2 – 0.6 mm²
 - Cutting: up to 1.5mm Soft Wire
 - Crimping: 1.5, 2.5 and 6 mm² Insulated Terminals
1.5, 2.5, 4.0 and
6 mm Non-Insulated Terminals

Display packed



Stripper + Cable Cutter 2 in 1

IT 3941 0000

Abisolierer + Kabelschere 2 in 1

FEATURES

- 2 in 1
 - Reversible Double Head
 - Jaw 1:
 - Capacity: Stripping: 0.8 - 2.6 mm²
 - AWG: 20 - 10
 - Jaw 2:
 - Capacity: Cutting: 10 mm Ø
- Blister Packed



Knipex, SWA-Stripping Knife with Guide Shoe

IT 1650 145SB

Knipex, Abisoliermesser mit Gleitschuh

KNIPEX



FEATURES

- Ratchet function: easy cutting even for a variety of cable sheaths
- Versatile blade with three cutting areas for round and lengthwise cuts
- Guide shoe protects the conductor insulation under the cable sheath
- Cuts very hard or tough plastic sheaths up to 7 mm wall thickness
- Sickle-shaped, replaceable hook blade can be folded for safe transport
- Blade with four positions: folded, straight, angled and ratcheting
- Three-stage blade lock for safe handling and transport
- Ergonomically designed, comfortable handle
- Integrated tether attachment point for use with KNIPEX Tethered Tool System

Weicon Flat and Round Cable Stripper

IT 1006 8060

Weicon Flach- und Rundkabelmesser

WEICON



FEATURES

- For all common flat cables up to a width of 18 mm
- For all common round cables with a diameter of 6 to 13 mm
- Enables circular and longitudinal cuts on both flat and round cables
- Stripping function integrated in the housing (from 0.5 to 6 mm²)
- Precise work even in very narrow spaces, such as in junction boxes or cable ducts
- Cutting depth 0-3 mm | Blade depth comfortably adjustable from 0-3 mm

KNIPEX ErgoStrip® Universal Stripping Tool For right-handers

IT 169501 SB

*EKNIPEX ErgoStrip®
Universal-Abmantelungswerkzeug Für Rechtshänder*



FEATURES

- For fast and precise stripping of all common round and damp-proof installation cables (e.g. NYM cable 3 x 1.5 mm² up to 5 x 2.5 mm²), data cables (e.g. twisted pair) and coax cables
- Innovative, ergonomic pistol grip design for easy cutting, stripping and longitudinal cut of the sheath
- Conical, slimmed down tool ends for better access in confined areas
- Simplified insertion of single wires for stripping using location ridges
- With opening spring and locking device
- Easy insertion of coax and data cable thanks to opening aid
- Multi-component design with a soft plastic zone for comfortable use and a secure grip

KNIPEX ErgoStrip® Universal Stripping Tool For left-handers

IT 169502 SB

*EKNIPEX ErgoStrip®
Universal-Abmantelungswerkzeug Für Linkshänder*



FEATURES

- For fast and precise stripping of all common round and damp-proof installation cables (e.g. NYM cable 3 x 1.5 mm² up to 5 x 2.5 mm²), data cables (e.g. twisted pair) and coax cables
- Innovative, ergonomic pistol grip design for easy cutting, stripping and longitudinal cut of the sheath
- Conical, slimmed down tool ends for better access in confined areas
- Simplified insertion of single wires for stripping using location ridges
- With opening spring and locking device
- Easy insertion of coax and data cable thanks to opening aid
- Multi-component design with a soft plastic zone for comfortable use and a secure grip



CRIMPING TOOLS

CRIMPING TOOLS

Automatic, Self-adjusting Crimper, Cap. 0,25-6mm²

IT 3686 0000L

Selbsteinstellende Crimpzange, Aderendhülsen 0,25-6mm²

FEATURES

- Self-Setting
- Capacity: 0.25 - 6.0mm²

Display packed



Crimping Tool, Self-adjusting, Ferrules 0.25 - 16 mm²

IT 3686 0016L

Crimpzange, selbstklemmend, Aderendhülsen 0,25 - 16 mm²

FEATURES

- Self-Setting
- Capacity: 0.25 - 16.0mm²

Display packed



CRIMPING TOOLS

Crimp.Pliers Mod.Plugs RJ 11/RG45

IT 3696 0000

Crimpzange RJ 11/ RG 45

FEATURES

- Cuttings, Stripping and Crimping
- No Need to Change the Die
- Deadlock System for Safe, Precise and Reliable Crimping Results

Display packed



Crimper insulated terminals 0.5 - 6.0mm²

IT 3685 0560L

Crimpzange 0.5 - 6.0mm²

FEATURES

- Capacity: 0.5 to 6.0 mm², AWG 20-10
- Length: 230 mm
- Weight: 520 g
- Colour Coded for Easy Die Selection
- Smooth Action, Self-Releasing Ratchet Mechanism
- Whilst Compact in Size, these Pliers Provide a High Leverage and Superb Handling
- Particularly Suitable for Larger Crimp Cross Sections

Display packed



Solar Crimper, MC4 2.5, 4.0, 6.0mm²

IT 3677 0000L

Crimpzange MC4 Solarstecker 2.5, 4.0, 6.0mm²

FEATURES

- Range: 2.5, 4.0, 6.0 mm²
- Weight: 486 g
- Handened Steel
- Soft Handles
- Easy to Operate – Handshake Design

Display Packed



CRIMPING TOOLS

Coax Crimper RG58,59,62 3PC BNC&TNC

IT 3684 5859L

Coax Crimpzange RG58,59,62 3PC BNC&TNC

FEATURES

- Range: RG-58, RG-59, RG-62
- 3 PC BNC, & TNC
- Length: 230 mm
- Weight: 520 g
- Smooth Crimping Action, Providing a Precise Reliable Connection

Display packed



Crimper, Non-insulated terminals 0.5 - 6.0mm²

IT 3690 0560L

Crimpzange, Steckverbinder 0.5 - 6.0mm²

FEATURES

- Capacity: 0.5 to 6.0 mm²
- Length: 230 mm
- Weight: 520 g

Display packed



Crimper Non-insulated terminals 6.0 - 16.0mm²

IT 3691 0616L

Crimpzange, Steckverbinder, 6.0 - 16.0mm²

FEATURES

- Capacity: 6 - 16 mm²
- Length: 230 mm
- Weight: 520 g

Display packed



CRIMPING TOOLS

Crimper Ratchet, Ferrules, 10 - 35 mm²

IT 3688 1635L

Ratschen-Crimpzange, Aderendhülsen, 10 - 35 tmm²

FEATURES

- Capacity: Ferrules, 10 to 35 mm²
- Length: 240 mm
- Weight: 540 g
- Smooth Crimping Action, Providing Precise and Reliable Connection

Display packed



Crimper, Ratchet Lugs, 1,0 - 10mm²

IT 3687 0510L

Ratschen-Crimpzange, Kabelschuhe, 1,0 - 10mm²

FEATURES

- Capacity: Lugs, 1 to 10.0 mm²
- Length: 230 mm
- Weight: 520 g
- Smooth Crimping Action, Providing Precise and Reliable Connection

Display packed



Crimper Non-insulated terminals, 1,25 - 16 mm²

IT 3693 1216L

Crimpzange, Steckverbinder, 1,25 - 16mm²

FEATURES

- For Non-Insulated Terminals
Capacity: 1.25 to 16 mm²
- For Cable Lugs:
Capacity: 1.5 to 16 mm²
- Length: 275 mm
- Weight: 520 g

Display packed



CRIMPING TOOLS

Crimper Non-insulated terminals 6,0 - 25 mm²

IT 3692 5522L

Crimpzange 6,0 - 25mm²

FEATURES

- For Non-Insulated Terminals:
Capacity: 6 mm², 10, 16, and 25 mm²
- For Cable Lugs:
Capacity: 6 mm², 10, 16, and 25 mm²
Length: 354 mm
Weight: 780 g

Display packed



Crimper for cable lugs 6-50 mm²

IT 3694 0650L

Crimpzange für Kabelschuhe 6-50 mm²

FEATURES

- Capacity: 6 to 50 mm²
- Crimp Sizes: 6mm², 10mm², 16mm², 25mm², 35mm², 50mm²
- Revolving Hexagonal Shape Dies
- Length: 390 mm
- Weight: 1,100 g

Display packed
in Carton Box



Crimper for Cable Lugs, 10 - 120 mm²

IT 3695 6120L

Crimpzange für Kabelschuhe 10 - 120 mm²

FEATURES

- Capacity: 10 – 120 mm²
- Crimp Sizes:
10mm², 16mm², 25mm², 35mm²,
50mm², 70mm², 95mm², 120mm²
- Revolving, Hexagonal Shape Dies
- Length: 650 mm
- Weight: 2,900 g

Display packed in Carton Box



CRIMPING TOOLS

Open-Pass 8P / RJ45 Modular Plug Crimper

IT 3796 0000

Crimpzange 6,0-25m Ratschen-Crimpzange, Modulare Stecker 6P + 8P / RJ45 m²

FEATURES

- Crimps and Cuts Open-Pass
RJ45 Modular Plug
- Exposed Wire Ends Cut and
Trimmed off Automatically
during Crimping Process
- Ratchet Mechanism
- Stripsand Cuts round Cable



Tele Crimper - RJ45 pass-through terminal

IT 3797 0000

Netzwerkcrimpzange RJ45 / 6P + 8P

FEATURES

- RJ45 Crimping Tools for
RJ45 Cat 5e Cat6 Cat6a Connectors
- Works with 26 AWG – 23 AWG Wire
Stripping and Crimp Functions
- Flush-Cut Wire Trimming Blade



CRIMPING TOOLS

Wire Terminal Assortment, Box of 200 pcs.

IT 1400 0245

200-tlg. Kabelschuh-Sortiment

FEATURES

- 200 Piece Wire Terminal Assortment

CONTENTS

Grip Connectors:

- 10 Pieces 0.25 – 1.50 mm² = Red
- 10 Pieces 1.50 – 2.50 mm² = Blue
- 5 Pieces 4.00 – 6.00 mm² = Yellow

Ring Cable Lugs:

- 10 Pieces Ø 3.75 mm = Red
- 15 Pieces Ø 5.00 mm = Red
- 10 Pieces Ø 3.50 mm = Blue
- 15 Pieces Ø 4.00 mm = Blue
- 15 Pieces Ø 5.00 mm = Blue
- 5 Pieces Ø 5.00 mm = Yellow
- 5 Pieces Ø 7.00 mm = Yellow



CRIMPING TOOLS

Crimping Tools Kit, interchangeable

IT 3697 0000L

Crimpzangen-Set, austauschbare Aufsätze

FEATURES

5 Interchangeable Sets of Jaws as follows:

- A. Insulated Terminals: 0.5-6mm²
- B. Non Insulated Terminals: 1.5-10mm²
- C. Open Barrel Terminals: 0.5-6mm²
- D. Insulated Cord-End Terminals (Boot Lace Ferrules) 0.5-4mm²
- E. Coaxial Cable Connector (BNC) 6.48-8.23mm, to fit Coax cable

RG Type 58.59.62.6.

Precision Crimping Tool
Easily Exchangeable Jaws,
no tools needed!

Packed in Practical Carrying Case



BILD FEHLT

Set Network-Tools in Zip-Wallet Stripping Tool |
Crimper | Punch-Down Tool | Test-Kit

IT 3696 4000

Werkzeugset Netzwerktechnik 4-teilig, mit Tasche

FEATURES

Handy Zip Wallet Containing the Following:

- A) Stripping Tool
- B) Crimper, for RJ11, RJ45
- C) Punch-Down Tool
- D) Test-Kit



CRIMPING TOOLS

Self Adjustable Crimping Plier - 0,08 to 16 mm

IT 97 53 04 SB

Selbsteinstellende Crimpzange für Aderendhülsen - 0,08 - 16 mm



FEATURES

- Crimping Pliers for End-Sleeves (Ferrules)
- Self-Adjusting 0.08 -10mm² + 16mm²

Crimping Pliers, Self Adjusting, Twistor, 0,14-10mm²

IT 97 53 19 SB

Selbsteinstellende Crimpzange für Aderendhülsen, Twistor, 0,14-10mm²



FEATURES

- Self-Adjusting Crimping Pliers for End-Sleeves (Ferrules)
- With Rotatable Die Head
- Crimp Head can be Rotated 360°, With 8 Locking Positions
- Trapezial Crimp Profile, High Capacity Range from 0.14 to 10 mm²
- Wire Ferrules can be Crimped from Almost any Position
- Crimp Opening Accessible from Both Sides, Repetitive, High Crimping Quality due to Ratchet Mechanism Head, Chrome Plated,
- Handles, with Multi-Component Grips
- Capacity: 0.14 – 10 mm²
- AWG: 26 – 8
- Length: 200 mm



CRIMPING TOOLS

Crimping Pliers for Western Plugs

IT 97 51 10 SB

Crimpzange für Westernstecker

FEATURES

- Professional Tool for Cutting Stripping Ribbon Telephone Cables
- For Crimping 6- and 8-Pole Western Plug
- Type RJ11/12 and RJ45



PreciForce®, Crimping Pliers Insul. terminals, 0.5 - 6.0 mm²

IT 97 52 36 SB

KNIPEX PreciForce Crimpzange 0.5 - 6.0mm²

FEATURES

- For Terminals: 0.5 – 6.0 mm²
- Precise Crimping, Consistently High Crimping Quality
- Specially Designed for Insulated Cable Lugs, Plug and Butt Connectors
- Repeatable Crimping
- Optimally Preset /Calibrated at Factory



MultiCrimper, Crimper Set

IT 97 33 02

Crimpzange mit Wechselmagazin, Multicrimp

FEATURES

- With 5 Interchangeable Crimping Dies
- Also For Insulated and Non-Insulated End Sleeves 10/16/25mm
- Universal Indent Crimping Die For Non-Insulated Connectors
- Tool Free Quick Change of Crimping Dies
- The Crimp Pressure is Factory Calibrated



Crimp-Sortimente für Aderendhülsen



FEATURES

- With Crimping Pliers for End Sleeves 97 53 04
- And Self Adjusting Insulation Stripper 12 40 200
- With Assortment of End Sleeves (Ferrules)
- with and without collars



CONSTRUCTION TOOLS

Bolster Chisel 80x250 mm, Hand-Guard

IT 3125 0250

Meißel mit Handschutz 80x250 mm

FEATURES

- 50mm / 2" Blade
- 250mm / 9" Length
- Hand Guard
- Chrome-Molybdenum-Steel
- Super Tough, Long Lasting Cutting Edge

Supplied Loose, 6 each in a Box



Cold Chisels

IT 3080/3081

Flachmeißel

ITEM NO.	SIZE
Cold Chisels Flat Oval	
3080 0150	18x150mm
3080 0200	21x200mm
3080 0250	23x250mm
3080 0300	26x300mm
Cold Chisel Octagonal	
3081 0500	28x500mm



Centre Punch, 12 x 150mm, 6", Octagonal

IT 3319 0010

Körner 12x 150mm, 6"

FEATURES

- Chrome Vanadium Steel
- Octagonal Shank

Supplied Loose, in boxes of 10



Centre Punch, Heavy Duty, 12x120 mm, 5"

IT 3326 1200

Körner 12x120mm 5"

FEATURES

- Chrome Molybdenum Steel
- Octagonal Shank
- Manufactured to DIN 7250

Supplied Loose, in boxes of 10



Hammer, Fibre Glass 16 oz.

IT 4202 0000

Klauenhammer, Fiberglas, 454g

FEATURES

- 16 oz. Glass-Fibre-Shafted Claw Hammer
- Head Polished and Lacquered for Rust Protection
- Comfortable Non-Slip, 2 Component, Soft-Grip Handle

Supplied 6 in Box



Hammer, Drop Forged, 16 oz.

IT 4201 0000

Klauenhammer, gesenkgeschmiedet, 454g

FEATURES

- 16oz. Claw Hammer
- Polished Head
- Strong Tubular Shaft
- Comfortable Rubber Handle

Supplied 6 in Box



Club Hammers, Fibreglass 1500g

IT 4203 0000

Fäustel, Fiberglas, 1500g

FEATURES

- Drop Forged Head with Square Striking Face
- Glass Fibre Handle with Soft Grip Inlay
- with Hanging Hole

Supplied Loose



Silicone Gun, heavy duty, 400 cc

IT 3510 0400

Kartuschenpresse, Profi 400 mL

FEATURES

- Silicone Gun
- Heavy Duty Model
- Capacity:
400 ml Cartridges

Packed Loose
12 Pieces in Carton



Wrecking Bar, "Handy-Man", 10"

IT 4205 0000

Nageleisen 10", 250mm

FEATURES

- Polished flat surface
- High precision in all dismantling work



Chalk Line Reels Set 30m reel incl. 180 gr. chalk powder (blue)

IT 1480 0000

*Schlagschnurroller Set, 30m Schlagschnurroller
inkl. 180 gr. Farbpuder (blau)*

FEATURES

- 30 meter / 100 feet Line with End-hook
- Die Cast Metal Body with Foldaway Winding Handle
- 45° and 90° Angle Markings on Rear



Chalk Powder, Blue, 180 Gr.

IT 1480 0020

Farbpuder, Blau, 180 Gr.

FEATURES

- Blue Colored Chalk Powder
- 180 Gram
- In PP Tube with re-closable Lid





PLUMBING TOOLS PIPE CUTTERS

Pipe Cutter for plastic conduit pipes and hoses

IT 90 20 185

Rohrschneider für Schläuche und Schutzrohre

FEATURES

- For Cutting Conduit Plastic Pipes and Flexible Hoses
- For Cutting Plastic and Rubber tub to 25mm Ø
- Not suitable for Cutting Cables
- With Opening Spring and Locking Device
- Oil Hardened, Interchangeable Blades



KNIPEX BiX®, Cutters for plastic pipes and sealing sleeves Ø 20-50mm

IT 90 22 10 BK

Knipex BiX Kunststoffohrschneider 20-50mm

FEATURES

- C Pipe Cutter: Cuts without Shavings
- Cuts High Temperature Plastic Drain Pipes and Electrical Conduits Fast
- Cuts Unreinforced Plastic Pipes from Ø20 to 50 mm
- Cuts Sealing Sleeves aprx 2-3 mm from wall
- Rotatable Knife Block for Cutting Plastic Pipes
- 2 Spare Integrated Blades
- Body made of stable, reinforced plastic, die-cast Zinc
- Blade unit



Knipex TubiX® Pipe cutter 180 mm Ø6 - 35mm

IT 90 31 02 SB

Knipex TubiX® Rohrabschneider 180 mm Ø6 - 35mm"

FEATURES

- Particularly Suitable for Steel Wire Armoured Cables or "Stata Pipes"
- With QuickLock Locking Mechanism
- Deburring Tool
- Cutting Wheel made of High Quality Ball Bearing Steel
- Spare Wheel Included
- Light and Durable Metal Magnesium Housin
- 180mm
- Cuts Pipe Ø 6 – 35 mm and Wall Thickness up to 2mm



PLUMBING TOOLS | PIPE CUTTERS

Pipe Cutters 3-25mm 1/8"-1"

IT 1590 0020

Kupferrohrabschneider 3-25 mm, 1/8"-1"

FEATURES

- Cutting Capacity 3-25mm 1/8" – 1"
- For Copper and Brass Tubes
- Solid Die Cast Body
- 20mm Hardened Steel Cutting Wheel
- 2 Precision Flared Groove Rollers



IT 1590 0021

Pipe Cutter Mini-Economy
3-22mm 1/8" – 7/8"

Pipe Cutters 3-30mm, 1/8"-1 1/8"

IT 1590 0030

Kupferrohrabschneider 3-30 mm, 1/8"-1 1/8"

FEATURES

- Cutting Capacity 3-30mm / 1/8" – 1.1/8"
- For Copper and Brass Tubes
- Heavy Duty Die Cast Body
- 20mm Hardened Steel Cutting Wheel
- 2 Precision Flared Groove Rollers
- Burr Remover in Handle



PLUMBING TOOLS | PIPE CUTTERS

Pipe Cutters 3-35mm, 1/8"-1 3/8"

IT 1590 0041

Rohrschneider 3-35mm, 1/8"-1 3/8"

FEATURES

- Cutting Capacity 3-35mm / 1/8" - 1 3/8"
- For Copper and Brass Tubes
- Heavy Duty Die Cast Body
- Hardened Steel Cutting Wheel



Spare Cutting Wheels for 1590

IT 1590 0010

Ersatzschneidrad für 1590

FEATURES

- Suitable for
- Models: 1590 0020
1590 0030
1590 0040
1590 0050



PLUMBING TOOLS | PIPE CUTTERS

Pipe Cutters 15 mm, 1/2"

IT 1591 0015

Kupferrohrabschneider 15 mm, 1/2", Ratsche 1/2"

FEATURES

- Self-Feeding and Self-Adjusting Copper Pipe Cutters
- Display Packed



Pipe Cutters 21 mm, 3/4"

IT 1591 0021

Kupferrohrabschneider 21 mm, Ratsche 3/4"

FEATURES

- Self-Feeding and Self-Adjusting Copper Pipe Cutters
- Display Packed



Pipe Cutters 27,4 mm, 1"

IT 1591 0028

Kupferrohrabschneider 27,4 mm, Ratsche 1"

FEATURES

- Self-Feeding and Self-Adjusting Copper Pipe Cutters
- Display Packed



Spare Cutting Wheels

IT 1591

IT 1591 0001

Ersatzschneidrad für 1591 1/2+3/4"
Cutting Wheels for 1591 1/2+3/4"

IT 1591 0002

Ersatzschneidrad für 1591 1"
Cutting Wheels for 1591 1"



PLUMBING TOOLS | PIPE CUTTERS

Ratchet - Action Pipe Cutter 6-23mm, 1/4" - 7/8"

IT 1590 0000

Ratschenrohrabschneider 6-23 mm, 1/4" - 7/8"

FEATURES

- Spring Loaded – Self Feeding
- Easy Cutting in Confined Spaces
- Strong and Lightweight
- Spare Wheel in Handle

Blister Packed



Immersion Heater Spanner, Box Type

IT 1708 0000

Tauchsieder-Schraubenschlüssel

FEATURES

- 85 mm Octagonal for installation and Removal of Electric Immersion Heaters on Domestic Hot Water Cylinders With Moulded Insulation
- Supplied with a 290 mm Tommy Bar for Extra Leverage
- With Notch to accommodate Power Cable
- 3.5mm Steel – Heavy Duty Pattern
- Supplied Loose



Immersion Heater Spanner, cranked

IT 1711 0000

Achtkant-Ringschlüssel für Heizelemente

FEATURES

- 85 mm Octagonal, for Installation and Removal of Electric Heaters on Domestic Hot Water Cylinders with Moulded Insulation
- Soft Grip Handle for Comfort, Reducing Risk of Injury
- Heavy Duty Pattern, 4mm Tool Steel
- Supplied Loose



Airvent Key, Clock Type

IT 1709 0000

Luftventilschlüssel, Heizungsentlüfter

FEATURES

- 5mm Square Opening
- For Use on Domestic Radiator Bleed Screws
- Made of Brass
- Supplied Loose



Tap-Reseater 3/8", 1/2", 3/4", 1"

IT 1590 0100

Wasserhahnfräser Set 3/8 - 1"

FEATURES

- Suitable for 3/8", 1/2", 3/4", and 1" Threads
- Heavy Duty Pattern
- All Metal Body and Screw-handle
- Spring Loaded on Both Sides
- Supplied with 4 Re-seating Heads: Cutting Wheels)

10mm ≈ 3/8"	17mm ≈ 1/2"
24mm ≈ 3/4"	28mm ≈ 1"



Mono-Tap-Back-Nuts 9x11+12x13mm

IT 1715 0000

Monobloc-Steckschlüssel, 3-tlg. Satz

FEATURES

- Contents: 9 x 11 mm
12 x 13 mm
T-Handle

Display packed



Basin Wrench - Telescopic, 460 mm / 16"

IT 8000 1001

Teleskop-Standhahnmutterschlüssel, 460 mm

FEATURES

- Telescopic Square Frame
- 4 Position Length-adjustable from 275mm to 460mm
- Spring Loaded Forged Steel Jaws Self Adjusting with
- Hardened Teeth, Swivel Through 180°

Display Packed



Basin Wrench+Mono-Tap Back-Nut Set

IT 8009 1112

*Standhahn-Mutter-Schlüssel Set
Hohle Ausführung - für alte und neue
Anschlüsse! Einsätze SW 9, 11, 12
und 13 mm + Klaue*

FEATURES

- Contents: Flexible Handle
Self-Clamping Head
4 X Back-Nuts sizes 9, 11, 12, 14mm

Display Packed



Plumbing Spanner

IT 8000/8024/8032

Einmaulschlüssel

FEATURES

- 39mm Jaw
- Suitable for 1" Fittings/Nuts
- Hot Drop Forged Carbon Steel
- Hardened and Tempered According to DIN 894
- Chrome Plated
- Long Handle for Good Leverage
- Supplied Loose



ITEM NO.
8024 0024
8032 0032
8000 0039

SIZE
24 mm
32 mm
39 mm

Plumbing Spanner - Double Ended 24x32mm

IT 8000 2432

Doppelmaulschlüssel 24x32 mm

FEATURES

- 24 X 32mm Jaws
- Suitable for ½ and ¾ " Fittings /Nuts
- Hot Drop Forged Carbon Steel
- Hardened and Tempered According to DIN 895
- Chrome Plated
- Supplied Loose



Box Spanner 28x33mm, Plastic Nuts

IT 1712 0000

Steckschlüssel 28x33 mm

FEATURES

- Double Ended Box Spanner Size 28x32mm
- Total Length 200mm
- Made From Seamless Tool Steel, Nickel Plated
- Supplied Loose



Box Spanner 26x31mm, Brass Nuts

IT 1712 2531

Steckschlüssel 26x31 mm

FEATURES

- Double Ended Box Spanner Size 26x31mm
- Total Length 200mm
- Made From Seamless Tool Steel, Nickel Plated
- Supplied Loose



Pipe wrenches swedish style

IT 3735

Eckrohrzange

FEATURES

- Heavy Duty "One Piece" Construction
- Large Capacity Steel Jaws
- Teeth Induction Hardened to 55-60 HRC for Durability and long Life
- Aluminium Alloy Handles, Saving up to 40% in Weight

SIZE

350mm/ 14"
450mm/ 18"
600mm/ 24"

ITEM NO.

3735 0350
3735 0450
3735 0600



PVC Pipecutter, Ratchet Action, 35 mm

IT 3000 1001

PVC Kunststoffrohrsneider, 35 mm

FEATURES

- Cutting Capacity: 35 mm
- Fast "3-Click" Ratchet Action
- Heavy Duty Die-Cast Aluminum Body
- Very Sharp Stainless Steel Blade
- Rippled Handle Prevents Slipping
- Safety Clip to Keep Handles Closed

Display Packed





**TOOL BAGS
BACKPACKS
TOOL BOXES**

Tool Box, Metal, 5-tray, cantilever

IT 3599 0000

Werkzeugkasten aus Metall, 5 tlg. blau

FEATURES

- 5 Trays
- Sheet Steel
- Dimensions: 530 x 200 x 200 mm



**Toolbox 470 x 220 x 210 mm
Impact-resistant polypropylene**

IT 3599 0050

Werkzeugkiste 470 x 220 x 210 mm Kunststoff

FEATURES

- Impact-Resistant Polypropylene and Powder-coated Steel Alloy Body
- Comfortable Soft-Grip Handles
- Removable Tote Tray
- Metal Latches for Secure Locking with Padlock Eye
- 470 X 220 X 210 MM



Tool Back-Pack "Toolsack", premium, 52 x 20 x 35 cms

IT 3600 0029

Werkzeigrucksack, Premium Ausführung

FEATURES

- 52 x 20 x 35 cms
- Plenty of Pockets, Zipped Pocket, Side Pockets
- Distributes the Weight Across Back and Shoulders
- Adjustable Shoulder Straps
- Highly Durable and Weather Resistant
- Efficient Organizing and Comfortable Carrying of Tools
- Spacious Design with Plentiful Storage Options
- Maximum Advised Carrying Weight: 20 KG



Tool Back-Pack "ToolSack", H-Duty 32x17x14 cm

IT 3600 0081

Werkzeigrucksack "ToolSack" 32x17x14 cm

FEATURES

- Size: 32 x 17 x 14 cm
- High Quality 1.680D Polyester Tools Back-Pack
- 24 Various Storage Options
- Hard Rubber Bottom Protection Dots
- Large Main Compartment
- Anti-Slip Top Carrying Handle
- Heavy Duty Stitching with Bar Tacking and Metal Rivets at Stress Points
- Comfortable Adjustable Padded Shoulder Straps
- Maximum Carrying Weight: 20 KG



KNIPEX Modular X18, Backpack Empty

IT 00 21 50 LE

KNIPEX Modular X18, Rucksack Leer

FEATURES

- 53 x 34 x 21 cm . Empty Weight 2.9 KG., Load Cap 15KG
- Fast FIDLOCK® Connections and Adapters
- 21 Straps and 37 Pockets
- 2 Separate Inner Compartments for Tools, Measuring Devices Notebook or Tablet
- 4 MOLLE Straps, for Attaching Adapters, Carabiners, etc
- Hard-Wearing Fabric, Splash Proof.
- Waterproof Base Shell
- 2 Separate Inner Compartmen Removable Tool Board
- Ergonomic Back Padding



Tool Bag, Compact, 25 x 23 x 24 cm

IT 3601 1300

Werkzeugtasche, Kompakt, 25 x 23 x 24 cm

FEATURES

- 25 x 24 x 23 cm
- Strong Polyester Heavy Duty Square Shape Tool Bag
- Over 10 Various Storage Options
- Outside:
 - 6 Compact Open Storage Pockets
 - 1 Pocket with Velcro Closure
 - 1 x Metal Measuring Tape Clip Holder
- Inside:
 - 2 x Open Storage Pockets
 - 3 x Elastic Storage Bands
- Strong Steel Carrying Handle with Anti-Slip Grip
- Heavy Duty Stitching and Metal Rivets at Stress Points
- Adjustable and Detachable Shoulder Belt
- Maximum Carrying Weight: 15 KG



"BOB- The Bag", Tool bag, Excellence

IT 3600 0028

*Werkzeugtasche Toolpack PRO
4 Reißverschlussfächer in den Hauptfächern*

FEATURES

- "BOB THE BAG" Top of the Range, Excellent Heavy Duty Tool Bag
- SIZE: 43 x 25 x 34 cm (L x W x H)
- WEIGHT: 3 KG
- High Quality 1.680D Reinforced Polyester with Extra Wide Handles
- 2 Large Fold-Out Zipper Covers with 2 Metal Clip-Hooks and 2 Metal Rings
- 2 Compartments with Multiple Pockets and Straps
- Detachable Padded Shoulder Strap with Metal Hooks and Rings
- Integrated Hard Rubber Heavy Duty Protection Bottom
- Polyester Carrying Handle with Ribbed Rubber Anti-slip Grip
- Heavy Duty Stitching with Bar Tacking and Reinforced with Extra Metal Rivets at Stress Points
- Approx 26 Different Storage Options
- Maximum Advised Carrying Weight: 20 KG



Tool bag, big

IT 3600 0022

Werkzeugtasche, groß

FEATURES

- 47x29x38 cm
- Strong 600D Polyester Quality Classic Tool Bag
- 29 Various Storage Options for Different size Tools and Accessories
- Large Main Compartment with Extra Wide Opening for Easy Access
- Heavy Duty Zipper
- Heavy Duty Stitching and Bar Tacking at Stress Points
- Comfortable Padded Adjustable Shoulder Belt

Tools shown for display purposes only



Toolbag, small

IT 3600 0024

Werkzeugtasche klein

FEATURES

- 33x25x25 cm
- Strong 600D Polyester Quality Classic Tool Bag
- 29 Various Storage Options for Different size Tools and Accessories
- Large Main Compartment with Extra Wide Opening for Easy Access
- Heavy Duty Zipper
- Heavy Duty Stitching and Bar Tacking at Stress Points
- Comfortable Padded Adjustable Shoulder Belt

Tools shown for display purposes only



Toolbag, steelbar, "Brisk"

IT 3600 0016

Werkzeugtasche, Metallschiene

FEATURES

- Size: 49 x 37 x 30cm
- Strong 600 D Polyester Compact Tote Tool bag
- Steel Carrying Bar
- Easy Storage and Practical Carrying
- 2 Additional Frontside Fold-out Tool Holders with Velcro Closure
- Including Large Detachable Protection Cover
- 40 Various Storage Options for Different Tools and Accessories
- Strong Metal Carrying bar with EVA Anti-Slip Grip
- Hard Rubber Bottom Protection Dots
- Heavy Duty Stitching, bar tacking and Metal Rivets at Stress Points
- Padded Adjustable Shoulder Belt Included
- Maximum carrying weight: 20 KG

Tools shown for display purposes only



Toolbag, steelbar, 40 x 21 x 28 cm

IT 3600 1116

Werkzeugtasche, Metallschiene, 40x21x28 cm

FEATURES

- Size: 40 X 28 X 21 cm
- Strong 600D polyester compact Tote tool bag for easy storage and practical carrying
- 11 various storage options for different sizes of tools and accessories in one large easy access main compartment
- 10 Open Outside Storage Pockets
- Strong metal carrying bar with EVA anti-slip grip and hard rubber bottom protection dots to protect from moisture and dirt
- Heavy duty stitching with bar tacking and metal rivets at stress points
- Comfortable padded adjustable shoulder belt with metal hooks and rings
- Maximum carrying weight: 15 KG

Tools shown for display purposes only



Toolbag, Rubber-Protection-Bottom 40x22x31 cm

IT 3600 0032

Werkzeugtasche mit Gummiboden 40x22x31 cm

FEATURES

- 40X22X31 cm
- High Quality 600D Polyester Abrasion and Moisture Resistant Large Tool Bag
- For the Ultimate Protection and Organizing of Various Tools on the Job
- Integrated Heavy Duty Rubber Protection Bottom
- 27 Various Storage Options for Different Sizes of Hand Tools and Accessories
- Large Main Compartment with Extra Wide Opening for Easy Access
- Heavy Duty Zipper
- Heavy Duty Stitching and Bar Tacking at Stress Points
- Comfortable Padded Adjustable Shoulder belt
- Maximum Carrying Weight: 20 KG
- Packing: Full colored Hang Tag



Tools shown for display purposes only

Toolbag/Pouch

IT 3610 0000

Gürteltasche mit Sicherheitsseil

FEATURES

- Features
- Single Pouch Tool Belt with Elastic Lanyard
- Keeps Hands Free
- Tool Pouch Belt with adjustable Work Belt
- 10 Various Storage Options
- High Vis Elastic Lanyard
- Easy Use Cord Lock



Tools shown for display purposes only

Knipex Toolcase "Electric", 20pcs.

IT 002120

Knipex Werkzeugkoffer Elektro, 20-teilig

FEATURES

- Contains 20 Brand Name Tools, partly VDE
- 60mm Deep Base Tray, Cover Plate Tool Compartments
- Lid Stays Open
- Removable Tool Board with 15 Tool Pockets on the base side
- And 6 Tool Pockets, plus Clamp Compartment on side
- 2 Lockable Steel Flip Locks
- 480 x 380 x 180 mm
- VDE Tools tested according to DIN EN/IEV 60900



No.		Nominal size	
03 06 180	Knipex Combination Pliers	1 180 mm	⚡ 1000 V
12 40 200	Knipex Self-Adjusting Insulation Stripper	1 200 mm	⚡
16 95 01			⚡
SB	Knipex KNIPEX ErgoStrip®, Universal Stripping Tool	1	⚡
26 16 200	Knipex Snipe Nose Side Cutting Pliers, (Stork Beak Pliers)	1 200 mm	⚡ 1000 V
26 26 200	Knipex Snipe Nose Side Cutting Pliers, (Stork Beak Pliers)	1 200 mm	⚡ 1000 V
70 06 160	Knipex Diagonal Cutter	1 160 mm	⚡ 1000 V
74 06 200	Knipex High Leverage Diagonal Cutter	1 200 mm	⚡ 1000 V
86 03 180	Knipex Pliers Wrench, pliers and a wrench in a single tool	1 180 mm	⚡
87 03 250	Knipex KNIPEX Cobra®, Hightech Water Pump Pliers	1 250 mm	⚡
95 16 200	Knipex Cable Shears, with twin cutting edge	1 200 mm	⚡ 1000 V
98 20 25	Knipex Screwdrivers for slotted screws	1 2,5 mm	⚡ 1000 V
98 20 65			⚡ 1000 V
SL	Knipex Screwdriver (Slim) for slotted screws	1 6,5 mm	⚡ 1000 V
98 20 55			⚡ 1000 V
SL	Knipex Screwdriver (Slim) for slotted screws	1 5,5 mm	⚡ 1000 V
98 20 40			⚡ 1000 V
SL	Knipex Screwdriver (Slim) for slotted screws	1 4,0 mm	⚡ 1000 V
98 24 01	Screwdriver (Slim) for cross-recessed screws,		⚡ 1000 V
SL	Knipex Phillips®	1 PH1	⚡ 1000 V
98 24 02	Screwdriver (Slim) for cross-recessed screws,		⚡ 1000 V
SL	Knipex Phillips®	1 PH2	⚡ 1000 V
98 25 01	Screwdriver (Slim) for cross-recessed screws,		⚡ 1000 V
SL	Knipex Pozidriv®	1 PZ1	⚡ 1000 V
98 25 02	Screwdriver (Slim) for cross-recessed screws,		⚡ 1000 V
SL	Knipex Pozidriv®	1 PZ2	⚡ 1000 V
98 52	Knipex Cable Knife	1 185 mm	⚡ 1000 V
			0,5 x 3,0 x 70 mm
005655	Wera Voltage detector, single-pole, 247	1	⚡

Knipex insul. Tools Set

IT 98 99 11

Kompaktkoffer, VDE 17-teilig

CONTENTS: 17 Pieces in Sturdy Tool Case

- 03 07 200 Combination Pliers
- 70 07 160 Diagonal Cutters
- 98 20 35 Slotted Screwdriver
- 98 20 40 Slotted Screwdriver
- 98 20 55 Slotted Screwdriver
- 98 24 00 Philips Screwdriver
- 98 42 1/2" Dr Reversible Ratchet
- 98 25 125 1/2" Dr Extension Bar
- 98 42 250 1/2" Dr Extension Bar
- 98 47 10 Hex Socket
- 98 47 11 Hex Socket
- 98 47 12 Hex Socket
- 98 47 13 Hex Socket
- 98 47 14 Hex Socket
- 98 47 17 Hex Socket
- 98 47 19 Hex Socket
- 98 52 Cable Knife



Knipex insul. Tools Set, 26 pcs, 1/2" Drive

IT 98 99 12

Knipex Standardkoffer, isol., 26 tgl, 1/2"-Drive

CONTENTS: 26 Pieces in Sturdy Tool Case

- 03 07 200 Combination Pliers
- 70 07 160 Diagonal Cutter
- 98 00 10 Open-end Wrench
- 98 00 11 Open-end Wrench
- 98 00 12 Open-end Wrench
- 98 00 13 Open-end Wrench
- 98 00 14 Open-end Wrench
- 98 00 17 Open-end Wrench
- 98 00 19 Open-end Wrench
- 98 53 03 Dismantling Knife for Round Cables
- 98 20 25 Slotted Screwdriver
- 98 20 35 Slotted Screwdriver
- 98 20 40 Slotted Screwdriver
- 98 20 55 Slotted Screwdriver
- 98 24 00 Philips Screwdriver
- 98 24 01 Philips Screwdriver
- 98 24 02 Philips Screwdriver
- 98 40 T Handle, 1/2" Drive
- 98 47 10, 11, 12, 13, 14, 17, 19 Hex Socket
- 98 52 Cable Knife



SPECIAL TOOLS

Switch Key, Economy

IT 1704 0000

4-Wege Universal Schaltschrankschlüssel

FEATURES

- Multi-purpose Key for Meter Boxes: electric, -gas, -water and Locking Systems
- 7-8 mm Triangular Key
- 5 mm Round with "Wings"
- 6 and 8 mm Square Key

Display Packed



SuBMaster Key

IT 1705 0001

Universalschlüssel „SuBMaster“

- Made in Germany -

FEATURES

- Multi-purpose Key
- For Electric Cabinets

14 in 1



Switch Key, Doublejointed, 8 in 1

IT 1705 0008

Universalschlüssel Doublejoint Key 8 in 1

- Made in Germany -

FEATURES

- 8 in 1 Multi-purposed Key
- 2 Double Joint Mechanics allow for 4 different Key Positions
- 3 Keys with Newly Developed double function
- Can be used In: Straight-Position, Pistol Grip Position for Extra Leverage Compact Position for Storing
- Sizes: 5mm Square, 7mm Triangle, 6mm Square, 8mm Triangle, 9 mm Triangle, 7mm Square, 8mm Square, 3.5mm Subway



Electrician's Switch Key Wrench

IT 1705 0000

Schaltschrankschlüssel Elektriker

- Made in Germany -

FEATURES

- Multi-purpose Key for electric, -gas, -water and Industrial Locking Systems
- 5, 6 and 8 mm Square Key
- 7-8 mm Triangular Key
- 3-5 mm Round, Special Design
- including Adaptor for PH2 and Slotted 1.0 x 7 mm Screwdriver Bits

Display Packed



Plumber's Meter Box Key

IT 1706 0000

Schaltschrankschlüssel Sanitär

- Made in Germany -

FEATURES

- Multi-purpose Key
- Featuring Radiator Valve Key
- 1 Pyramid Key for Doors and Windows
- 5, 7 and 8 mm Square Key
- 8-9 mm Triangular Key
- including Adaptor for PH2 and Slotted 1.0 x 7 mm Screwdriver Bits

Display Packed



13 in 1



Key for Street Lighting Poles, 10 mm triangle, M6

IT 1720 0000

Dreikant-Steckschlüssel, 10 mm Innenmaß M6

Schaft und Drehstift verzinkt

FEATURES

- Heavy Duty Key for Street Lighting Posts
- Δ 10mm Inner



Turnkey TwinKey

IT 001101

Turnkey TwinKey

FEATURES

- Pliers Wrench, Packed in Christmas Packaging
- Polished Head, Plastic Coated Handles
- 15 Adjustment Positions
- Increased Gripping Capacity thanks to two Additional Setting Positions
- Variable Gripping of all Widths Across Flats
- Practical Adjustment Scale
- Excellent for Gripping, Holding, Pressing and Bending Workpieces
- Fast Adjustment by Pushing Button
- Parallel Jaws, gives more solid grip
- Ratchet Principle Allows Quick and Easy Tightening and Release
- Capacity for Nuts: 40 mm

10 KNIPEX TWINKEY SETS
IN DISPLAY BOX

IT 001911V01



Cable Tie Tool

IT 3381 000L

Kabelbinderzange

FEATURES

- Easy to use
- Automatic Cut Off Feature
- Adjustable Binding Tension
- 4-Step Adjustable Tightening Torque
- Pull Trigger to Automatically Tension and Cut Cable Tie
- For use with 2.4 – 4.8 mm Cable Ties



Cabinet Key, Pen Style

IT 00 11 07

Stift-Schaltschrank-Schlüssel

FEATURES

- For switch cabinets, shut off systems for gas, water and electricity supply
- Easy to Carry Pen-Style Control Cabinet Key
- Contactless Detection of A/C Current with Red LED
- Range of Voltage 50 -600 V
- Frequency Range 50-60 Hz
- Contactless Detection of Magnetic Field Green LED
- Universal ¼" Bit Adapter
- Additional Bit Adapter for ¼" Bits
- With 2 Reversible Bits: PhilipsPH/ Slotted 7.0 X 1.2mm
- TX 20 / TX 25



Cable Tie, Fastening Cutting Tool, Metal 2.2 - 4.8 mm

IT 3380 0000

Verbindungswerkzeug Kabelbinder 2.2-4.8 mm, Metallgehäuse für Stahlkabelbinder

FEATURES

- For Stainless Steel Cable Ties
- Width 2.4 – 4.6 mm
- Automatically Tensions and Cuts the Cable Tie
- Heavy Duty Professional Quality
- Featuring Tension Adjuster and Tension Indicator



SPECIAL TOOLS

Screw Doctor

IT 5000 0000

Schraubendoktor

FEATURES

- Solves the problem of worn screw heads by creating a positive Grip between screw and driver/bit
- Increases the friction-contact by as much as 500%!
- Easy to use and works instantly
- No dripping, contains no solvents, not harmful to skin or the Environment
- Tube 20g



Re-Threading Tool 3,5 mm

IT 4042 0000

Gewinde-Reparaturschneider 3,5 mm

FEATURES

- For re-cutting damaged or malformed threads in electrical enclosures.
- HSS Blade with precision ground threads
- Display packed





CONTACT US / ANSPRECHPARTNER:

InnoTools | Germany

Mr. Patrick Michael Klemm
Thunbuschstr. 10
D-42781 Haan-Gruiten
T: +49 (0) 2104 50 555 99
✉ p.klemm@innotools.de

InnoTools | Ireland

Mr. Bernhard Jakob
T: +353 (0) 1 276 2582
✉ b.jakob@innotools.de

www.innotools.de